


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	1	0	0	1 m 8.623 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	User Logain as checker	5	5	0	0	1 m 8.618 s

DETAILED SECTION -- 4 --

## (F)- AR\_AP Module

PASSED	DURATION - 1 m 8.623 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 2:48:32.623 PM	1 // 2:49:41.246 PM /	Pass - 1	1	Pass - 5	5
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- User Logain as checker



#	Step / Hook Details	Status	Duration
1	And user update the Excelsheet Testdata for payment file legal	PASSED	3.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
	+		
	Civer Hear should se to the hube or end levie as a sheeker warr	DACCED	20,000 -
2	Given User should go to the kubs url and login as a checker userr	PASSED	36.622 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.926 s
	screenshot		
	ADDITION TO THE PROPERTY OF TH		

#	Step / Hook Details	Status	Duration
3	And then checker claim the records	PASSED	5.844 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
	Second Property   Second Pro		
4	Then click on the checker Notification	PASSED	1.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.494 s
	screenshot		
5	And select the Cheque record and Approve by checkers	PASSED	9.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) User Logain as checker

(F) AR\_AP Module

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) User Logain as checker

(F) AR\_AP Module



EXPANDED SECTION -- 7

