Cucumber Report

Start : Jan 17, 5:18:51.270 PM	End : Jan 17, 5:19:24.040 PM	Duration : 32.770 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 20 FAILED - 1 SKIPPED - 13

Features: 1 — 0 %

Scenarios: 1 — 0 %

Steps: 34 — 58 %

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	32.770 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify checker can approve the record which is approved by reviewer	34	20	1	13	32.766 s

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 32.770 s	Scenarios		Steps	
		Total - 1		Total - 34	
/ 5:18:51.270 PM // 5:19:24.040 PM /		Pass - 0	1	Pass - 20	34
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

(S)- To verify checker can approve the record which is approved by reviewer

FAILED	DURATION - 32.766 s		Steps	
			Total - 34	
/ 5:18:51.274 PM // 5:19:24.040 PM /			Pass - 20	34
To check BudgetDefinition moduel feature			Fail - 1	
@Checker_MultiAuth			Skip - 13	

| #	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	11.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.550 s
	screenshot		
4	And click on add icon	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
5	Then enter budget code	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
6	And enter budget type	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And enter warning percentage	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
8	And enter budget name	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		
9	Then give remark	PASSED	0.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
10	Then click on save button	PASSED	3.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Click on notification icon	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
12	And select the first record	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
13	Then click on submit button	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
14	And enter remark in alert tab	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And click on submit	PASSED	0.062 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot 		
16	When click on submit button save the reviewer id	PASSED	0.615 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot 		
17	Given navigate to URL and login as a reviewer	PASSED	6.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot 		
18	Then click on notification icon	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
20	And click on action button	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
21	Then verify the budget record is matched with maker submited record	FAILED	1.063 s

	org.junit.ComparisonFailure: expected:<Q[UARTERLY]> but was:<Q[uarterly]>
	    at org.junit.Assert.assertEquals(Assert.java:115)
	    at org.junit.Assert.assertEquals(Assert.java:144)
	    at stepdefinitions.BUDGET_BudgetDefinitionReviewer.
	verify_the_budget_record_is_matched_with_maker_submited_record(BUDGET_BudgetDefinitionReviewer.java:106)
	    at ?.verify the budget record is matched with maker submited record(file:///C:/Users/inindc00076/git/
	AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:251)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		

#	Step / Hook Details	Status	Duration
22	And approve the record in reviewer stage	SKIPPED	0.000 s
23	Then enter remark then submit	SKIPPED	0.000 s
24	Given navigate to URL and login as a checker	SKIPPED	0.000 s
25	Then click on security management menu	SKIPPED	0.001 s
26	And click on Action icon in security management	SKIPPED	0.000 s
27	Then clime the record	SKIPPED	0.000 s
28	And click on notification icon in checker stage	SKIPPED	0.000 s
29	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
30	And click on action button in checker stage	SKIPPED	0.001 s
31	Then validate the budget record	SKIPPED	0.001 s
32	Then click on approve in checker stage	SKIPPED	0.000 s
33	And Write remark in alert	SKIPPED	0.000 s
34	And Submit the record from checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can approve the record which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can approve the record which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

≡ 🌐 Kastle Universal Banking   21-Oct-2021 English ▾   ▾   (AZENT-MAIN) 🔔 ▣ 👤 SARVESH

No Module Mapped   ← Budget Definition   ⓘ ViewSummary ✓ Approve ↻ Return ✕ Reject

🔧   ⬦   📋

* Budget Code   * Budget Type   * Warning Percentage
BUDG310   QUARTERLY   × ▾   20

* Budget Name   ⊕   Remark   Status
Test   Ok   ACTIVE   × ▾

22 Appro... ✕   11 Messa... ✕   ⋮⋮⋮ Home   ➤ Preference