Cucumber Report

| Start : Feb 12, 3:00:28.878 PM	End : Feb 12, 3:01:47.038 PM	Duration : 1 m 18.160 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 18 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 1

Steps: 22

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 81 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	0	1	0	1 m 18.160 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Create GRN for the generated PO No.s	22	18	1	3	1 m 18.155 s

(F)- Check the Functionality of Fixed Asset

FAILED	DURATION - 1 m 18.160 s	Scenarios		Steps	
/ 3:00:28.878 PM // 3:01:47.038 PM /		Total - 1	1	Total - 22	22
		Pass - 0		Pass - 18	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Create GRN for the generated PO No.s

FAILED	DURATION - 1 m 18.155 s		Steps	
/ 3:00:28.883 PM // 3:01:47.038 PM /			Total - 22	22
Check the Functionality of Fixed Asset			Pass - 18	
@KUBS_FAT_UAT_001_004			Fail - 1	
			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
2	Then Click on the Finance	PASSED	0.034 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on the Direction	PASSED	0.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
4	Then Click on Accounts Payable	PASSED	0.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.483 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.402 s
	screenshot		
6	Then Click on Add button	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.519 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Fill the form for GRN	PASSED	1.848 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
8	Then Click on save button to save the record	PASSED	4.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
9	Then Click on notification & open record which we created for GRN	PASSED	4.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
10	Then Click on Item Details Tab	PASSED	2.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Select PO Number	PASSED	5.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
12	Then Add qty received qty approved	PASSED	1.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
13	Then Click on GRN item save button	PASSED	4.498 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
14	Then Click on the Notification	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	Then Select the record which we saved	PASSED	0.919 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
16	Then Submit record	PASSED	9.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
17	Then Open the Reviewer account	PASSED	12.661 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
18	Then Click on the Notification	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then Approve the record which we submitted from maker	FAILED	6.573 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-vvv-c290="" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (723, 436). Other element would receive the click: <ion-col _ngcontent-vvv-c290="" size-lg="12" size-md="12" size-sm="12" size="12" ng-reflect-size="12" class="md hydrated" style="flex: 0 0 calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%);">...</ion-col> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [33c64fc5d66ac13f1f5a24dcb933f657, clickElement {id=27f944ea-a041-40b7-980e-fca3d2d734ad}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53247}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53247/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (33c64fc5d66ac13f1f5a24dcb933f657)] -> xpath: //ion-button[contains(text(),'Submit')]] Session ID: 33c64fc5d66ac13f1f5a24dcb933f657
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.FixedAsset.approve_the_record_which_we_submitted_from_maker(FixedAsset.java:303)
	    at ?.Approve the record which we submitted from maker(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/		

#	Step / Hook Details	Status	Duration
	features/FixedAsset.feature:51) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.097 s
20	Then Go to Checker login	SKIPPED	0.000 s
21	Then Clam record	SKIPPED	0.000 s
22	Then Click on the notification and approve the record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create GRN for the generated PO No. s	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create GRN for the generated PO No. s	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create GRN for the generated PO No. s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create GRN for the generated PO No. s	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create GRN for the generated PO No. s	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Create GRN for the generated PO No.
s

(F) Check the Functionality of Fixed Asset

☰ 🌐 Kastle Universal Banking (Beta)   04-Oct-2022   English ▾   Azentio Software ▾   (BR0004) 🔔 ▣ 👤 VISHWA

Configuration ▾

| GRN | Item Details |

← GRN   ℹ ViewSummary ✅ Approve 🔄 Return ❌ Reject

🔧 ⇄ ▢

⊙ Entity maintenance
⊙ Security management
⊙ User management
⊙ Job scheduler
⊙ Reference data
⊙ Tax configuration

* BP Name   BP Branch   GRN Number
Bonton Agency   × ▾

* Invoice Number   GRN Amount
552112   📅   16,000.000   INR   × ▾

* Delivery Location   File No file chosen
East Zone

                                                    TXT Status
DOWNLOAD ⬇   ▾   MAKER

Remark
ok

REMARK   Close ✕

Please Enter Remarks *

_____

Submit

22 Appro... ✕   11 Messa... ✕