Cucumber Report

9 Mar 2023, 3:48:18 PM

| Start : Mar 09, 3:47:29.826 PM | End : Mar 09, 3:48:17.399 PM | Duration : 47.573 s |

| Features | Scenarios | Steps |

| PASSED - 0 | PASSED - 0 | PASSED - 8 |
| FAILED - 1 | FAILED - 1 | FAILED - 1 |
| SKIPPED - 0 | SKIPPED - 0 | SKIPPED - 1 |

1

1

10

Pass %

0 %

Pass %

0 %

Pass %

80 %

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	47.573 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify accounting entries for cleared cheques.	10	8	1	1	47.565 s

(F)- AR/AP Module

FAILED	DURATION - 47.573 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	10
/ 3:47:29.826 PM // 3:48:17.399 PM /						

(S)- Verify accounting entries for cleared cheques.

FAILED	DURATION - 47.565 s		Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	10
/ 3:47:29.834 PM // 3:48:17.399 PM /				
AR/AP Module				
@KUBS_AR_AP_UAT_010_002_TC_04 @AR/AP				

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	33.860 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.000 s
	screenshot		
2	Then select data set ID for accounting entries for cleared cheques	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user should navigate to accounts receivable menu	PASSED	0.804 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot 		
4	When click on eye button of update cheque status	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.615 s
	screenshot 		
5	Then get slip number by using cheque number	PASSED	2.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot 		
6	Then click on report icon1	PASSED	0.500 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot 		
7	Then click on enquiry menu	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then click on temp grid button of financial transaction	PASSED	0.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot 		
9	And fill the required fields of financial transaction	FAILED	2.169 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (578, 259). Other element would receive the click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=110.0.5481.180) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.105', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c7be63259139746d054fa5031393e958, clickElement {id=d5a80a14-6fe6-4026-9209-50a7c43f506d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.180, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57222}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57222/devtoo..., se:cdpVersion: 110.0.5481.180, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c7be63259139746d054fa5031393e958)] -> xpath: (//span[@class='input-calendar'])[2]] Session ID: c7be63259139746d054fa5031393e958
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_ClearingReceiptViaChequeMode. fill_the_required_fields_of_financial_transaction(ARAP_ClearingReceiptViaChequeMode.java:777) at ?.fill the required fields of financial transaction(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_AccountingEntries.feature:137) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.208 s
10	Then click on view button to view the reports and verify	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

AZENTIO ONEBanking

14-Jan-2023 English ▾ Azentio Software ▾ (AZENTMAIN) ANANT

Finance

Reports
Financial reporting
Enquiry
  Financial transaction ⏱
Petty cash
Master reports
Transaction reports

22 Appro... ✕   11 Mess... ✕

← **Update Cheque Status View** ✕

Actions	Branch Code - Name	Cheque Number	Deposit Slip Date	Slip Number	Bank	Branch
	Search Branch Code	RRN_001_002	Search Deposit Slip	Search Slip Number	Search Bank	Search Bra
👁 ✏	AZENTMAIN - Azentio N	RRN_001_002	11-Jan-2023	DEP-RRN_001_002-20:	ICICIBANK	ICICI bank L

1 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

AZENTIO ONEBanking

14-Jan-2023 English ▾ Azentio Software ▾ (AZENTMAIN) ANANT

Finance

Reports
Financial reporting
Enquiry
  Financial transaction ⏱
Petty cash
Master reports
Transaction reports

22 Appro... ✕   11 Mess... ✕

Financial Transaction   VIEW

* Branch Code	GI Code	Transaction From Date
		14-Jan-2023 📅

Transaction To Date	Transaction Ref No	Account Number
14-Jan-2023 📅		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries for cleared cheques.

(F) AR/AP Module

AZENTIO
ONEBanking

14-Jan-2023   English   Azentio Software   (AZENTMAIN)   ANANT

Finance

Reports

Financial reporting

Enquiry

Financial transaction

Petty cash

Master reports

Transaction reports

22 Appro...   11 Mess...

Financial Transaction   VIEW

* Branch Code
AZENTMAIN-Azentio Main Branch   ×   ▾

GI Code

Transaction From Date
01-Dec-2022

Transaction To Date
14-Jan-2023

Transaction Ref No

Dec 2022 ▾						
Sun	Mon	Tue	Wed	Thu	Fri	Sat
27	28	29	30	1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31
1	2	3	4	5	6	7