Cucumber Report

| Start : Jan 10, 6:02:59.757 AM	End : Jan 10, 6:03:13.261 AM	Duration : 13.504 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 4 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	13.504 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	If user selects particular record then system should display all Supplementory Budgets record details	6	4	1	1	13.502 s

(F)- Checking the Supplementary Budget functionality

FAILED	DURATION - 13.504 s	Scenarios		Steps	
/ 6:02:59.757 AM // 6:03:13.261 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 6 Pass - 4 Fail - 1 Skip - 1	6

(S)- If user selects particular record then system should display all Supplementory Budgets record details

FAILED	DURATION - 13.502 s		Steps	
/ 6:02:59.759 AM // 6:03:13.261 AM /			Total - 6	
Checking the Supplementary Budget functionality			Pass - 4 Fail - 1	6
@SupplementaryBudget_BP_SB_18_01			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	9.807 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
2	And maker should navigate to the budget module	PASSED	0.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
4	When maker click on budget supplementary eye icon	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
5	And maker navigate to search icon and fill the required Details	FAILED	0.001 s
	Step undefined		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
6	Then maker should select the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If user selects particular record then system should display all Supplementory Budgets record details	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) If user selects particular record then system should display all Supplementory Budgets record details	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) If user selects particular record then system should display all Supplementory Budgets record details

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) If user selects particular record then system should display all Supplementory Budgets record details

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) If user selects particular record then system should display all Supplementory Budgets record details

(F) Checking the Supplementary Budget functionality

☰ 🌐 Kastle Universal Banking   21-Oct-2021   English ▾   Azentio Software ▾   (AZENT-MAIN) 🔔 ▦ 👤 ANANT

Finance ▾

🔧   ⬌   📋

⊙ General ledger transaction

⊘ Budget

▶ Budget request & allocation   ✎ 👁

▶ **Supplementary budget**   ✎ 👁

▶ Budget transfer   ✎ 👁

⊙ Accounts payable

⊙ Adjustments (AR and AP)

⊙ Accounts receivable

⊙ Fixed assets

⊙ Inventory management

22 Appro... ✕   11 Messa... ✕

← 🔍

Actions

0 total

➕

▦   ➤
Home   Preference