Cucumber Report

| Start : Jan 10, 6:07:42.164 PM	End : Jan 10, 6:09:00.016 PM	Duration : 1 m 17.852 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 9

Pass %: 0 %

Pass %: 0 %

Pass %: 77 %

#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 17.852 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Checking of downloaded payment files for online payment where create file basis is Bank Wise	9	7	1	1	1 m 17.845 s

(F)- AR_AP Module

| FAILED	DURATION - 1 m 17.852 s	Scenarios		Steps	
	/ 6:07:42.164 PM // 6:09:00.016 PM /	Total - 1	1	Total - 9	9
		Pass - 0		Pass - 7	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Checking of downloaded payment files for online payment where create file basis is Bank Wise

FAILED	DURATION - 1 m 17.845 s		Steps	
	/ 6:07:42.171 PM // 6:09:00.016 PM /		Total - 9	9
	AR_AP Module		Pass - 7	
	@blocker @AR/AP @KUBS_AR_AP_UAT_008_002_TC_01		Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	42.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.580 s
	screenshot		
	+		
2	And click on arap configuration main menu	PASSED	1.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And click on payment file generation setup sub menu	PASSED	0.583 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.586 s
	screenshot		
4	And user update the Excel sheet testdata for online payment	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.730 s
	screenshot		
5	And configure the file format as Bank Wise	PASSED	1.417 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
6	And save the arap configure record	PASSED	1.946 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.476 s
	screenshot		
7	Then Click on Update Deposited Cheque Notification	PASSED	0.800 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.483 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And Select and Submit the Update Deposited Cheque recordssss	FAILED	16.733 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c1acd2fb43acb66820d4d540d2e3af16, clickElement {id=0e2e3c2d-2acb-4a40-be20-cdae7812fbfa}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57838}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57838/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c1acd2fb43acb66820d4d540d2e3af16)] -> xpath: //span[contains(text(),'23')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button] Session ID: c1acd2fb43acb66820d4d540d2e3af16
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at stepdefinitions.ACCOUNTSPAYBLE_PaymentFileDownload. select_and_submit_the_update_deposited_cheque_recordssss(ACCOUNTSPAYBLE_PaymentFileDownload.java:437)
	  at ?.Select and Submit the Update Deposited Cheque recordssss(file:///C:/Users/ININDC00075/git/ Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:824)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		

#	Step / Hook Details	Status	Duration
9	Then logout from maker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module