Cucumber Report

| Start : Mar 30, 4:43:08.533 pm	End : Mar 30, 4:43:26.124 pm	Duration : 17.591 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 24

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Petty cash	1	0	1	0	17.591 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Petty cash	Create Employee Limit	27	2	1	24	17.583 s

(F)- Check the Functionality of Petty cash

FAILED	DURATION - 17.591 s	Scenarios		Steps	
		Total - 1		Total - 27	
/ 4:43:08.533 pm // 4:43:26.124 pm /		Pass - 0	1	Pass - 2	27
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 24	

(S)- Create Employee Limit

FAILED	DURATION - 17.583 s		Steps	
			Total - 27	
/ 4:43:08.540 pm // 4:43:26.123 pm /			Pass - 2	27
Check the Functionality of Petty cash			Fail - 1	
@KUBS_PC_UAT_001_002			Skip - 24	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.070 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
2	Then Click on Pettycash Configuration	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on Employee Limit	FAILED	0.040 s

org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //ion-button[@ng-reflect-router-link=/tabs/list/datagrid-view/40'] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//ion-button[@ng-reflect-router-link=/tabs/list/datagrid-view/40']' is not a valid XPath expression.   (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#invalid_selector_exception Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [167a2b6a9baf7e53862b297e42e0b7e3, findElement {using=xpath, value=//ion-button[@ng-reflect-router-link=/tabs/list/datagrid-view/40']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55672}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55672/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 167a2b6a9baf7e53862b297e42e0b7e3
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
    at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source)
    at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)
    at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
    at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992)
   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49) at stepdefinitions.Petty_Cash.click_on_employee_limit(Petty_Cash.java:129) at ?.Click on Employee Limit(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/Petty_Cash.feature:38) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.150 s
4	Then Click on Add Icon in Petty cash	SKIPPED	0.000 s
5	And Choose Employee Value	SKIPPED	0.000 s
6	Then Enter Advance Limit	SKIPPED	0.000 s
7	And Choose Currency value	SKIPPED	0.001 s
8	Then save Record in Petty cash	SKIPPED	0.000 s
9	Then Goto The Notification Icon	SKIPPED	0.000 s
10	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
11	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
12	Given Navigate as a Reviewer	SKIPPED	0.000 s
13	Then click on Notify icon	SKIPPED	0.000 s
14	And Click First record Action icon	SKIPPED	0.000 s
15	Then Approve the record in Reviewer	SKIPPED	0.001 s
16	And Give Remark and Submit	SKIPPED	0.000 s
17	Given Navigate as a Checker	SKIPPED	0.000 s
18	Then Click module security management	SKIPPED	0.001 s
19	And Claim the Record in Checker	SKIPPED	0.000 s
20	Then Goto the Checker notification Icon	SKIPPED	0.000 s
21	And Click the First Action Icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	Then Approve the Record in checker stage	SKIPPED	0.000 s
23	And Give the Remark and Submit it	SKIPPED	0.000 s
24	Given Navigate to the Azentio Url	SKIPPED	0.000 s
25	Then Click on Pettycash Configuration	SKIPPED	0.000 s
26	And Click on Expense Code Limit	SKIPPED	0.000 s
27	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) Create Employee Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Employee Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Employee Limit

(F) Check the Functionality of Petty cash