
Start: Mar 08, 10:02:43.284 AM End: Mar 08, 10:04:01.090 AM **Duration: 1 m 17.806 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 3 SKIPPED - 0 SKIPPED - 0 SKIPPED - 5 9 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 Pass % 70 20 20 20 80 80 80 90 90 10 33 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	General Ledger2 Transaction	1	0	1	0	1 m 17.806 s

SCENARIOS SUMMARY



-- 3 --


#	Feature Name	Scenario Name	T	P	F	S	Duration
1	General Ledger2 Transaction	Check the transactions as per reference number feeded	9	3	1	5	1 m 17.801 s

DETAILED SECTION -- 4 --

(F)- General Ledger2 Transaction

FAILED	DURATION - 1 m 17.806 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 10:02:43.284 A	AM // 10:04:01.090 AM /	Pass - 0	1	Pass - 3	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Check the transactions as per reference number feeded




#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	33.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.259 s
	screenshot		
	State of the state		
2	And user should navigate to general ledger transaction menu	PASSED	0.957 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.557 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■ © Main Americans M		
3	When click on eye button of journal voucher	PASSED	0.721 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.727 s
	screenshot		
4	Then click on the record to get the voucher number	FAILED	0.880 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0' ibrive rifo: org.openqa.selenium.chrome.ChromeDriver Command: [c11203ccb1e9b353daf7bd338bc319ad, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[3].value, args=[]]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4ctbb2ab46, userDatabir: C:UsersININDC-1AypDatalL), goog:chromeOptions: {debuggerAddress: localhost:59953}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59953/devtoo, se:cdpVersion: 96.0.4664.45, settVindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptEbehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c11203ccb1e9b353daf7bd338bc319ad at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HtpCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openqa.selenium.		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	click_on_the_record_to_get_the_voucher_number(GeneralLedger2_JournalVoucher_Reports.java:68) at ?.click on the record to get the voucher number(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/GeneralLedger2_JournalVoucher.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.704 s
	screenshot		
	10 10 10 10 10 10 10 10		
5	Then click on report icon	SKIPPED	0.000 s
6	Then click on enquiry menu	SKIPPED	0.001 s
7	Then click on temp grid button of financial transaction	SKIPPED	0.001 s
8	And fill the reference number field of financial transaction	SKIPPED	0.000 s
9	Then click on view button to view the report as per reference number	SKIPPED	0.000 s

EXPANDED SECTION --- 7 -



EXPANDED SECTION -- 8 -

