


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	1	0	1	0	1 m 4.645 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	System should allocate more requested amount for the	8	6	1	1	1 m 4.642 s
	UAT functionality	inputted budget code					

DETAILED SECTION -- 4 --

(F)- Checking the Supplementary Budget UAT functionality

FAILED	DURATION - 1 m 4.645 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 3:45:10.834 A	M // 3:46:15.479 AM /	Pass - 0	1	Pass - 6	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- System should allocate more requested amount for the inputted budget code

FAILED DURATION - 1 m 4.642 s										Steps	
/ 3:45:10.837 AM // 3:46:15.479 AM /	30 -							- 1		Total - 8	
Checking the Supplementary Budget UAT functionality	20 -							-		Pass - 6	8
@SupplementaryBudget_KUBS_BP_UAT_005_00-	10 -									Fail - 1	
2	0 -	1	2	3	4	5	6	7	8	Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials UAT	PASSED	8.940 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	The state of the s		
2	And maker should navigate to the budget module UAT	PASSED	2.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		


#	Step / Hook Details	Status	Duration
	© Marinestandardo Transport Control (Age Con		
3	And maker click on budget field UAT	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
	Particular and the second of t		
4	When maker click on budget supplementary eye icon UAT	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	Screenshot *** Onto the state of the state		
5	And click on add button on budget supplementary view page UAT	PASSED	2.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.181 s
6	Then fill the input fields UAT	PASSED	6.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
		-	

org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '14.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0'. Driver info: org.openqa.selenium.chrome.ChromeDriver Command (5622b58de59781819715d9146d10b60a, findElement (using=xpath, value=//datatable-body-cell[3]/div/lapp-kub-currency/linput]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45), javascriptEnabled: frue, networkConnectionEnabled: false, pageLoad517alegy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost56416/devtoo, secdpVersion: 96.0.4664.45, setWindowRect: frue, strictFileInteractability: false, timeouts; fimplicit: 0, pageLoad: 300000, script: 30000), unhandledPromgtBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5622b58de59781819715d9146d10b60a at java.base/fjdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:177) at java.base/fjdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:177) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:233) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:149) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.s	#	Step / Hook Details	Status	Duration
org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '14.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADPO16372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch': 'amd64', os.version: '17.0.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriverCommand (5622b88de59781819715d9146d10b60a, findElement (using=xpath, value=//datatable-body-cell[3]/div//app-kub-currency//input}) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\NINIDC=1\AppData\L), goog:chromeOptions: (debuggerAddress: localhost:64416), javascriptEnabled: frue, networkConnectionEnabled: false, pageLoadSirategy; normal, platform: WINDOWS, platformName: WINDOWS, proxy. Proxy(), sec.dp: ws://localhost:64416/devtoo, sec.dp\version: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 30000; orp:: 03000), unhandledPromgtBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extensionalargeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5622b58de59781819715d9146d10b60a at java.base/dik.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/dik.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.gava:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:149) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor		Name 10 Name		
revision: 'bc5511cbda' System info: host: 'INMUVADPO16372', ip: '10.1.47.119', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command; [5622b58de59781819715d9146d10b60a, findElement {using=xpath, value=//datatable-body-cell[3]//div/App-kub-currency//input]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverversion: 96.0.4664.45 (76e4c1bb2ab46, userDatable: rc.'Users\NININDC-1\NppDatall), goog-chromeOpitions: {debuggerAddress: localhost64416/j, javascriptEnabled: true, userDatable: rc.'Users\NININDC-1\NppDatall), goog-chromeOpitions: {debuggerAddress: localhost64416/j, javascriptEnabled: true, userDatable: rc.'Users\NININDC-1\NppDatall), goog-chromeOpitions: {debuggerAddress: localhost64416, javascriptEnabled: true, userDatable: rc.'user\Ninindepteration: 96.0.4664.45, set\Ninindepteration: will revise the properties of the	7	Then fill apportion amount and save the record UAT	FAILED	36.310 s
at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'InMUVADP016372', ip: 10.1.47.119', os.name: Windows 10', os.arch': 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5622b58de5978181971569146010560a, findElement (using=xpath, value=/Idatatable-body-cell[3]/div/app-kub-currency/linput)] Capabilities (acceptinsecureCers: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverversion: 96.0.4664.45); avascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), see cdp: ws://locathost.64416/letvoto, see cdpVersion: 96.0.4664.45, setWindowRedte: true, strictFileInteractability: false, timeous: (implicit: 0, pageLoad: 300000, script: 300001), unhandledPromptEehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 5622b58de59781819171569146d10b600 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.evalue.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.evalue.com/sevalue.priverCommandExecutor.java:139) at org.openqa.selenium.remote.emoteWebDriver.indElement(PermoteWebDriver.java:537) at org.openqa.selenium.remote.emoteWebDriver.indElement(PermoteWebDriver.java:537) at org.openqa.selenium.remote		


#	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.BUDGET_SupplementaryBudgetUAT. fill_apportion_amount_and_save_the_record_uat(BUDGET_SupplementaryBudgetUAT.java:126) at ?.fill apportion amount and save the record UAT(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/BUDGET_SupplementaryBudgetUAT.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	4.011 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Commant: 5622b58de59781819715d9146d10b60a, screenshot {} {} {} {} {} {} {} {} {} {} {} {} {}		
8	Then validate maker can submit the record UAT	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5622b58de59781819715d9146d10b60a, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45} (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64416}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64416/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	0.245 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5622b58de59781819715d9146d10b60a		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

