# Cucumber Report

| Start : Mar 30, 6:54:59.837 pm | End : Mar 30, 6:56:01.366 pm | Duration : 1 m 1.529 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 0<br>SKIPPED - 0 | PASSED - 28<br>FAILED - 0<br>SKIPPED - 0 |

1

1

28

Pass %

100 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | *Check the Functionality of Petty cash* | 1 | 1 | 0 | 0 | 1 m 1.529 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the Functionality of Petty cash | Create Custodian Limit | 28 | 28 | 0 | 0 | 1 m 1.522 s |

## (F)- Check the Functionality of Petty cash

| PASSED | DURATION - 1 m 1.529 s | Scenarios | | Steps | |
|--------|------------------------|-----------|---|-------|---|
| / 6:54:59.837 pm // 6:56:01.366 pm / | | Total - 1 | | Total - 28 | |
| | | Pass - 1 | 1 | Pass - 28 | 28 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- Create Custodian Limit

| PASSED | DURATION - 1 m 1.522 s | | Steps | |
|--------|------------------------|---|-------|---|
| / 6:54:59.844 pm // 6:56:01.366 pm / | | | Total - 28 | |
| Check the Functionality of Petty cash | | | Pass - 28 | 28 |
| @KUBS_PC_UAT_001_003 | | | Fail - 0 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 1 | Given Navigate The Azentio Url | PASSED | 12.310 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.128 s |
| | screenshot | | |
| |  | | |
| 2 | Then Click on Pettycash Configuration | PASSED | 0.143 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And click on Custodian limit module | PASSED | 0.336 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.275 s |
| | screenshot | | |
| |  | | |
| 4 | Then Click on Add Icon in Petty cash | PASSED | 0.251 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.267 s |
| | screenshot | | |
| |  | | |
| 5 | And Enter user name in the Custodian limit | PASSED | 0.213 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.168 s |
| | screenshot | | |
| |  | | |
| 6 | And give maximum limit | PASSED | 0.282 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.137 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
|   |  |        |          |
| 7 | And give replenish limit | PASSED | 0.267 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.130 s |
| 8 | And enter the currency type | PASSED | 0.225 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.157 s |
| 9 | Then save Record in Petty cash | PASSED | 0.115 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.320 s |
| 10 | Then Goto The Notification Icon | PASSED | 0.188 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot | PASSED | 0.285 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | And Store the Referance Id and Open the Record | PASSED | 0.752 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.260 s |
| | screenshot | | |
| |  | | |
| 12 | Then Click submit button and Enter Remark submit it | PASSED | 2.337 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.163 s |
| | screenshot | | |
| |  | | |
| 13 | Given Navigate as a Reviewer | PASSED | 8.172 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.122 s |
| | screenshot | | |
| |  | | |
| 14 | Then click on Notify icon | PASSED | 0.525 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.128 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 15 | And Click First record Action icon | PASSED | 0.105 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.309 s |
| | screenshot | | |
| |  | | |
| 16 | Then Approve the record in Reviewer | PASSED | 0.112 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.197 s |
| | screenshot | | |
| |  | | |
| 17 | And Give Remark and Submit | PASSED | 1.580 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.102 s |
| | screenshot | | |
| |  | | |
| 18 | Given Navigate as a Checker | PASSED | 7.735 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.106 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 19 | Then Click module security management | PASSED | 0.250 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | screenshot<br> | | |
| 20 | And Claim the Record in Checker | PASSED | 0.705 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | screenshot<br> | | |
| 21 | Then Goto the Checker notification Icon | PASSED | 0.103 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.348 s |
| | screenshot<br> | | |
| 22 | And Click the First Action Icon | PASSED | 0.082 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.226 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 23 | Then Approve the Record in checker stage | PASSED | 0.174 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.231 s |
| | screenshot | | |
| |  | | |
| 24 | And Give the Remark and Submit it | PASSED | 1.560 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.141 s |
| | screenshot | | |
| |  | | |
| 25 | Given Navigate The Azentio Url | PASSED | 8.911 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.160 s |
| | screenshot | | |
| |  | | |
| 26 | Then Click on Pettycash Configuration | PASSED | 0.126 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.176 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 27 | And Click on Employee Limit | PASSED | 0.336 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.229 s |
| | screenshot | | |
| |  | | |
| 28 | Then Click on Table Row First Eye Icon | PASSED | 0.154 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.255 s |
| | screenshot | | |
| |  | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Create Custodian Limit | |
| (F) Check the Functionality of Petty cash | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Create Custodian Limit | |
| (F) Check the Functionality of Petty cash | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Create Custodian Limit | |
| (F) Check the Functionality of Petty cash | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Create Custodian Limit | |
| (F) Check the Functionality of Petty cash | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash



| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name |
|---------|--------------|------------|------------|-----------|---------------|
| ✏ | 139208 | USER_LIMIT | REVIEWER | REVIEWER | in00027 |
| ✏ | 118 | ACCOUNTING_CATEGORY | REVIEWER | REVIEWER | in00027 |
| ✏ | 558 | BUDGET_TRANSFER | REVIEWER | REVIEWER | in00027 |
| ✏ | 546 | BUDGET_TRANSFER | REVIEWER | REVIEWER | in00027 |
| ✏ | 544 | BUDGET_TRANSFER | REVIEWER | REVIEWER | in00027 |

199 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

| | |
|---|---|
| ≡ 🌐 Kastle Universal Banking (Beta) | 08-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 >_ 👤 ANANT |

Finance ▾

🔧 🚩 📋

⊙ Business partner setup
⊙ General ledger configuration
⊙ Accounting setup
⊙ Expense/AR & AP configurati...
⊙ Budget configuration
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

Welcome, anant

22 Appro... ✕   11 Messa... ✕

⊞ Home   ▶ Preference

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash

| | |
|---|---|
| ≡ 🌐 Kastle Universal Banking (Beta) | 08-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 >_ 👤 ANANT |

Finance ▾

🔧 🚩 📋

⊙ Business partner setup
⊙ General ledger configurat...
⊙ Accounting setup
⊙ Expense/AR & AP configu...
⊙ Budget configuration
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

▶ Custodian limit  ✏ 👁
▶ Employee limit  ✏ 👁

Welcome, anant

22 Appro... ✕   11 Messa... ✕

⊞ Home   ▶ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create Custodian Limit

(F) Check the Functionality of Petty cash