Cucumber Report

Start : Feb 04, 9:18:39.325 AM	*End : Feb 04, 9:19:34.503 AM*	*Duration : 55.178 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 17 FAILED - 0 SKIPPED - 0

1

1

17

Pass %

100 %

Pass %

100 %

Pass %

100 %

#	Feature Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	1	1	0	0	55.178 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	INVENTORY MAINTENANCE	Create denomination details	17	17	0	0	55.173 s

(F)- INVENTORY MAINTENANCE

PASSED	DURATION - 55.178 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 9:18:39.325 AM // 9:19:34.503 AM /		Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create denomination details

PASSED	DURATION - 55.173 s		Steps	
/ 9:18:39.330 AM // 9:19:34.503 AM /			Total - 17	
			Pass - 17	17
INVENTORY MAINTENANCE			Fail - 0	
@KUBS_INV_MGMT_UAT_002_002			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should navigate to the kubs url and login as a maker user	PASSED	12.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.641 s
	screenshot		
2	And user should navigate to denomination master menu	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of denomination master	PASSED	0.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
4	And click on add button to create denomination details	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		
5	And Fill the required fields to create denomination details	PASSED	1.414 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
6	Then Save and submit the creation denomination details	PASSED	7.588 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.511 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	8.517 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
8	Then Click on notification button in reviewer	PASSED	0.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	screenshot		
9	And approve the record by reviewer user	PASSED	3.895 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
10	Given User should go to the kubs url and login as a checker user	PASSED	8.651 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Click on security management in checker	PASSED	0.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
12	Then Click on open pool in checker	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
13	And Click on claim button in checker	PASSED	0.054 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
14	And capture claimed status	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	PASSED	0.257 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
16	Then checker should approved the denomination details	PASSED	3.737 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
17	And checker logout	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create denomination details	
(F) INVENTORY MAINTENANCE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create denomination details	
(F) INVENTORY MAINTENANCE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create denomination details	
(F) INVENTORY MAINTENANCE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create denomination details	
(F) INVENTORY MAINTENANCE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

≡ 🌐 Kastle Universal Banking *(Beta)*　　　　　03-Oct-2022　English ▾　　Azentio Software ▾　(AZENTMAIN) 🔾 ✉ 🔾 CHECKER

✓ Record APPROVED Successfully ✖

Configuration ▾

🔧　　✈　　▢

⌄ Security management

▶ **Open pool**　　✎ 👁

← **Denomination Details Master**

* Instrument Code		* Currency		* Denomination Type	
AZENTIO-azentio	✕ ▾	INR	✕ ▾	Cash	✕ ▾

Status
ACTIVE	✕ ▾

Denomination Sub Type	Denomination Sequence Number	Denomination Value	Denomination Description	Action
Note ▾	999	999	denomination	🗗 [+]

22 Appro... ⊗　11 Messa... ⊗

⠿ Home　　➤ Preference