
Duration: 1 m 54.445 s Start: Dec 13, 12:16:49.914 PM End: Dec 13, 12:18:44.359 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 14 SKIPPED - 0 SKIPPED - 0 SKIPPED - 4 19 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 73 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 54.445 s

SCENARIOS SUMMARY




:	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	AR/AP Module	Verify Accounting entries post Debit Note is cancelled	19	14	1	4	1 m 54.438 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 1 m 54.445 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 12:16:49.914 P	PM // 12:18:44.359 PM /	Pass - 0	1	Pass - 14	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Verify Accounting entries post Debit Note is cancelled



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.045 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		
	The State of the Control of the Cont		
2	Then select data set ID for accounting entries post debit note is cancelled	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
	screenshot		

#	Step / Hook Details	Status	Duration
	ASSETTION VALUE DE PARTICIONE ASSETTION ASSET		
3	Then Choose the second Tab Segment	PASSED	2.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.415 s
	screenshot		
	Section 1 Sectio		
4	And Click On Main module Accounts Receivable	PASSED	0.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.348 s
5	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.808 s
6	And Click On Search Icon	PASSED	0.826 s
-	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot	7	
	·		

#	Step / Hook Details	Status	Duration
	ACENTED		
7	Then Enter Cancelled Value In Debit Not Status	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.217 s
	screenshot		
	ACEUTICS A CEUTICS		
8	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.630 s
	screenshot		
	ACEUTO **** **** **** **** **** **** **** *		
9	And Get The Bp Name and Debit Number Store It	PASSED	2.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
	ASSITO SECURITY SECURITY		
10	Then Third Segment report Icon	PASSED	0.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		

11 And Choose Enquiry Module for cancelled debit note AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 12 Then Click on financial transction edit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And choose branch codes for cancelled debit note AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.549 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.205 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 12 Then Click on financial transction edit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.206 s 0.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.206 s 0.206 s 0.206 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Passed 0.206 s 0.206 s		Value part		
screenshot 12 Then Click on financial transction edit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And choose branch codes for cancelled debit note AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s 0.369 s 0.369 s	11	And Choose Enquiry Module for cancelled debit note	PASSED	0.193 s
12 Then Click on financial transction edit button AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot 13 And choose branch codes for cancelled debit note AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED 0.206 s PASSED 0.369 s 0.549 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) PASSED 0.549 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
12 Then Click on financial transction edit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And choose branch codes for cancelled debit note AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s 0.369 s 0.369 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And choose branch codes for cancelled debit note AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.369 s 0.549 s 0.549 s		Section Sect		
screenshot 13 And choose branch codes for cancelled debit note AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.549 s 0.205 s	12	Then Click on financial transction edit button	PASSED	0.206 s
13 And choose branch codes for cancelled debit note AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.549 s 0.205 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.205 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.205 s		The district of the control of the c		
	13	And choose branch codes for cancelled debit note	PASSED	0.549 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
screenshot		screenshot		
ASSETTION VALUE OF TAXABLE AND ADDRESS OF TA		Sample Sa		
14 And click on transaction from date in calender 0.615 s	14	And click on transaction from date in calender	PASSED	0.615 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.245 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	ASSUTION WAS TO Space - Strategies - Strate		
15	Then Select from date in calender for cancelled debit note	FAILED	46.011 s
	org.openqa.selenium.NoSuchWindowException: no such window: window was already closed (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc551Lobda' System info: host: 'PG0DX8KU', ip: '10.1.47.122', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '10.0', at the property of the property		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.231 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e22021b462344f126d9014507e4a8ea, screenshot {}] Capabilities faccepthseeureCerts: false, browserName: chrome, browserVersion: 10.0.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51} (d537ec02474b5, userDataDir: C:\Users\ININDC-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53973}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53973/devtoo, se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5e22021b462344f126d9014507e4a8ea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Metava.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Metava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.Dri		
16	And click on transaction to date in calender icon	SKIPPED	0.001 s
17	Then Select To date in calender for cancelled debit note	SKIPPED	0.001 s
18	And Click View HyperLink	SKIPPED	0.001 s
19	Then Verify Accounting entries post Debit Note is cancelled	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.256 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e22021b462344f126d9014507e4a8ea, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:53973}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53973/devtoo, se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5e22021b462344f126d9014507e4a8ea at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

