


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	1	0	1	0	59.970 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Check Asset Serial Number	13	10	1	2	59.962 s

(F)- Check the Functionality of Fixed Asset

FAILED	DURATION - 59.970 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 3:56:50.419 pm	n // 3:57:50.389 pm /	Pass - 0	1	Pass - 10	13
		Fall - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Check Asset Serial Number



#	Step / Hook Details	Status	Duration
1	And User get the test data for check assert serial number	PASSED	4.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		
	+		
2	Given User should go to the kubs url and login as a maker user	PASSED	34.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.718 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And User click the fixed assert config button	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.266 s
4	And User click the assert serial number setup tempview	PASSED	0.601 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.794 s
5	And User get the assert code in fixed assert config	PASSED	1.994 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.439 s
6	Then click on report icon	PASSED	2.690 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.318 s
7	And user should navigate to master reports menu	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.309 s

#	Step / Hook Details	Status	Duration
	ACTION 10 10 10 10 10 10 10 10 10 10 10 10 10 1		
8	Then click on temp grid button of asset serial number	PASSED	0.384 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.346 s
9	And User enter the assert code	PASSED	0.866 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.255 s
	A		
10	And User enter the start assert serial number	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
	A		
11	And User select the date in assert report	FAILED	0.026 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[@aria-label='Feb 8, 2023']/span"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.176', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0b06d77743f77d1be49ea4a004aa0c60, findElement {using=xpath, value=//td[@aria-label='Feb 8, 2023']/span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:50565},		

#	Step / Hook Details	Status	Duration
	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://locathosts0565/devtoo, se:cdp/Version: 109.0-8414.120, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthnextension!argeBlob: true, strue.argeBlob: true, webauthnextension!argeBlob: true, strue.argeBlob: true, arg. arg. arg. arg. arg. arg. arg. arg.	PASSED	0.243 s
12	Then click in the view button to check	SKIPPED	0.000 s
13		SKIPPED	0.000 s
13	Then the report is displaying all the asset codes details for a branch	SKIPPED	0.000 S


EXPANDED SECTION -- 8 --


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check Asset Serial Number


(F) Check the Functionality of Fixed Asset









EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

