Cucumber Report

| **Start : Mar 02, 10:31:48.900 AM**	**End : Mar 02, 10:32:24.338 AM**	**Duration : 35.438 s**
Features	*Scenarios*	*Steps*
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 4

1

1

12

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
58 %
0 100

#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	1	0	1	0	35.438 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	Cancel receipt appropriation through Online Mode	12	7	1	4	35.432 s

(F)- ACCOUNTS RECEIVABLE

| FAILED	DURATION - 35.438 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 10:31:48.900 AM // 10:32:24.338 AM /		Pass - 0	1	Pass - 7	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Cancel receipt appropriation through Online Mode

FAILED	DURATION - 35.432 s		Steps	
			Total - 12	
/ 10:31:48.906 AM // 10:32:24.338 AM /			Pass - 7	12
ACCOUNTS RECEIVABLE			Fail - 1	
@KUBS_AR/AP_UAT_011_002_TC_02			Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	16.774 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.005 s
	screenshot		
2	And user should navigate to accounts receivable menu	PASSED	0.774 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When click on eye button of receipts	PASSED	0.764 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.732 s
	screenshot		
4	Then get the txn number	PASSED	1.492 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
5	When click on eye button of receipts reversals	PASSED	0.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
6	And click on add button for cancel receipt	PASSED	0.374 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Fill the required fields to cancel the receipts through online mode	PASSED	1.551 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.383 s
	screenshot		
8	Then save the record to cancel the receipts	FAILED	1.138 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bf6992888cdfa56e2fc3cc4557b23042, clickElement {id=188b9ac3-545a-40b7-87a4-d0a55e4954e3}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59078}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59078/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bf6992888cdfa56e2fc3cc4557b23042)] -> xpath: (//ion-buttons[2]/ion-button[1])[2]] Session ID: bf6992888cdfa56e2fc3cc4557b23042
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.AccountsReceivable_ReceiptsReversals. save_the_record_to_cancel_the_receipts(AccountsReceivable_ReceiptsReversals.java:109) at ?.save the record to cancel the receipts(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/AccountsReceivable_ReceiptsReversals.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.152 s
9	And select the record actions button	SKIPPED	0.000 s
10	Then click on initiate the record	SKIPPED	0.000 s
11	And record status	SKIPPED	0.000 s
12	And select the record pencil icon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Cancel receipt appropriation through
Online Mode

(F) ACCOUNTS RECEIVABLE