


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	45.731 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Accounts Receivable Report post credit note is	17	14	1	2	45.726 s
		cancelled					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 45.731 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 5:27:55.976 PN	M // 5:28:41.707 PM /	Pass - 0	1	Pass - 14	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Verify Accounts Receivable Report post credit note is cancelled



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	13.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
	The Bright shadow source of the Bright shadow of th		
2	Then select data set ID for Verify accounts receivable report post credit note is cancelled	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.635 s
	screenshot		

3 Then Choose the second Tab Segment AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click the Account Receivable main module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s PASSED 0.284 s		e x Q HAMM		
screenshot When click the Account Receivable main module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s PASSED 0.284 s	3	-	PASSED	1.968 s
4 When click the Account Receivable main module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
4 When click the Account Receivable main module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click the eye icon in credit note AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click the eye icon in credit note AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s PASSED 0.284 s				
Screenshot 5 And click the eye icon in credit note AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And click the search icon in credit note page AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s	4	When click the Account Receivable main module	PASSED	0.141 s
5 And click the eye icon in credit note AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click the search icon in credit note page AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
5 And click the eye icon in credit note AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click the search icon in credit note page AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click the search icon in credit note page AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.073 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.490 s		The transfer of the transfer o		
screenshot And click the search icon in credit note page AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.284 s	5	And click the eye icon in credit note	PASSED	0.259 s
6 And click the search icon in credit note page AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.490 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s	6	And click the search icon in credit note page	PASSED	1.073 s
screenshot			PASSED	0.284 s
		screenshot	7	

7 And search credit note status as cancelled AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot The status as cancelled and t
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s
screenshot Compared to the control of the contro
A SAMPO Service Servic
8 And click the first eye icon in the Cancelled Credit List 0.095 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.394 s
screenshot
A SANTO TOTAL STATE OF THE SANTON OF THE SA
9 And get buisness partner name, get credit note number and get credit note date 0.713 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s
screenshot
ADDRESS Base Manufacture Manufactu
10 And click the notes option in top PASSED 0.258 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.264 s
screenshot


#	Step / Hook Details	Status	Duration
	A SENTE 1		
11	And click the Reports Sub Module	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
	## ADMITS 1984 - 1985 1984 - 1985 1984		
12	And click the Account Receivable Report	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ###################################	PASSED	0.200 s
13	And select the vendor name	PASSED	0.274 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.218 s
14	And select the Receivable status based on we get from Credit note	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		

org.({"me visit: ip: '1 Chro {acc (d53 java Prox	d select the date .openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ethod":"xpath","selector":"(//button[@type='button'])[3]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please t: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', 10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. omeDriver Command: [526b3e3d69d9256b77f6a0c3112b3e94, findElement {using=xpath, value=(//button[@type='button'])[3]}] Capabilities ceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51	FAILED	14.314 s
org.({"me visit: ip: '1 Chro {acc (d53 java Prox	openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ethod":"xpath","selector":"(//button[@type='button'])[3]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please t: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', 10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. comeDriver Command: [526b3e3d69d9256b77f6a0c3112b3e94, findElement {using=xpath, value=(//button[@type='button'])[3]}] Capabilities ceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51	FAILED	14.314 s
{"me visit: ip: '1 Chro {acc (d53 java Prox	ethod":"xpath","selector":"(//button[@type='button'])[3]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please t: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', 10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. omeDriver Command: [526b3e3d69d9256b77f6a0c3112b3e94, findElement {using=xpath, value=(//button[@type='button'])[3]}] Capabilities ceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51		
web at	37ec02474b5, userDataDir: C'lUsers\ININDC~1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:62025}, ascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: xy(), se:cdp: ws://localhost:62025/devtoo, se:cdp\Version: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: plicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, oauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 526b3s3d69d9256b77f6a0c3112b3e94 but idk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source) ti java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) but java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) but org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) but org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) but org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) but org.openqa.selenium.remote.temote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) but org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) but org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) but org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) but org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) but org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) but org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) but org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) but org.openqa.selenium.support.pagefactory.befaultElement(RemoteWebDriver.java:373) but org.openqa.selenium.support.pagefactory.befau		
AFT	TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	Construction for the second space of the secon		
16	And click the view icon	SKIPPED	0.000 s
17	Then verify the Credit Note cancelled is available in the report	SKIPPED	0.001 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

