
Cucumber Report




FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|--------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 1 m 23.899 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|--|----|----|---|---|--------------|
| 1 | AR/AP Module | Verify Credit Note is adjusted against the selected bill and | 11 | 10 | 1 | 0 | 1 m 23.893 s |
| | | Net Adjusted Value is correctly displayed | | | | | |

DETAILED SECTION -- 4 --

(F)- AR/AP Module

| FAILED | DURATION - 1 m 23.899 s | Scenarios | | Steps | |
|-----------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 11 | |
| / 9:39:39.190 A | AM // 9:41:03.089 AM / | Pass - 0 | 1 | Pass - 10 | 11 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Verify Credit Note is adjusted against the selected bill and Net Adjusted Value is correctly displayed



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 41.916 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.001 s |
| | screenshot | | |
| | ASSENTO THE STATE OF THE STATE | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 3.560 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.276 s |
| | screenshot | | |
| | CASINTO Security Securit | | |


| Men click on eye button of invoice booking AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.409 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.378 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.977 s | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| screenshot After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) After Step - stepd | 3 | When click on eye button of invoice booking | PASSED | 0.933 s |
| 4 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepde | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.055 s |
| 4 And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for Invoice against Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.691 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.326 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.409 s To And gill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.409 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the data set ID for Invoice against Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And goto invoice bill booking temp view and select the record PASSED 0.691 s PASSED 0.691 s PASSED 0.491 s PASSED 0.491 s PASSED 0.492 s | | | | |
| screenshot 5 And user update the data set ID for Invoice against Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.763 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And goto invoice bill booking temp view and select the record PASSED 2.378 s | 4 | And click on add button for invoice booking | PASSED | 0.941 s |
| 5 And user update the data set ID for Invoice against Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.763 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 And goto invoice bill booking temp view and select the record PASSED 2.378 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.562 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And goto invoice bill booking temp view and select the record PASSED 0.326 s 0.326 s 0.326 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And goto invoice bill booking temp view and select the record PASSED 0.326 s 0.326 s 0.326 s | | AZENTO | | |
| screenshot 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And goto invoice bill booking temp view and select the record PASSED 2.378 s | 5 | And user update the data set ID for Invoice against Expense | PASSED | 0.691 s |
| 6 And fill the mendatory field for invoice booking for expenseType invoice AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And goto invoice bill booking temp view and select the record PASSED 2.378 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.326 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And goto invoice bill booking temp view and select the record PASSED 0.409 s PASSED 0.409 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And goto invoice bill booking temp view and select the record PASSED 0.409 s PASSED 0.409 s | | AZENTO Substitution Substitu | | |
| Screenshot The state of the st | 6 | And fill the mendatory field for invoice booking for expenseType invoice | PASSED | 6.763 s |
| 7 And goto invoice bill booking temp view and select the record PASSED 2.378 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.409 s |
| 7 And goto invoice bill booking temp view and select the record PASSED 2.378 s | | screenshot | | |
| | | \$ \$\text{No.227}\$ \$No.22 | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.977 s | 7 | And goto invoice bill booking temp view and select the record | PASSED | 2.378 s |
| | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.977 s |
| screenshot | | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | | | |
| 8 | And fill the second tab for expencess details | PASSED | 9.586 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.398 s |
| | screenshot | | |
| | ACENTO Secretary Sec | | |
| 9 | Then click on the Notification icon | PASSED | 0.187 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.690 s |
| | screenshot | | |
| | Manager Mana | | |
| 10 | Then store the Reference ID and open the invoice booking record | PASSED | 1.525 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.191 s |
| | screenshot | | |
| | ACENTON State of the control of | | |
| 11 | Then click submit and enter remark for invoice booking | FAILED | 1.971 s |
| | java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) | | |


DETAILED SECTION -- 7 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at stepdefinitions.ARAP_CreditNote.click_submit_and_enter_remark_for_invoice_booking(ARAP_CreditNote.java:243) at ?.click submit and enter remark for invoice booking(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp4.feature:150) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.343 s |
| | ALESTICO SALOS DE LOS DEL LOS DE LOS DEL LOS DE LOS DEL LOS DE LOS DE LOS DEL LOS DE LOS DEL LOS DELLOS DEL LOS DELLOS DEL LOS DELLOS DELLOS DELLOS DELLOS DELLOS DELLOS DELLOS DELLO | | |


EXPANDED SECTION -- 8 --




EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --



EXPANDED SECTION --- 11 --



EXPANDED SECTION --- 12 --



EXPANDED SECTION -- 13 --

