Cucumber Report

| Start : Mar 31, 2:04:06.449 pm	End : Mar 31, 2:04:40.138 pm	Duration : 33.689 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 20

Features: 1

Scenarios: 1

Steps: 35

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 40 %

#	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of Petty cash*	1	0	1	0	33.689 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Petty cash	Create reimbursement for vouchers received	35	14	1	20	33.680 s

(F)- Check the Functionality of Petty cash

| FAILED	DURATION - 33.689 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 2:04:06.449 pm // 2:04:40.138 pm /		Pass - 0	1	Pass - 14	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 20	

(S)- Create reimbursement for vouchers received

FAILED	DURATION - 33.680 s		Steps	
/ 2:04:06.458 pm // 2:04:40.138 pm /			Total - 35	
Check the Functionality of Petty cash			Pass - 14	35
			Fail - 1	
@KUBS_PC_UAT_003			Skip - 20	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	14.948 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on Petty cash module	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
4	Then Click on Reimbursement Eye Icon	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.599 s
	screenshot		
5	Then Click on Add Icon in Petty cash	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.465 s
	screenshot		
6	And Choose Cash Memo Ref number	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Enter Advance Amount value	PASSED	0.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
8	And Choose Expense Code	PASSED	0.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
9	Then Enter Reimbursement Amount	PASSED	0.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
10	And Enter Reimbursement Remarks	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then save Record in Petty cash	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
12	Then Goto The Notification Icon	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
13	And Store the Referance Id and Open the Record	PASSED	0.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
14	Then Click submit button and Enter Remark submit it	PASSED	3.018 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then save Record in Petty cash	FAILED	1.157 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-success" toast-component="" style="opacity: 1;">...</div> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ae2cbfe56805c4aeb6f3bb8ad53c667b, clickElement {id=610a26ce-d276-4c4e-b4a8-c3390746a214}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51323}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51323/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ae2cbfe56805c4aeb6f3bb8ad53c667b)] -> xpath: (//ion-header[1]/ion-toolbar[1]/ion-buttons[2])[3]] Session ID: ae2cbfe56805c4aeb6f3bb8ad53c667b
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.Petty_Cash.save_record_in_petty_cash(Petty_Cash.java:121)
	    at ?.save Record in Petty cash(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/Petty_Cash.feature:136)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
16	Then Goto The Notification Icon	SKIPPED	0.000 s
17	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
18	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
19	Given Navigate as a Reviewer	SKIPPED	0.000 s
20	Then click on Notify icon	SKIPPED	0.000 s
21	And Click First record Action icon	SKIPPED	0.000 s
22	Then Approve the record in Reviewer	SKIPPED	0.001 s
23	And Give Remark and Submit	SKIPPED	0.000 s
24	Given Navigate as a Checker	SKIPPED	0.001 s
25	Then Click module security management	SKIPPED	0.000 s
26	And Claim the Record in Checker	SKIPPED	0.000 s
27	Then Goto the Checker notification Icon	SKIPPED	0.000 s
28	And Click the First Action Icon	SKIPPED	0.000 s
29	Then Approve the Record in checker stage	SKIPPED	0.000 s
30	And Give the Remark and Submit it	SKIPPED	0.000 s
31	Given Navigate The Azentio Url	SKIPPED	0.001 s
32	Then Choose the second Tab Segment	SKIPPED	0.000 s
33	And Click on Petty cash module	SKIPPED	0.000 s
34	Then Click on Reimbursement Eye Icon	SKIPPED	0.001 s
35	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

☰ 🌐 Kastle Universal Banking (Beta)   10-Nov-2022 English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🔧   🚩   📋

Welcome, anant

⊙ Business partner setup
⊙ General ledger configuration
⊙ Accounting setup
⊙ Expense/AR & AP configurati...
⊙ Budget configuration
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

22 Appro... ✕   11 Messa... ✕   ⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

☰ 🌐 Kastle Universal Banking (Beta)   10-Nov-2022 English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🔧   🚩   📋

Welcome, anant

⊙ General ledger transaction
⊙ Budget
⊙ Accounts payable
⊙ Adjustments (AR and AP)
⊙ Accounts receivable
⊙ Fixed assets
⊙ Inventory management
⊙ Petty cash
⊙ Bank recon

22 Appro... ✕   11 Messa... ✕   ⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create reimbursement for vouchers received (F) Check the Functionality of Petty cash	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create reimbursement for vouchers received (F) Check the Functionality of Petty cash	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create reimbursement for vouchers received (F) Check the Functionality of Petty cash	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create reimbursement for vouchers received (F) Check the Functionality of Petty cash	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create reimbursement for vouchers received

(F) Check the Functionality of Petty cash