


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	1	0	1	0	55.909 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS RECEIVABLE	Cancel receipt appropriation through Online Mode	12	4	1	7	55.905 s

DETAILED SECTION -- 4 --

(F)- ACCOUNTS RECEIVABLE

FAILED	DURATION - 55.909 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 10:25:04.965 A	AM // 10:26:00.874 AM /	Pass - 0	1	Pass - 4	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- Cancel receipt appropriation through Online Mode




#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	22.684 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.749 s
	screenshot		
	The Control of the Co		
2	And user should navigate to accounts receivable menu	PASSED	1.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		


#	Step / Hook Details	Status	Duration
3	When click on eye button of receipts	PASSED	0.828 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.525 s
4	Then get the txn number	PASSED	2.100 s
·	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	Screenshot Interpretation Interpre		
5	When click on eye button of receipts reversals	FAILED	2.116 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" color="medium" ng-reflect-color="medium" ng-reflect-query-params="[object Object]" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/210" ng-reflect-router-link-active="active" routerlinkactive="active" tabindex="0"></ion-button> is not clickable at point (194, 708). Other element would receive the click: <ion-label _ngcontent-bjf-c278="" class="sc-ion-label-md-h sc-ion-label-md-s md hydrated"></ion-label> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [823de3427daa20f5539c52f0fa7b6ee5, clickElement {id=147c16fd-981d-4558-82e5-fae784073f4f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:58715}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58715/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (823de3427daa20f5539c52f0fa7b6ee5)] -> xpath: //div[5]//ion-menu-toggle[5]//ion-item//ion-buttons//ion-buttons//ion-button[2]] Session ID: 823de3427daa20f5539c52f0fa7b6ee5		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance@(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance@(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance@(DelegatingConstructorAccessorImpl.java:49) at java.base/java.lang.reflect.Constructor.newInstance@(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance@(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.otec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.evice.DriverCommandExecutor.invokeExecute@(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute@(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute@(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute@(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute@(RemoteWebElement.java:77) at org.openqa.selenium.remote.RemoteWebElement.cxecute@(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke@(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.proxy2.proxy46.click(Unknown Source) at stepdefinition	PASSED	0.160 s
6	And click on add button for cancel receipt	SKIPPED	0.000 s
7	And Fill the required fields to cancel the receipts through online mode	SKIPPED	0.001 s
8	Then save the record to cancel the receipts	SKIPPED	0.000 s
9	And select the record actions button	SKIPPED	0.001 s
10	Then click on initiate the record	SKIPPED	0.000 s
11	And record status	SKIPPED	0.000 s
12	And select the record pencil icon	SKIPPED	0.000 s

EXPANDED SECTION --- 7 -



EXPANDED SECTION -- 8 -



EXPANDED SECTION -- 9 --

