# Cucumber Report

| Start : Feb 05, 7:59:16.242 PM | End : Feb 05, 8:00:07.957 PM | Duration : 51.715 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 5<br>FAILED - 1<br>SKIPPED - 11 |

Features: 1

Scenarios: 1

Steps: 17

Pass %: 0 %

Pass %: 0 %

Pass %: 29 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | INVENTORY MANAGEMENT | 1 | 0 | 1 | 0 | 51.715 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | *INVENTORY MANAGEMENT* | *Purchase* | 17 | 5 | 1 | 11 | 51.711 s |

## (F)- INVENTORY MANAGEMENT

| FAILED | DURATION - 51.715 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 17 | |
| / 7:59:16.242 PM // 8:00:07.957 PM / | | Pass - 0 | 1 | Pass - 5 | 17 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 11 | |

## (S)- Purchase

| FAILED | DURATION - 51.711 s | | Steps | |
|---|---|---|---|---|
| / 7:59:16.246 PM // 8:00:07.957 PM / | | | Total - 17 | |
| INVENTORY MANAGEMENT | | | Pass - 5 | 17 |
| @PurchseReqConf_KUBS_INV_MGMT_UAT_001-_002 | | | Fail - 1 | |
| | | | Skip - 11 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 23.606 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.783 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to inventory management | PASSED | 1.230 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.224 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | When click on eye button of purchase requisition confirmation | PASSED | 0.470 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.790 s |
| | screenshot | | |
| |  | | |
| 4 | And click on add button  of purchase requisition confirmation | PASSED | 0.603 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.354 s |
| | screenshot | | |
| |  | | |
| 5 | And Fill the required fields to purchase req | PASSED | 0.817 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.577 s |
| | screenshot | | |
| |  | | |
| 6 | Then Save and submit the purchase req confirmation | FAILED | 1.149 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flyInOut ngx-toastr toast-error" toast-component="" style="opacity: 1;">...</div>   (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [bbb76ed0a26b1c08a8566d330222ba2b, clickElement {id=64b961dd-be48-4930-8373-08dd4797244a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65184}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65184/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bbb76ed0a26b1c08a8566d330222ba2b)] -> xpath: //page-purchase-requisition-confirmation-update/ion-header/ion-toolbar/ion-buttons[2]/ion-button] Session ID: bbb76ed0a26b1c08a8566d330222ba2b<br><br>　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>　　at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>　　at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>　　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>　　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>　　at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>　　at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>　　at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>　　at stepdefinitions.INVENTORY_MANAGEMENT_PurchaseRequisitionConfirmation. save_and_submit_the_purchase_req_confirmation(INVENTORY_MANAGEMENT_PurchaseRequisitionConfirmation.java:77)<br>　　at ?.Save and submit the purchase req confirmation(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/ features/INVENTORY_MANAGEMENT_PurchaseRequisitionConfirmation.feature:11)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.271 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 7 | And User should go to the kubs url and login as a reviewer user | SKIPPED | 0.001 s |
| 8 | Then Click on notification button in reviewer | SKIPPED | 0.001 s |
| 9 | And approve the record by reviewer user | SKIPPED | 0.001 s |
| 10 | Given User should go to the kubs url and login as a checker user | SKIPPED | 0.001 s |
| 11 | And Click on security management in checker | SKIPPED | 0.001 s |
| 12 | Then Click on open pool in checker | SKIPPED | 0.001 s |
| 13 | And Click on claim button in checker | SKIPPED | 0.000 s |
| 14 | And capture claimed status | SKIPPED | 0.001 s |
| 15 | Then click on notification in checker | SKIPPED | 0.000 s |
| 16 | Then checker should approved the contract record | SKIPPED | 0.000 s |
| 17 | And checker should logout | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Purchase

(F) INVENTORY MANAGEMENT

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Purchase

(F) INVENTORY MANAGEMENT

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Purchase

(F) INVENTORY MANAGEMENT

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Purchase | |
| (F) INVENTORY MANAGEMENT | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Purchase | |
| (F) INVENTORY MANAGEMENT | |