


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	1	0	0	3 m 23.661 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Create a contract	21	21	0	0	3 m 23.611 s

DETAILED SECTION -- 4 --

(F)- Check the Functionality of Inventory

PASSED	DURATION - 3 m 23.661 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 11:38:54.613 A	M // 11:42:18.274 AM /	Pass - 1	1	Pass - 21	21
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Create a contract



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	46.498 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.607 s
	screenshot		
	The Continue of the Continue o		
2	And user should navigate to accounts payable menu	PASSED	3.924 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■		
3	When click on eye button of vendor contract	PASSED	0.494 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.974 s
	screenshot		
	The state of the s		
4	And click on add button to create contract	PASSED	0.581 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	3.486 s
	*** O MAN PARTICULAR STATES OF THE PARTICULAR		
5	And Fill the required fields to create contract	PASSED	23.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.324 s
	Not consideration Notice		
6	Then Save and submit the creation contract record	PASSED	6.603 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		

7 And User should go to the kubs url and login as a reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.186 s PASSED O.546 s O.546	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user PASSED 0.331 s PASSED 0.186 s PASSED 0.546 s 0.546 s 0.547 s PASSED 0.187 s 8 STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.813 s		© 10-00 10-000 10-00 10-00 10-00 10-00 10-000 10-00 10-00 10-00 10-00 10-00 10-00 10-00 10-00 10-00 10-00 10		
Screenshot 8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 ASSED 9 ASSED 10 Given User should go to the kubs url and login as a checker user PASSED 8 132 s	7	And User should go to the kubs url and login as a reviewer user	PASSED	17.547 s
8 Then Click on notification button in reviewer PASSED 0.186 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.186 s PASSED 0.546 s 2.971 s PASSED 3.971 s PASSED 0.187 s Screenshot Oliver user PASSED 0.187 s AGRICULTURE STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Oliver user user PASSED 0.187 s PASSED 0.187 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
8 Then Click on notification button in reviewer AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.186 s PASSED 0.546 s 0.187 s 0.187 s O.187 s O.187 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user PASSED 0.546 s PASSED 0.546 s PASSED 0.546 s PASSED 0.546 s		The Contract of the Contract o		
Screenshot 9 And approve the record by reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user PASSED 8.132 s	8	Then Click on notification button in reviewer	PASSED	0.186 s
9 And approve the record by reviewer user AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Given User should go to the kubs url and login as a checker user PASSED 3.971 s PASSED 0.187 s PASSED PASSED 8.132 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.546 s
9 And approve the record by reviewer user PASSED 3.971 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user PASSED 8.132 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user PASSED 0.187 s PASSED 0.187 s		10		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Given User should go to the kubs url and login as a checker user PASSED 0.187 s PASSED 0.187 s	9	And approve the record by reviewer user	PASSED	3.971 s
Screenshot Continue				
10 Given User should go to the kubs url and login as a checker user PASSED 8.132 s			1	
		Controller Contro		
	10	Given User should go to the kubs url and login as a checker user	PASSED	8.132 s
AFIEN_SIEF - Stephoninitums. Hours Class. add Scientific (in. cucumber. java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
screenshot		screenshot	1	


#	Step / Hook Details	Status	Duration
	■ Q CONTROLLEGATION TO STATE OF THE STATE		
	Section 2 and 3 an		
11	And Click on security management in checker	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
	■ © 100/1004/20040000		
	○ heraper Torse		
	Start Start		
12	Then Click on open pool in checker	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot	1	
	0 Total Americans 1 W 100 Tages 2 Color 0 0 0 0 0 0 0 0 0	1	
	TOTAL		
13	And Click on claim button in checker	PASSED	0.068 s
13	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.008 S
	screenshot	I ASSEB	0.1043
		-	
	■ 0 hatcherostatement by 100 file (last - decidations) attention (last - decidations) attent		
	No. 2 No. 5		
14	And capture claimed status	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot		

15 Then click on notification in checker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 16 Then checker should approved the contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 8.409 s PASSED 9.233 s PASSED 0.212 s PASSED 0.212 s	#	Step / Hook Details	Status	Duration
Then click on notification in checker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 16 Then checker should approved the contract record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. and sa maker user AFTER_STEP - stepdefinitions. HooksClass. and sa maker user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 16 Then checker should approved the contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed pass				
screenshot 16 Then checker should approved the contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.212 s	15			
16 Then checker should approved the contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.212 s			PASSED	0.468 s
16 Then checker should approved the contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 8.409 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.212 s		screenshot	_	
Then checker should approved the contract record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot To Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot DASSED PASSED 8.409 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.233 s PASSED 0.232 s 0.232 s	16		DASSED	F 120 c
screenshot 17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.212 s	10			
17 Given User should go to the kubs url and login as a maker user AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot PASSED 0.212 s			TASSEB	0.233 3
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.212 s			-	
screenshot	17	Given User should go to the kubs url and login as a maker user	PASSED	8.409 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
The description of the second		screenshot		
		The State of the S		
18 And user should navigate to accounts payable menu PASSED 3.476 s	18	And user should navigate to accounts payable menu	PASSED	3.476 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.170 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	## ## ## ## ## ## ## ## ## ## ## ## ##		
19	When click on eye button of vendor contract	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.440 s
	screenshot		
	■ © 100 Figure 100 Fi		
20	Then click on first eye button to get the unique contract code	PASSED	2.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

21	And maker should logout	PASSED	0.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
	Company Comp		


EXPANDED SECTION -- 10 --




EXPANDED SECTION





EXPANDED SECTION -- 12 --






EXPANDED SECTION -- 14 --







EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

