


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | Checking the Fixed Asset functionality | 1 | 0 | 1 | 0 | 2 m 42.435 s |

SCENARIOS SUMMARY -- 3 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----|---|---|----|--------------|
| 1 | Checking the Fixed Asset functionality | Creation of the registered asset with full details | 22 | 5 | 1 | 16 | 2 m 42.432 s |

DETAILED SECTION -- 4 --

(F)- Checking the Fixed Asset functionality

| FAILED | DURATION - 2 m 42.435 s | Scenarios | | Steps | |
|---------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 22 | |
| 7:59:05.448 A | M // 8:01:47.883 AM / | Pass - 0 | 1 | Pass - 5 | 22 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 16 | |

(S)- Creation of the registered asset with full details



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Maker Navigate to UAT URL login | PASSED | 10.201 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.142 s |
| | screenshot | | |
| | | | |
| 2 | Then Click on the Direction | PASSED | 0.108 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.355 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| | ■ © ADDITIONAL STATES (ADDITIONAL STATES (ADDITION | | |
| 3 | Then Click on Fixed Asset | PASSED | 0.110 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.119 s |
| | screenshot | | |
| | | | |
| 4 | Then Click on Asset Creation Eye button | PASSED | 0.144 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.281 s |
| | ■ © Interiorational Interioration 100 miles 100 m | | |
| 5 | Then Click on the add button to add new record | PASSED | 0.159 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.177 s |
| | SCIENTIAL ** ** ** ** ** ** ** ** ** ** ** ** ** | _ | |
| 6 | Then Fill Form | FAILED | 2 m 21.632 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ccbe26b6111cb08dcadc9a20293f56fb, findElement {using=xpath, value=//ion-col[6]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: | | |

| Step / Hook Details | Status | Duration |
|--|--------|----------|
| C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52256}, javascriptEnabled: true, | | |
| networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: | | |
| ws://localhost:52256/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, | | |
| pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: ccbe26b6111cb08dcadc9a20293f56fb | | |
| | | |
| at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) | | |
| at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) | | |
| at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) | | |
| at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) | | |
| at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| at helper.WaitHelper.waitForElement(WaitHelper.java:79) | | |
| at stepdefinitions.FixedAsset_AssetCreation.fill_form(FixedAsset_AssetCreation.java:64) | | |
| at ?.Fill Form(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/ | | |
| FixedAsset_AssetCreation.feature:13) | | |
| * Not displayable characters are replaced by '?'. | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 4.015 s |
| org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', | | |
| revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', | | |
| java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ccbe26b6111cb08dcadc9a20293f56fb, screenshot {}] | | |
| Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52256}, | | |
| (76e4C1bb2ab46, userDatabir: C:\0sers\in\inDC~1vappData\L); goog:criromeOptions: {debuggerAddress: localnost:52256}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | Proxy(), se:cdp: ws://localhost:52256/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ccbe26b6111cb08dcadc9a20293f56fb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:502) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 7 | Then Save the filled form | SKIPPED | 0.001 s |
| 8 | Then Click on Fixed Asset Notification | SKIPPED | 0.001 s |
| 9 | Then Select the record which we saved | SKIPPED | 0.000 s |
| 10 | Then Click on Fixed Asset items | SKIPPED | 0.000 s |
| 11 | Then Click on the add button of asset items | SKIPPED | 0.000 s |
| 12 | Then fill the asset item details | SKIPPED | 0.000 s |
| 13 | Then Click on save button of item details | SKIPPED | 0.001 s |
| 14 | Then Click on Fixed Asset Notification | SKIPPED | 0.000 s |
| 15 | Then Select the record which we saved | SKIPPED | 0.000 s |
| 16 | Then Submit record | SKIPPED | 0.000 s |
| 17 | Then log in to the reviewer account | SKIPPED | 0.001 s |
| 18 | Then click on the Notification select the record and Approve | SKIPPED | 0.000 s |
| 19 | Then log in to the Checker Account | SKIPPED | 0.001 s |
| 20 | And then checker claim the record | SKIPPED | 0.000 s |
| 21 | Then click on the checker Notification | SKIPPED | 0.000 s |
| 22 | And select the record and Approve by checker | SKIPPED | 0.001 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.234 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ccbe26b6111cb08dcadc9a20293f56fb, close {}] | | |
| | Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 | | |
| | (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52256}, | | |
| | javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: | | |
| | Proxy(), se:cdp: ws://localhost:52256/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: | | |
| | {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ccbe26b6111cb08dcadc9a20293f56fb | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) | | |
| | at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

