

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the Functionality of AR/AP Module | 1 | 1 | 0 | 0 | 53.681 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|--|----|----|---|---|----------|
| 1 | Check the Functionality of AR/AP | Verify accounting entries post receipt recording | 18 | 18 | 0 | 0 | 53.673 s |
| | Module | | | | | | |

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

| PASSED | DURATION - 53.681 s | Scenarios | | Steps | |
|------------------|-----------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 18 | |
| / 8:03:20.862 pm | n // 8:04:14.543 pm / | Pass - 1 | 1 | Pass - 18 | 18 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Verify accounting entries post receipt recording



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate The Azentio Url | PASSED | 12.996 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.165 s |
| | screenshot | | |
| | ■ Particular Section 1997 - Section | | |
| 2 | Then Choose the second Tab Segment | PASSED | 0.333 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.207 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | With the state of | | |
| 3 | And Click On Main module Accounts Receivable | PASSED | 0.137 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.194 s |
| | screenshot | | |
| | The Continue of the Continue o | | |
| 4 | Then Click on the Receipt Eye Icon | PASSED | 0.334 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.283 s |
| | Screenshot Compared to the control of the contro | _ | |
| | | | |
| 5 | And Click On Search Icon | PASSED | 0.140 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.252 s |
| | Screenshot * *** Authorization of the control of | | |
| 6 | Then Enter Receipt type as Wire | PASSED | 0.196 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.200 s |
| | screenshot | | |

| The Click on Table Row First Eye Icon PASSED Display Passed Passe | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 And Get The Txx Receipt Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot creenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s PASSED 0.175 s | | | | |
| Screenshot ATTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Third Segment report Icon ATTER_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) To and Choose Enquiry Module After_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Add Choose Enquiry Module After_STEP stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) After_STEP stepdefinitions.Hook | 7 | | PASSED | |
| And Get The Txn Receipt Number PASSED 0.033 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Third Segment report Icon PASSED 0.322 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.322 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s And Choose Enquiry Module PASSED 0.160 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Add Choose Enquiry Module PASSED 0.160 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.354 s |
| 8 And Get The Txn Receipt Number PASSED 0.033 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.322 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.159 s Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.160 s PASSED O.175 s | | | | |
| Screenshot 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.322 s 0.149 s 0.149 s 0.149 s 0.149 s 0.149 s 0.149 s 0.150 s 0.150 s 0.175 s | 8 | And Get The Txn Receipt Number | PASSED | 0.033 s |
| 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s PASSED 0.175 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.159 s |
| 9 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s PASSED 0.160 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s | | | | |
| Screenshot 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s 0.175 s | 9 | Then Third Segment report Icon | PASSED | 0.322 s |
| 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s 0.175 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.149 s |
| 10 And Choose Enquiry Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s 0.175 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s | | 9 \$ 10 mass | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s | 10 | And Choose Enquiry Module | PASSED | 0.160 s |
| screenshot | | | | |
| | | screenshot | 1 | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | ** ** ** ** ** ** ** ** ** ** ** ** ** | | |
| 11 | Then Click Note iCon near by financial transction | PASSED | 0.151 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.164 s |
| | screenshot |] | |
| | | | |
| 12 | And choose branch code | PASSED | 0.322 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.147 s |
| | screenshot | 1 | |
| | ■ | | |
| | | | |
| 13 | And click on transaction from date in calender | PASSED | 0.146 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.154 s |
| | screenshot | | |
| | The state of the s | | |
| 14 | Then Select from date in calender | PASSED | 0.501 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.151 s |
| | screenshot | | |


| 15 And click on transaction to date in calender icon PASSED 0.128 s | |
|--|--|
| 15 And click on transaction to date in calender icon PASSED 0.128 s | |
| | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s | |
| screenshot | |
| # © Contraction Section Contraction Co | |
| 16 Then Select To date in calender PASSED 0.775 s | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s | |
| screenshot | |
| To the contraction of the contra | |
| 17 And Click View HyperLink PASSED 0.090 s | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.090 s 0.090 s | |
| screenshot | |
| Set of the first state of the fi | |
| 18 Then Verify Accounting entries post receipt recording 29.293 s | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s | |
| screenshot | |

DETAILED SECTION -- 9 --


| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | 1 | | |
| | | | |

EXPANDED SECTION -- 10 --







EXPANDED SECTION --- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

