Cucumber Report

Start : Feb 04, 3:13:39.504 AM	*End : Feb 04, 3:14:27.383 AM*	**Duration : 47.879 s**
Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 14
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	1	0	1	0	47.879 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Inventory Maintenance functionality	Unique Inventory item code should be created	15	14	1	0	47.876 s

(F)- Checking the Inventory Maintenance functionality

FAILED	DURATION - 47.879 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 3:13:39.504 AM // 3:14:27.383 AM /		Pass - 0	**1**	Pass - 14	**15**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Unique Inventory item code should be created

FAILED	DURATION - 47.876 s		Steps	
/ 3:13:39.507 AM // 3:14:27.383 AM /			Total - 15	
Checking the Inventory Maintenance functionality			Pass - 14	**15**
@KUBS_INV_MGMT_UAT_002_003 @MultiAuth			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	8.815 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
2	Then Click on Direction icon for Inventory Maintenance	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Inventory Maintenance	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
4	Then Click on Inventory Item Master Eye Icon	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
5	Then Click on Inventory Item Add button	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
6	Then Fill Inventory Item Mandatory fields	PASSED	2.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Inventory Item Save button	PASSED	2.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
	screenshot		
8	Then Click on Inventory Item Notification	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
9	And Select Inventory Item and Submit the record	PASSED	9.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.080 s
	screenshot		
10	Then log in to the reviewer account	PASSED	5.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.066 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on the Notification select the record and Approve	PASSED	5.533 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
12	Then log in to Checker Account	PASSED	4.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.080 s
	screenshot		
13	And checker claim the record	PASSED	1.838 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
14	Then click on checker Notification	PASSED	1.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	And select the record and Approve by checker	FAILED	2.290 s

	java.lang.NullPointerException: Cannot read field "Remark" because "this.VendorPurchaseOrderTestDataType" is null
	    at stepdefinitions.AccountPayable_VendorPurchaseOrder.
	select_the_record_and_approve_by_checker(AccountPayable_VendorPurchaseOrder.java:376)
	    at ?.select the record and Approve by checker(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/InventoryMaintenance.feature:21)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

Screen 1:

Kastle Universal Banking (Beta)   03-Oct-2022   English ▾   Azentio Software ▾

Record is available in CHECKER's Open Pool with status PENDING ✕

No Module Mapped

← Inventory Item Master

* Branch Code
AZENTMAIN-Azentio Main Branch   ✕ ▾

Item Code
BOOK33

* Item Description
Book33

* Item Short Description
Book33

* Instrument Code
INV004-Traveller Check   ✕ ▾

Instrument Description
Traveller Check

* Currency Code
INR   ✕ ▾

* Reorder Level
1

* Excess Level
10

* Reorder Qty
1

* Current Balance Quantity
50

QC Required ☑

Fill Indicator ☑

Status
ACTIVE   ✕ ▾

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

Screen 2:

Kastle Universal Banking (Beta)   03-Oct-2022   English ▾   Azentio Software ▾   (AZENTMAIN)   CHECKER

Configuration

Welcome, Checker

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Checking the Inventory Maintenance functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality