

## **Cucumber Report**



FEATURES SUMMARY -- 2 --



| # | Feature Name  | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Checking the Acount Receivable Updating deposited cheques functionality | 1 | 0 | 1 | 0 | 24.744 s |



| # | Feature Name                   | Scenario Name                 | T  | P  | F | S | Duration |
|---|--------------------------------|-------------------------------|----|----|---|---|----------|
| 1 | Checking the Acount Receivable | Bouncing of deposited cheques | 18 | 11 | 1 | 6 | 24.740 s |
|   | Updating deposited cheques *   |                               |    |    |   |   |          |

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

**DETAILED SECTION** 

## (F)- Checking the Acount Receivable Updating deposited cheques functionality

| FAILED       | DURATION - 24.744 s    | Scenarios |   | Steps      |    |
|--------------|------------------------|-----------|---|------------|----|
|              |                        | Total - 1 |   | Total - 18 |    |
| /1:01:39.810 | AM // 1:02:04.554 AM / | Pass - 0  | 1 | Pass - 11  | 18 |
|              |                        | Fail - 1  |   | Fail - 1   |    |
|              |                        | Skip - 0  |   | Skip - 6   |    |

## **(S)-** Bouncing of deposited cheques

| FAILED DU                   | JRATION - 24.740 s                         | 10  | 1 |   |                  | - |    |   |     |     |   |   |    |      |       |     |       |    | Steps                 |          |    |  |
|-----------------------------|--|-----|---|---|------------------|---|----|---|-----|-----|---|---|----|------|-------|-----|-------|----|-----------------------|----------|----|--|
| / 1:01:39.814 AN            | 1 // 1:02:04.554 AM /                      | 8   | # | - | +                |   | -1 |   | -1- | + - | - |   | -  | -1 - | - + - | -1- | - + - | -  | Total - 18            |          |    |  |
| Checking the Acou           | unt Receivable Updating<br>s functionality | 4 2 |   | - | -<br>-<br>-<br>- |   | -1 |   | -1- |     |   |   | -  |      |       | - - | - + - | -  | Pass - 11<br>Fail - 1 |          | 18 |  |
| @MultiAuth<br>@KUBS_AR/AP_I | UAT_010_003_TC_01                          | 0   | _ | 1 | 2                | 3 | 4  | 5 | 6   | 7   | 8 | 9 | 10 | 11   | 12    | 13  | 14    | 15 | Skip - 6              | <b>~</b> |    |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given Maker Navigate to UAT URL login  | PASSED | 9.259 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.149 s  |
|   | screenshot   |        |          |
|   |  |        |          |
| 2 | Then Click on Direction icon   | PASSED | 2.317 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s  |
|   | screenshot   |        |          |


| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | ■ State Sta |        |          |
| 3 | Then Click on Account Recivable button  | PASSED | 0.120 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.123 s  |
|   | screenshot  |        |          |
|   | ■   |        |          |
| 4 | Then Click on Update cheque status Note icon  | PASSED | 0.363 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot   | PASSED | 0.192 s  |
|   |   | -      |          |
| 5 | Then Select the Record  | PASSED | 0.126 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  | PASSED | 0.260 s  |
|   |   |        |          |
| 6 | Then Select Cheque Status Bounced   | PASSED | 0.264 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.131 s  |
|   | screenshot  |        |          |

| Ten Add Bank Charges   | #  | Step / Hook Details  | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  8 Then Select the bounced reason  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 FTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then Click on Account Payable Notification  4 FTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions. HooksClass. AddScreenshot(io.cucumber.java.Scenario)   |    | Note   0   0   0   0   0   0   0   0   0   |        |          |
| Screenshot   Scr | 7  | Then Add Bank Charges  | PASSED | 0.202 s  |
| Then Select the bounced reason PASSED 0.325 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  Then Click on save button to save the Record for Account Recivable AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.126 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Account Payable Notification  Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.118 s   |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.114 s  |
| 8 Then Select the bounced reason PASSED 0.325 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Screenshot  FASSED 0.126 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Account Payable Notification  PASSED 0.118 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.118 s  |    | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  70 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.118 s  PASSED  0.144 s   |    | Manual   M |        |          |
| Screenshot  9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.118 s  PASSED  0.144 s  | 8  | Then Select the bounced reason   | PASSED | 0.325 s  |
| 9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.118 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.118 s  |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.126 s  |
| 9 Then Click on save button to save the Record for Account Recivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.118 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.144 s  |    | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.097 s  0.097 s  |    | Note   0   0   0   0   0   0   0   0   0   |        |          |
| screenshot  10 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.118 s  0.114 s   | 9  | Then Click on save button to save the Record for Account Recivable   | PASSED | 3.119 s  |
| 10 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.118 s  0.144 s   |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.097 s  |
| 10 Then Click on Account Payable Notification  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.118 s  0.144 s   |    | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.144 s  |    |  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.144 s  | 10 | Then Click on Account Payable Notification   | PASSED | 0.118 s  |
| screenshot   |    | ·  | PASSED | 0.144 s  |
|  |    | screenshot   | 1      |          |


| #  | Step / Hook Details  | Status | Duration |
|----|--|--------|----------|
|    | *** ** *** *** *** *** *** *** *** ***   |        |          |
| 11 | Then Select the record from Notification   | PASSED | 0.786 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.125 s  |
|    | screenshot   |        |          |
|    | ■  |        |          |
| 12 | And Submit the Selected record   | FAILED | 2.450 s  |
|    | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button_ngcontent-fei-c290="" aria-disabled="true" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" disabled="" ion-button="" ng-reflect-disabled="true"> is not clickable at point (723, 436). Other element would receive the click <ion-col_ngcontent-fei-c290="" class="md hydrated" ng-reflect-size="12" size="12" size-lg="12" size-sm="12" style="flex: 0 0 calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); ">, 100%); width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%); "&gt;, 100%); max-width: calc(calc(12 / var(-ion-grid-columns, 12)) * 100%]; "&gt;, 100%); max-width: calc(calc(12 / var(-ion-gri</ion-col_ngcontent-fei-c290=""></ion-button_ngcontent-fei-c290=""> |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountPayable_VendorPurchaseOrder.submit_the_selected_record(AccountPayable_VendorPurchaseOrder.java:264) at ?.Submit the Selected record(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/ AccountReceivable_UpdateDepositedCheque.feature:17) * Not displayable characters are replaced by '?'. | PASSED  | 0.096 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  | PASSED  | 0.096 \$ |
|    | SCIENCE STRUCT    Section 1   |         |          |
| 13 | Then log in to the reviewer account   | SKIPPED | 0.000 s  |
| 14 | Then click on the Notification select the record and Approve  | SKIPPED | 0.000 s  |
| 15 | Then log in to the Checker Account  | SKIPPED | 0.000 s  |
| 16 | And then checker claim the record   | SKIPPED | 0.000 s  |
| 17 | Then click on the checker Notification  | SKIPPED | 0.000 s  |
| 18 | And select the record and Approve by checker  | SKIPPED | 0.000 s  |


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

