

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	1 m 18.152 s



;	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	Check the Functionality of AR/AP	Verify No accounting entry is generated on cancelling	18	18	0	0	1 m 18.144 s
		Module	advances against PO					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 1 m 18.152 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 5:23:14.937 pm	// 5:24:33.089 pm /	Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify No accounting entry is generated on cancelling advances against PO

PASSED	DURATION - 1 m 18.144 s						-								1		-	Steps	
/ 5:23:14.94	5 pm // 5:24:33.089 pm /	10	╢						-					-		-		Total - 18	
		5							-	-				-				Pass - 18	18
Check the Fu	nctionality of AR/AP Module																	Fail - 0	
@KUBS_AR	AP_UAT_003_009_TC_01	0	- ==	1 2	3	4	5	6	-	8	9	10	11	12	13	14	15	Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
	■ Particular Section 1997 - Section		
2	Then Choose the second Tab Segment	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		

3 And Click On Main module Accounts Receivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.577 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.129 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter Cancelled Value In Advance Status PASSED O.577 s		© 1		
screenshot Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) FARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFT	3	And Click On Main module Accounts Receivable	PASSED	0.120 s
Then Click on Accounts Receive Advances Eye Icon ATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click On Search Icon And Click On Search Icon ATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Click On Search Icon And Click On Search Icon PASSED O.129 s PASSED O.275 s Screenshot Click On Search Icon And Click On Search Icon PASSED O.275 s Then Enter Cancelled Value In Advance Status PASSED O.577 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Cancelled Value In Advance Status PASSED 0.384 s 0.276 s 0.276 s 0.129 s 0.129 s 0.275 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 6 Then Enter Cancelled Value In Advance Status PASSED 0.276 s 0.276 s 0.276 s 0.276 s		Provide G 0 T T T T T T T T T T T T T T T T T T		
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter Cancelled Value In Advance Status PASSED 0.129 s 0.275 s 0.275 s	4	Then Click on Accounts Receive Advances Eye Icon	PASSED	0.384 s
5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter Cancelled Value In Advance Status		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Cancelled Value In Advance Status PASSED 0.275 s PASSED 0.275 s		1	_	
Screenshot Then Enter Cancelled Value In Advance Status PASSED 0.577 s	5	And Click On Search Icon	PASSED	0.129 s
6 Then Enter Cancelled Value In Advance Status PASSED 0.577 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
6 Then Enter Cancelled Value In Advance Status PASSED 0.577 s		screenshot		
		District # 0 0 0		
AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.iava.Scenario) PASSED 0.187 s	6	Then Enter Cancelled Value In Advance Status	PASSED	0.577 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	*** O STATE AND THE STATE OF TH		
7	Then Click on Table Row First Eye Icon	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.454 s
	screenshot		
8	And Get The Business Partner and Advance Number	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	Screenshot Output O		
9	Then Third Segment report Icon	PASSED	0.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
10	And Choose Enquiry Module AETER, STER, standafinitions HooksClass addScreenshot(in cucumber java Scenario)	PASSED	0.167 s 0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 S
	screenshot		


#	Step / Hook Details	Status	Duration
	*** *** *** *** *** *** *** *** *** **		
11	Then Click Note iCon near by financial transction	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
	*** *** *** *** *** *** *** *** *** **		
12	And choose branch code	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
13	And click on transaction from date in calender	PASSED	0.147 s
13	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 S
	screenshot	1.7.0022	0.100 0
	SUCCESSION ***OFFICE AND ADDRESS STORAGE OF THE PARTY STORAGE OF THE PA	-	
14	Then Select from date in calender	PASSED	0.445 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

# ** ** ** ** ** ** ** ** ** ** ** ** **	
15 And click on transaction to date in calender icon PASSED 0.129 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.123 S 0.124 S	
screenshot	
To the state of th	
16 Then Select To date in calender PASSED 0.783 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.144 s	
screenshot	
© Comments State	
17 And Click View HyperLink PASSED 0.086 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s	
screenshot	
Then Verify No accounting entry is generated on cancelling advances against PO PASSED 53.076 s	 S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.119 s	
screenshot	


DETAILED SECTION -- 9 --

EXPANDED SECTION -- 10 --







EXPANDED SECTION --- 12 --




EXPANDED SECTION --- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

