Cucumber Report

Start : Jan 14, 9:56:36.241 AM	**End : Jan 14, 9:57:32.998 AM**	**Duration : 56.757 s**
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

1

1

6

Pass % 100 %

Pass % 100 %

Pass % 100 %

#	Feature Name	T	P	F	S	Duration
1	_AR/AP Module_	1	1	0	0	56.757 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	check the the net payable ammount	6	6	0	0	56.750 s

(F)- AR/AP Module

PASSED	DURATION - 56.757 s	Scenarios		Steps	
/ 9:56:36.241 AM // 9:57:32.998 AM /		Total - 1	1	Total - 6	6
		Pass - 1		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- check the the net payable ammount

PASSED	DURATION - 56.750 s		Steps	
/ 9:56:36.248 AM // 9:57:32.998 AM /			Total - 6	6
AR/AP Module			Pass - 6	
@KUBS_AR_AP_UAT_004_005_TC_01_07 @AR/AP			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	27.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.333 s
2	And user should navigate to accounts payable menu	PASSED	3.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.286 s

#	Step / Hook Details	Status	Duration
3	And user update the data set ID for credit note reviewer	PASSED	0.701 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
4	And Go to payment settlement module	PASSED	1.622 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.511 s
	screenshot		
5	And click on add button for invoice booking	PASSED	1.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.449 s
	screenshot		
6	And fill the mendatory field to check the the net payable ammount	PASSED	14.023 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) check the the net payable ammount

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) check the the net payable ammount

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check the the net payable ammount

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) check the the net payable ammount

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) check the the net payable ammount

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) check the the net payable ammount

(F) AR/AP Module