Duration: 1 m 6.763 s Start: Apr 01, 10:58:13.353 AM End: Apr 01, 10:59:20.116 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 7 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 8 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Bank Reconcilliation functionality	1	0	1	0	1 m 6.763 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Bank Reconcilliation	Click on a match record which matches with multiple records	8	7	1	0	1 m 6.758 s
	functionality	from Book					

DETAILED SECTION -- 4 --

(F)- Checking the Bank Reconcilliation functionality

FAILED	DURATION - 1 m 6.763 s	Scenarios		Steps	
		Total - 1		Total - 8	
/10:58:13.353	AM // 10:59:20.116 AM /	Pass - 0	1	Pass - 7	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Click on a match record which matches with multiple records from Book



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	41.542 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		
	PER CONTROL OF THE PER CONTROL O		
2	Then select data set ID for clicking on match record and check it matches with multiple record from Book	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
	Parent (par - suntanu - sorrer (r - sorrer		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.	#	Step / Hook Details	Status	Duration
screenshot 4 When click on eye button of bank reconciliation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And click on add button for bank reconciliation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.247 s Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.382 s	3	And user should navigate to bank recon menu	PASSED	1.922 s
4 When click on eye button of bank reconciliation AFTER_STEP - stepdefinitions, HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on add button for bank reconciliation AFTER_STEP - stepdefinitions, HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions, HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields and upload bank statement for bank reconciliation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefi		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
4 When click on eye button of bank reconciliation PASSED 0.262 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s 5 And click on add button for bank reconciliation PASSED 0.343 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.247 s Then Save and click on process PASSED 0.380 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 3.80 s		SAME SAME SAME SAME SAME SAME SAME SAME		
screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 Then Save and click on process PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.380 s	4	When click on eye button of bank reconciliation	PASSED	0.262 s
5 And click on add button for bank reconciliation PASSED 1.438 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields and upload bank statement for bank reconciliation PASSED Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
5 And click on add button for bank reconciliation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Fill the required fields and upload bank statement for bank reconciliation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Save and click on process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Fill the required fields and upload bank statement for bank reconciliation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.343 s 0.343 s 0.343 s		# ***		
Screenshot And Fill the required fields and upload bank statement for bank reconciliation AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s 0.380 s	5	And click on add button for bank reconciliation	PASSED	1.438 s
6 And Fill the required fields and upload bank statement for bank reconciliation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Save and click on process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Save and click on process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.247 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Save and click on process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.822 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.247 s		ACESTIC		
Screenshot 7 Then Save and click on process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s	6	And Fill the required fields and upload bank statement for bank reconciliation	PASSED	5.810 s
7 Then Save and click on process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s		BEST Spirit Annual Conference of the Conference		
	7	Then Save and click on process	PASSED	2.822 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
		screenshot		

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//app-kub-lov/ion-select"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#/no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.48', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9701e9294e9a8c6eaf2a692219738375, findElement {using=xpath, value=//app-kub-lov/ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\ININDC=1\AppData\l\}, goog:chromeOptions: {debuggerAddress: localhost:57591}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57591/devtoo, se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9701e9294e9a8c6eaf2a692219738375 at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	#	Step / Hook Details	Status	Duration
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//app-kub-lov/ion-select"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#/no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.48', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9701e9294e9a8c6eaf2a692219738375, findElement {using=xpath, value=//app-kub-lov/ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\ININDC=1\AppData\l\}, goog:chromeOptions: {debuggerAddress: localhost:57591}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57591/devtoo, se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9701e9294e9a8c6eaf2a692219738375 at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		BASE SQUARE AND SQUARE AND SQUARE SQU		
select"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.48', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9701e9294e9a8c6eaf2a692219738375, findElement {using=xpath, value=//app-kub-lov/ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:57591}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57591/devtoo, se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9701e9294e9a8c6eaf2a692219738375 at jdk.internal.reflect.GeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	8	Then verify after clicking on a match record it matches with multiple records from book	FAILED	6.536 s
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation.findElement(Element(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:331) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline*3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.stream.ReferencePipeline*3\$1.accept(ReferencePipeline.java:199) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:299) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:291) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(Reducops.java:921) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(Reducops.java:921) at java.base/java.util.stream.AbstractPipeline.evaluateSequential(Reducops.java:921)		org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//app-kub-lov/ion-select") (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/ino_such_element Build info: version: "4.0.0-rc-1; revision: "bc551.1cbda* System info: host: "DES.KTOP-PS.KST3U," p: "10.200.4.48", os.name: Windows 10", os.arch: 'amd64', os.version: "10.0", java.version: "17.0.1" Driver info: org.openga.selenium.chrome.ChromeDriver Command: 19701e9294e9a8c6ea12a692219738375, indElement (using=xpath, value=//app-kub-lov/ion-select)! Capabilities {accept/inversion: 111.0.5563.147, chrome: (chromedriver/version: 111.0.5563.46 (c710e93d5b63, user/Databilities). poor_chromeOptions: (debugger/address: localhost:57591), javascriptEnabled: true, networkConnectionEnabled: false, pageto-adStrategy; normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:57591/devfoo, sec.dp/version: 111.0.5563.147, setWindowRect: true, strictFileInteractability; rafse, timeouts: (implicit: 0, pageto-ads 30000), script: 30000), unshandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: 9701e923e49a8c6cal2a692219738375 at jdk.internal.reflect.CeneratedConstructorAccessor38.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:149) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHtt		


DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:26) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:48) at stepdefinitions.BankRecon_BankReconciliation. verify_after_clicking_on_a_match_record_it_matches_with_multiple_records_from_book(BankRecon_BankReconciliation.java:501) at ?.verify after clicking on a match record it matches with multiple records from book(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/BankRecon_BankReconciliation.feature:104) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	Screenshot Comparison Comp		

EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --





EXPANDED SECTION --- 10 --



EXPANDED SECTION --- 11 --

