


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	1	0	0	1 m 11.159 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	20	20	0	0	1 m 11.151 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

## (F)- testing the fuctionalities of bank reconciliation module

PASSED	DURATION - 1 m 11.159 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 2:46:19.266 PM	1 // 2:47:30.425 PM /	Pass - 1	1	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Click on Process button on Bank Recon Process screen post creating additional entries

PASSED DURATION - 1 m 11.151 s			1	-					-							-	Steps			
/ 2:46:19.274 PM // 2:47:30.425 PM /	15	-	+	-	-		-!	- + -	-!		-	-1-	- + -	-!-	- + -	-	Total - 20			
testing the fuctionalities of bank reconciliation	10	-	T		-		-1		-		-			-		-	Pass - 20		20	
module	5		Ϊ.		1	1	_			1			_	_			Skip - 0			7
@KUBS_TAX_UAT_004_001TC_001	0	 1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	3kip - 0	Ι.		

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	18.358 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.571 s
	screenshot		
	*** On the Control of		
2	And user click bank recon module	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
	© Continuentalismos  Victorio April Continuentalismos  © State of Continuentalismos  © Conti		
3	And user click eye icon in bank recon module	PASSED	0.469 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.820 s
	screenshot		
	10   10   10   10   10   10   10   10		
4	And user click add icon in bank recon	PASSED	0.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.373 s
	screenshot		
	TO THE PARTY OF TH		
5	And user select bank name in bank recon Module	PASSED	0.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
	■ © Intrinsications   No. 100 to the control of th		
6	And user select bank account Number in bank recon Module	PASSED	1.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot	7	
			-


#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY OF THE PROP		
7	And user click bank recon from date and select the date	PASSED	1.993 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	We got space to the control of the c		
8	And user click bank recon to date and select the date	PASSED	1.695 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
	** O TOTAL PROPERTY OF THE PRO		
9	And user click choose file and upload the bank statement	PASSED	0.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
	With the second control of the second contro		
10	And user click save button in bank recon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot	1	
		-	

11 And user click process button in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  12 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  13 And user click matched data tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.933 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  12 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And user click matched data tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepde		© Motor    P to the St of C   P to the St of C   P to the St of C		
screenshot  And user click the unmatched data in bank recon process  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. Ho	11		PASSED	
12 And user click the unmatched data in bank recon process  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  13 And user click matched data tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTOR		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
12 And user click the unmatched data in bank recon process  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And user click matched data tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - ste		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And user click matched data tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 And user select bank reconcilation basis bank to book  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  3.933 s		Companyant   Com		
screenshot  13 And user click matched data tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 And user select bank reconcilation basis bank to book  PASSED  3.933 s	12	And user click the unmatched data in bank recon process	PASSED	1.130 s
And user click matched data tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user select bank reconcilation basis bank to book  PASSED  1.128 s  PASSED  0.254 s  PASSED  3.933 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
And user click matched data tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user select bank reconcilation basis bank to book  PASSED  1.128 s  0.254 s  0.254 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 And user select bank reconcilation basis bank to book  PASSED  0.254 s  0.254 s		C   Marian   Maria		
Screenshot    Continue	13	And user click matched data tab	PASSED	1.128 s
14 And user select bank reconcilation basis bank to book  PASSED 3.933 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
And user select bank reconcilation basis bank to book  PASSED 3.933 s		screenshot	]	
		0 mars		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.332 s	14	And user select bank reconcilation basis bank to book	PASSED	3.933 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
screenshot		screenshot	]	


15 And user unmatch the matched records in matched tab  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.367 s  O.202 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s	
screenshot	
The first included and	
16 And user click the unmatched data in bank recon process PASSED 1.154 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s	
screenshot	
## OF Figure 1	
17And user match the records in unmached tab fot textt filePASSED0.329 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s	
screenshot	
## 00 Fig. 1	
18 And user click matched data tab PASSED 1.133 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s	

#	Step / Hook Details	Status	Duration
	Section (approximate to the control of the control		
19	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab for text	PASSED	0.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
	The Control of Control		
20	Then user verify that Unmatched entry from Bank Side will not be displayed for text	PASSED	0.011 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
	The Control of the Co		


EXPANDED SECTION -- 10 --




EXPANDED SECTION




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --





EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

