

# Cucumber Report

Nov 28, 2022, 9:37:04 AM

Start : Nov 28, 9:36:11.274 AM

End : Nov 28, 9:37:01.840 AM

Duration : 50.566 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	50.566 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	PO should be created successfully and displayed in approved queue with Active Status	14	5	1	8	50.563 s




**(F)- AR/AP Module**

<b>FAILED</b>	<b>DURATION - 50.566 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 5 Fail - 1 Skip - 8	
/ 9:36:11.274 AM // 9:37:01.840 AM /					

**(S)- PO should be created successfully and displayed in approved queue with Active Status**


<b>FAILED</b>	<b>DURATION - 50.563 s</b>		Steps Total - 14 Pass - 5 Fail - 1 Skip - 8	
/ 9:36:11.277 AM // 9:37:01.840 AM /				
AR/AP Module				
@KUBS_AR/AP_UAT_001_001_TC_02_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	16.781 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.632 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	2.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on purchase order Eye Icon	PASSED	0.459 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
			
4	Then Click on purchase order Add button	PASSED	4.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
			
5	And user update the data set ID for Purchase Order	PASSED	0.003 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
			
6	Then Fill purchase order Mandatory fields	FAILED	15.677 s
<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-checkbox[@id='rowIndex']' (tried for 15 second(s) with 1 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)</p> <p>at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:95)</p> <p>at ?.Fill purchase order Mandatory fields(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:71)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-checkbox[@id='rowIndex']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVD016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver</p>			

#	Step / Hook Details	Status	Duration
	<p>Command: [0caaa31ff292caf3534c68a4fa2f9ec9, findElement {using=xpath, value=//ion-checkbox[@id='rowIndex']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome-extension://efaidhhdknnhefhokgnecakomhcgjjbckh}, goog:chromeOptions: {debuggerAddress: localhost:63953}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63953/devtools/page/1, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0caaa31ff292caf3534c68a4fa2f9ec9</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:102)</p> <p>at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:95)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)</p> <p>at io.cucumber.java.Invoker.invoke(Invoker.java:24)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then Click on Account Payable Save button	SKIPPED	0.000 s
8	Then close the confrimation msg	SKIPPED	0.000 s
9	Then Click on Item Details Record	SKIPPED	0.000 s
10	Then Edit the item details fields	SKIPPED	0.000 s
11	Then Click on Account Payable Save button	SKIPPED	0.001 s
12	Then Click on Account Payable Notification	SKIPPED	0.000 s
13	Then Select the record from Notification	SKIPPED	0.000 s
14	And Submit the Selected record	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) PO should be created successfully  
and displayed in approved queue with  
Active Status


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) PO should be created successfully  
and displayed in approved queue with  
Active Status

(F) AR/AP Module



**AZENTIO**
ONEBanking


07-Jan-2024   English =   Azentio Software -   (AZENTMAIN)   📧   📅   ⚙️   ANANT

Finance

---

- 🕒 General ledger transaction
- 🕒 Budget
- 🕒 Accounts payable
  - Vendor contracts   🕒   ✅   🗑️
  - Vendor purchase orders   🕒   ✅   🗑️
  - Goods received note (GRN)   🕒   ✅   🗑️
  - Invoice booking   🕒   ✅   🗑️
  - Payment settlement   🕒   ✅   🗑️
  - Payment settlement cancellation   🕒   ✅   🗑️
  - Auto payout   🕒   ✅   🗑️
  - Manual payout   🕒   ✅   🗑️
  - Payment file download   🕒   ✅   🗑️
  - Payment response file upload   🕒   ✅   🗑️

←
Actions

Total


22 Appro...   📄   11 Mess...   📄
+

**AZENTIO**
ONEBanking

07-Jan-2024   English =   Azentio Software - (AZENTMAIN)   📧   🖨️   ⚙️   ANANT


Finance

---

- 🕒 General ledger transaction
- 🕒 Budget
- 🕒 Accounts payable
  - Vendor contracts   🕒   ✅   🗑️
  - Vendor purchase orders   🕒   ✅   🗑️**
  - Goods received note (GRN)   🕒   ✅   🗑️
  - Invoice booking   🕒   ✅   🗑️
  - Payment settlement   🕒   ✅   🗑️
  - Payment settlement cancellation   🕒   ✅   🗑️
  - Auto payout   🕒   ✅   🗑️
  - Manual payout   🕒   ✅   🗑️
  - Payment file download   🕒   ✅   🗑️
  - Payment response file upload   🕒   ✅   🗑️

←🔍

Actions	
Total	



22 Appro...   📌   11 Mess...   📌
+

**AZENTIO**
ONEBanking

07-Jan-2024   English =   Azentio Software - (AZENTMAIN)   📧   🖨️   ⚙️   ANANT

Finance


---

- 🕒 General ledger transaction
- 🕒 Budget
- 🕒 Accounts payable
  - Vendor contracts   🕒   ✅   🗑️
  - Vendor purchase orders   🕒   ✅   🗑️**
  - Goods received note (GRN)   🕒   ✅   🗑️
  - Invoice booking   🕒   ✅   🗑️
  - Payment settlement   🕒   ✅   🗑️
  - Payment settlement cancellation   🕒   ✅   🗑️
  - Auto payout   🕒   ✅   🗑️
  - Manual payout   🕒   ✅   🗑️
  - Payment file download   🕒   ✅   🗑️
  - Payment response file upload   🕒   ✅   🗑️

←

Actions
Total

🔍



22 Appro... 📄
11 Mess... 📄

**AZENTIO**
ONEBanking

Finance

←
PO creation
6

P

PO Details

* Entity Branch	* BP Name	Reference Type
* PO Type		

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...
11 Mess...

AZENTIO

ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...

11 Mess...

PO creation

PO Details

\* Entity Branch

\* BP Name

Reference Type

\* PO Type

**AZENTIO**
ONEBanking

Finance

←
PO creation
6

P
PO Details

* Entity Branch	* BP Name	Reference Type

P
PO Type

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...
11 Mess...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) PO should be created successfully  
and displayed in approved queue with  
Active Status

(F) AR/AP Module

AZENTIO

ONEBanking

Finance

⚙️

🔍

🕒

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...

11 Mess...

PO creation

PO Details

\* Entity Branch

\* BP Name

Reference Type

\* PO Type

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) PO should be created successfully  
and displayed in approved queue with  
Active Status

(F) AR/AP Module

AZENTIO

ONEBanking

Finance

⚙️

🔍

🕒

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro...

11 Mess...

PO Creation View

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business Partner	Create Date	Created By	Modified Date	Modified By	Authorized
	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-16-02112022	Shasheekant	03-Nov-2022	1002435			1002437
	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-16-02112022	Shasheekant	02-Nov-2022	1002435			1002437
	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-16-02112022	Shasheekant	02-Nov-2022	1002435			1002437
	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	02-Nov-2022	1002435			1002437
	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	02-Nov-2022	1002435			1002437
	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	12-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	01-Nov-2022	1002435			1002437
	AZENTMAIN - Azentio	Azentio_Soft-Bank-9-i	11-Sep-2023	Expense Contract	Bank-9-15-27102022	Shasheekant	31-Oct-2022	1002435			1002437
	AZENTMAIN - Azentio	Azentio_Soft-VENDOF	11-Sep-2023	Expense Contract	VENDOR-30-3-2710	Viewas Kulkarni	27-Oct-2022	1002435			1002437

114 total