

# Cucumber Report

Mar 7, 2022, 3:30:14 AM

**Start : Mar 07, 3:27:23.029 AM**

**End : Mar 07, 3:29:59.410 AM**

**Duration : 2 m 36.381 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 4**

**FAILED - 1**

**SKIPPED - 1**







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	2 m 36.381 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.	6	4	1	1	2 m 36.352 s




**(F)- AR/AP Module**

<b>FAILED</b>	<b>DURATION - 2 m 36.381 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 3:27:23.029 AM // 3:29:59.410 AM /					

**(S)- Verify creating Bill is not allowed if YTD amount for expense exceeds mapped budget code limit.**

<div>FAILED</div> <div>DURATION - 2 m 36.352 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:27:23.058 AM // 3:29:59.410 AM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_013_001_TC_05</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 14.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.459 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	1.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of invoice booking	PASSED	1.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.826 s
	screenshot 		
4	And click on add button for invoice booking	PASSED	1.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.527 s
	screenshot 		
5	And Fill the required fields for invoice booking with exceeded amount	FAILED	12.080 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;span _ngcontent-atr-c285="" class="input-calendar"&gt;...&lt;/span&gt; is not clickable at point (629, 671). Other element would receive the click: &lt;div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;}"&gt;&lt;/div&gt; (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [92a8bee416cd66fc552773e34ff43190, clickElement {id=466b44dd-4762-47c0-a05e-8c70d64192d0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:54367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54367/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (92a8bee416cd66fc552773e34ff43190)] -&gt; xpath: //ion-col[19]/app-kub-date-time/ion-item/div/span[1]] Session ID: 92a8bee416cd66fc552773e34ff43190</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking. fill_the_required_fields_for_invoice_booking_with_exceeded_amount(ACCOUNTSPAYABLE_InvoiceBooking.java:827)   at ?.Fill the required fields for invoice booking with exceeded amount(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/ src/test/java/features/ArAp_InvoiceBooking.feature:88) * Not displayable characters are replaced by '?'. </pre>		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> <pre> java.lang.RuntimeException: Unexpected result for screenshot command: null   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:355)   at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre>	FAILED	1.163 s
6	<b>Then Save and submit the invoice billing with exceeded amount</b>	SKIPPED	0.001 s
	<b>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</b> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [92a8bee416cd66fc552773e34ff43190, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54367}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54367/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 92a8bee416cd66fc552773e34ff43190   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) </pre>	FAILED	0.186 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify creating Bill is not allowed if  
YTD amount for expense exceeds  
mapped budget code limit.


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify creating Bill is not allowed if  
YTD amount for expense exceeds  
mapped budget code limit.

(F) AR/AP Module





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify creating Bill is not allowed if  
YTD amount for expense exceeds  
mapped budget code limit.

(F) AR/AP Module

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 21-Oct-2022, language English, and user ANANT. The left sidebar contains a Finance menu with options: General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main content area displays a 'Welcome, anant' message. The bottom navigation bar has 'Home' and 'Preference' buttons.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify creating Bill is not allowed if  
YTD amount for expense exceeds  
mapped budget code limit.

(F) AR/AP Module

The screenshot shows the Kastle Universal Banking (Beta) interface with the 'Invoice Booking View' table. The table has columns: Actions, Branch Code - Name, Invoice Number, Invoice Type, Business Partner, Auto Generate Invoice, Create By, and Create Date. The table contains 8 rows of data. The bottom navigation bar has 'Home' and 'Preference' buttons.

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create By	Create Date
	AZENTMAIN - Azentio	INV-230-32022	Invoice Against PO	DELUXE 001		1002435	07-Mar-2022
	AZENTMAIN - Azentio	INV-229-32022	Invoice Against PO	PAUL MCADAMS & Co.		1002435	07-Mar-2022
	AZENTMAIN - Azentio	INV-228-32022	Expense	PAUL MCADAMS & Co.		1002435	07-Mar-2022
	AZENTMAIN - Azentio	INV-227-32022	Invoice Against PO	DELUXE 001		1002435	06-Mar-2022
	AZENTMAIN - Azentio	INV-226-32022	Invoice Against PO	DELUXE 001		1002435	05-Mar-2022
	AZENTMAIN - Azentio	INV-225-32022	Invoice Against PO	Bonton Agency		1002435	04-Mar-2022
	AZENTMAIN - Azentio	INV-224-32022	Expense	PAUL MCADAMS & Co.		1002435	04-Mar-2022
	AZENTMAIN - Azentio	INV-223-32022	Expense	F Name M Name L Name		1002435	03-Mar-2022

228 total