Cucumber Report

Start : Jan 11, 10:05:01.615 AM	**End : Jan 11, 10:06:38.213 AM**	**Duration : 1 m 36.598 s**
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 9 FAILED - 0 SKIPPED - 0
1	1	9

#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	1	0	0	1 m 36.598 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Checking of downloaded payment files for online payment where create file basis is Bank Wise	9	9	0	0	1 m 36.550 s

(F)- AR_AP Module

| PASSED	DURATION - 1 m 36.598 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 10:05:01.615 AM // 10:06:38.213 AM /		Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Checking of downloaded payment files for online payment where create file basis is Bank Wise

| PASSED	DURATION - 1 m 36.550 s		Steps	
/ 10:05:01.663 AM // 10:06:38.213 AM /			Total - 9	
AR_AP Module			Pass - 9	9
@blocker @AR/AP @KUBS_AR_AP_UAT_008_002_TC_01			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	53.753 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.180 s
	screenshot		
2	And click on arap configuration main menu	PASSED	0.814 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on payment file generation setup sub menu	PASSED	0.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.670 s
	screenshot 		
4	And user update the Excel sheet testdata for online payment	PASSED	0.578 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot 		
5	And configure the file format as Bank Wise	PASSED	1.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot 		
6	And save the arap configure record	PASSED	1.863 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot 		
7	Then Click on Update Deposited Cheque Notification	PASSED	0.770 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.452 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And Select and Submit the Update Deposited Cheque recordssss	PASSED	23.986 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
	screenshot		
9	Then logout from maker	PASSED	0.696 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.755 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking of downloaded payment
files for online payment where create file
basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking of downloaded payment
files for online payment where create file
basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking of downloaded payment
files for online payment where create file
basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Checking of downloaded payment
files for online payment where create file
basis is Bank Wise

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Checking of downloaded payment files for online payment where create file basis is Bank Wise	
(F) AR_AP Module	