

# Cucumber Report

Feb 7, 2022, 6:20:31 PM

Start : Feb 07, 6:20:04.038 PM

End : Feb 07, 6:20:29.202 PM

Duration : 25.164 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	25.164 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create a GRN</u>	20	9	1	10	25.161 s


**(F)- Check the Functionality of Inventory**



<b>FAILED</b>	<b>DURATION - 25.164 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 20 Pass - 9 Fail - 1 Skip - 10	
/ 6:20:04.038 PM // 6:20:29.202 PM /					


**(S)- Create a GRN**

<div>FAILED</div> <div>DURATION - 25.161 s</div>			<div>Steps</div> <div>Total - 20</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 10</div>	
/ 6:20:04.041 PM // 6:20:29.202 PM /				
Check the Functionality of Inventory				
@KUBS_INV_MGMT_UAT_001_004				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.045 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.599 s
	screenshot		
			
2	Then Click on Finance	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Direction	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
			
4	Then Click on Accounts Payable	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
			
6	Then Click on Add button	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill the form for GRN	PASSED	1.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
			
8	Then Click on save button	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
			
9	Then Select PO Number	PASSED	1.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
			
10	Then Add qty received qty approved	FAILED	1.131 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input autofocus="" id="row.receivedQty" oninput="validity.valid  (value='');" type="number" style="width: 80px;"> is not clickable at point (924, 354). Other element would receive the click: <ion-toast class="md ion-color ion-color-success genericToast hydrated" id="ion-overlay-3" tabindex="-1" style="z-index: 60003;"></ion-toast> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.		

#	Step / Hook Details	Status	Duration
	<p>ChromeDriver Command: [7c200bc639ad652da2153a2c21259ba3, clickElement {id=b00b945e-9a78-48e7-89aa-0ae7614426c8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Extensions\...}, goog:chromeOptions: {debuggerAddress: localhost:60093}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60093/devtools..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (7c200bc639ad652da2153a2c21259ba3)] -&gt; xpath: //input[@id='row.receivedQty']] Session ID: 7c200bc639ad652da2153a2c21259ba3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.InventoryManagment.add_qty_received_qty_approved(InventoryManagment.java:534)  at ?.Add qty received qty approved(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagment.feature:44)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.108 s
11	Then Click on GRN item save button	SKIPPED	0.000 s
12	Then Click on Notification button	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
13	And Select record which we saved	SKIPPED	0.001 s
14	And Submit the record	SKIPPED	0.000 s
15	Then Open Reviewer account	SKIPPED	0.001 s
16	And Click on notification	SKIPPED	0.001 s
17	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
18	Then Go to Checker account	SKIPPED	0.000 s
19	And Clam the record	SKIPPED	0.000 s
20	Then Click on notification and approve the record	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN


(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta)

03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

\* BP Name GRN Number \* Invoice Number

07-Feb-2022 INR \* Delivery Location

Upload Delivery challan Choose File No file chosen DOWNLOAD

GRN Status Active TXT Status

Remark

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

GRN

\* BP Name Shisankar Sivanand Lahari x GRN Number \* Invoice Number 12345abcdef

\* GRN Date 07-Feb-2022 GRN Amount INR x \* Delivery Location East Zone x

Upload Delivery challan Choose File No file chosen DOWNLOAD

GRN Status Active TXT Status

Remark

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

GRN

\* BP Name Shisankar Sivanand Lahari x GRN Number \* Invoice Number 12345abcdef

\* GRN Date 07-Feb-2022 GRN Amount INR x \* Delivery Location East Zone x

Upload Delivery challan Choose File No file chosen DOWNLOAD

GRN Status Active TXT Status

Remark

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

← GRN Item Details ViewSummary Submit Cancel

\* Po Number  
Azentio\_Soft-VENDOR-22-PO-4

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
No data to display										
0 total										

Gm created successfully.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a GRN

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

← GRN Item Details ViewSummary Submit Cancel

\* Po Number  
Azentio\_Soft-VENDOR-22-PO-4

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
								Number	100	
1 total										

SUCCESS