


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	36.387 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Check system displays correct sum and records in below	14	11	1	2	36.383 s
	reconciliation module	head as per logics given in FSD.					

DETAILED SECTION -- 4 --

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 36.387 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 1:51:30.107 F	PM // 1:52:06.494 PM /	Pass - 0	1	Pass - 11	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Check system displays correct sum and records in below head as per logics given in FSD.

FAILED DURATION - 36.383 s	15	1		-									-				Steps			
/ 1:51:30.111 PM // 1:52:06.494 PM /	10	#				-				-							Total - 14			N
testing the fuctionalities of bank reconciliation module	5	-	ı														Pass - 11 Fail - 1		14	
@KURS TAX HAT 011 001TC 002	0	-	<u> </u>	+	<u>+</u>	+	+	+	-	-	+-	+	<u>+</u>	+	_		Skip - 2	•		
@KUBS_TAX_UAT_011_001TC_002			1	2	3	4	5	6	7	8	9	10	11	12	13	14				

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	14.558 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.456 s
	screenshot		
	The Control of the co		
2	And user click bank recon module	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cu	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java. Scenario) Screenshot And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - step		10		
Screenshot Scr	3	And user click eye icon in bank recon module	PASSED	0.475 s
And user click add icon in bank recon ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Socienshot Add user select bank name in bank recon Module for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTION TO THE PROPERTY OF T		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.027 s
4 And user click add icon in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user select bank name in bank recon Module for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) FASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP -		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user select bank name in bank recon Module for csv file AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user select bank account Number in bank recon Module And user select bank account Number in bank recon Module PASSED 0.623 s 0.623 s 0.623 s 0.290 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.211 s		© 884000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot And user select bank name in bank recon Module for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user select bank account Number in bank recon Module And user select bank account Number in bank recon Module And user select bank account Number in bank recon Module PASSED 0.290 s PASSED 0.175 s 0.211 s	4	And user click add icon in bank recon	PASSED	0.274 s
5 And user select bank name in bank recon Module for csv file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Contact the state of the state		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.623 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user select bank account Number in bank recon Module PASSED 0.175 s PASSED 0.211 s		0 0 0 0 0 0 0 0 0 0	_	
Screenshot The state of the	5	And user select bank name in bank recon Module for csv file	PASSED	0.290 s
6 And user select bank account Number in bank recon Module PASSED 0.211 s			PASSED	0.175 s
		0 1 1 1 1 1 1 1 1 1		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s	6	And user select bank account Number in bank recon Module	PASSED	0.211 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	The state of the s		
7	And user click bank recon from date and select the date for csv file	PASSED	2.033 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
	With Community C		
8	And user click bank recon to date and select the date for csv file	PASSED	1.438 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	Screenshot **********************************		
9	And user click choose file and upload the bank statement for csv	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.178 s
10	And user click save button in bank recon	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Water Space Spac		
11	And user click process button in bank recon	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
	With the part of t		
12	And user click the unmatched data in bank recon process	FAILED	0.068 s
	org.openga.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [1fe5a007d97eab4c8f4012214d081c18, clickElement fid=ed408df2-e036-430d-af23-c85f4864571c]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDatabir: C:Users\text{ININDC-1NapDtata\text{I}}, goog:chromeOptions: (debuggerAddress: localhost:62154), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62154/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFielnetreactability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000], unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (1fe5a007d97eab4c8f4012214d081c18]] -> xpatit: //ion-label[text()=' Unmatched Data '] Session ID: 1fe5a007d97eab4c8f4012214d081c18] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.Bervice.DriverCommandExecutor.invokeExecute(DriverCommandEx		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Bank_ReconModule.user_click_the_unmatched_data_in_bank_recon_process(Bank_ReconModule.java:137) at ?.user click the unmatched data in bank recon process(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:76) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	Screenshot ***********************************		
13	Then user verify Receipt recorded in Book but missing in Bank Statement	SKIPPED	0.000 s
14	Then user verify Receipts recorded in bank statement but missing in Book	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

