

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	1	0	0	34.124 s



7	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	Checking accountsPayable and	Verify No accounting entry is generated on cancelling	15	15	0	0	34.114 s
		accounts Receivable module	advances to employees					

DETAILED SECTION

## (F)- Checking accounts Payable and accounts Receivable module

PASSED	DURATION - 34.124 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 3:51:28.926 PN	1 // 3:52:03.050 PM /	Pass - 1	1	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Verify No accounting entry is generated on cancelling advances to employees

PASSED DURATION - 34.114 s																Steps			
/ 3:51:28.936 PM // 3:52:03.050 PM /	15						1					1		1		Total - 15			
Checking accountsPayable and accounts	10 -							-	-							Pass - 15		15	
Receivable module	0 -	 ١.		_		_							_	_		Skip - 0	•		
@KUBS_AR_AP_UAT_003_008_TC_01		1 :	2 3	4	5	6	7	8	9	10	11	12	13	14	15				


#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	17.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
	■ ② ***   Section   Secti		
2	Then go to ar ap adjustment module	PASSED	1.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■ ● The Proof State of the Proo		
3	Then click on search	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		
	■		
4	And search the Ar cancelled advance in the adjustment screen	PASSED	1.552 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	(2) Name (3) Name (4) Name (5) Name (5) Name (6) Name (7)	DACCED	0.000
5	And select one record	PASSED	0.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.155 s
6	Then click on report segment button	PASSED	0.545 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		


#	Step / Hook Details	Status	Duration
7	And click on equiry menu	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
	So and the part of the control of th		
8	Then click on edit icon near by fiancial transaction menu	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texact	PASSED	0.172 s
9	And choose branch code	PASSED	0.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texaction of the content of th	PASSED	0.182 s
10	And click on transaction from date calender icon	PASSED	0.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.213 s

11 Then choose the from date PASSED 0.319 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.097 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.097 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 1.097 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  12 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  12 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot	11	Then choose the from date	PASSED	0.319 s
screenshot  And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cuc				
12 And click on the transaction to date calender icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)			1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.093 s  0.149 s  PASSED  1.097 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.093 s  0.149 s  PASSED  1.097 s	12	And click on the transaction to date calender icon	PASSED	0.307 s
Screenshot  13 Then choose the to date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 And click on view button  PASSED  1.093 s  1.093 s  1.093 s  PASSED  1.093 s  1.097 s				
13 Then choose the to date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 And click on view button  PASSED  1.093 s  0.149 s			1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 And click on view button  PASSED  0.149 s  0.149 s		Q   Mark   Mar		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 And click on view button  PASSED  0.149 s  PASSED  1.097 s				
Screenshot    The state of the	13		PASSED	1.093 s
14 And click on view button  PASSED 1.097 s			PASSED	0.149 s
14 And click on view button PASSED 1.097 s		screenshot	_	
	14	And click on view button	PASSED	1.097 s
screenshot			1	


DETAILED SECTION -- 8 --




EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --





EXPANDED SECTION -- 16 --

