Cucumber Report

Start : Mar 31, 6:49:56.194 AM	*End : Mar 31, 6:50:14.616 AM*	*Duration : 18.422 s*
Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 6
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 8

#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	1	0	1	0	18.422 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	Asset Codes should be created and visible in the list view of Asset Code sub module	15	6	1	8	18.419 s

(F)- Checking the Fixed Asset functionality

| FAILED	DURATION - 18.422 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 6:49:56.194 AM // 6:50:14.616 AM /		Pass - 0	1	Pass - 6	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- Asset Codes should be created and visible in the list view of Asset Code sub module

FAILED	DURATION - 18.419 s		Steps	
/ 6:49:56.197 AM // 6:50:14.616 AM /			Total - 15	
Checking the Fixed Asset functionality			Pass - 6	15
			Fail - 1	
@MultiAuth @KUBS_FAT_UAT_002_003			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	11.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
2	Then Click on Fixed Asset Direction icon	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Fixed assets configuration	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
4	Then Click on Asset code configuration Eye button	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
5	Then Click on Fixed Asset Add button	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
6	Then Fill Asset code configuration Mandatory fields	PASSED	1.628 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Fixed Asset Save button	FAILED	1.097 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-qgj-c473="" color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons _ngcontent-qgj-c473="" slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0c45660fb04b3b3f17f78ac23a09d46b, clickElement {id=8b8e1bb0-e784-4066-85bc-92839ed7a595}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58133}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58133/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0c45660fb04b3b3f17f78ac23a09d46b)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: 0c45660fb04b3b3f17f78ac23a09d46b
	
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	   at stepdefinitions.FixedAsset_AssetCategory.click_on_fixed_asset_save_button(FixedAsset_AssetCategory.java:125)		

#	Step / Hook Details	Status	Duration
	at ?.Click on Fixed Asset Save button(file:///C:/Users/inindc00089/git/ AzentioAutomationFrameworkMaster_New2/AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetCodeConfiguration. feature:12) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.103 s
8	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
9	And Select and Submit the record	SKIPPED	0.000 s
10	Then log in to the reviewer account	SKIPPED	0.001 s
11	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
12	Then log in to the Checker Account	SKIPPED	0.000 s
13	And then checker claim the record	SKIPPED	0.000 s
14	Then click on the checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Asset Codes should be created and
visible in the list view of Asset Code sub
module

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Codes should be created and visible in the list view of Asset Code sub module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Codes should be created and visible in the list view of Asset Code sub module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Codes should be created and visible in the list view of Asset Code sub module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Asset Codes should be created and visible in the list view of Asset Code sub module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Asset Codes should be created and visible in the list view of Asset Code sub module

(F) Checking the Fixed Asset functionality