

Cucumber Report

Nov 8, 2021, 2:52:13 PM

Start : Nov 08, 2:51:50.855 PM

End : Nov 08, 2:52:10.445 PM

Duration : 19.590 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 1

SKIPPED - 0

PASSED - 1



FAILED - 1

SKIPPED - 0

PASSED - 5

FAILED - 1

SKIPPED - 3







| # | Feature Name | T | P | F | S | Duration |
|---|-------------------|---|---|---|---|----------|
| 1 | Application Login | 1 | 0 | 1 | 0 | 10.774 s |
| 2 | Registratio Tests | 1 | 1 | 0 | 0 | 8.772 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------------------|---|---|---|---|---|----------|
| 1 | <u>Application Login</u> | <u>Login with valid credentials</u> | 4 | 0 | 1 | 3 | 10.771 s |
| 2 | <u>Registratio Tests</u> | <u>Register an account with valid details</u> | 5 | 5 | 0 | 0 | 8.772 s |

(F)- Application Login

| | | | | | |
|--------------------------------------|----------------------------|-----------|---|-----------|---|
| FAILED | DURATION - 10.774 s | Scenarios |  | Steps |  |
| / 2:51:50.855 PM // 2:52:01.629 PM / | | Total - 1 | | Total - 4 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 3 | |



(S)- Login with valid credentials

| | | | | | |
|--|--|--|----------|---|-----------|
| <div>FAILED</div> <div>DURATION - 10.771 s</div> | |  | Steps |  | |
| / 2:51:50.858 PM // 2:52:01.629 PM / | | | | | Total - 4 |
| Application Login | | | | | Pass - 0 |
| @login | | | | | Fail - 1 |
| | | | Skip - 3 | | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| 1 | <p>Given Navigate to Login page</p> <p>io.cucumber.core.exception.CucumberException: Step [^Navigate to Login page\$] is defined with 1 parameters at 'stepdefinitions.login.navigate_to_login_page(io.cucumber.java.Scenario)'. However, the gherkin step has 0 arguments. Step text: Navigate to Login page</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:78)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:567)</p> | FAILED | 0.003 s |


| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.231 s |
| | screenshot | | |
| | + | | |
| 2 | When User enters usernamea and password in their respective fields | SKIPPED | 0.001 s |
| 3 | And User clicks on Login button | SKIPPED | 0.000 s |
| 4 | Then Verify user is able to successfully login | SKIPPED | 0.001 s |

(F)- Registratio Tests

| | | | | | |
|--------------------------------------|---------------------------|-----------|---|-----------|---|
| PASSED | DURATION - 8.772 s | Scenarios |  | Steps |  |
| / 2:52:01.673 PM // 2:52:10.445 PM / | | Total - 1 | | Total - 5 | |
| | | Pass - 1 | | Pass - 5 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Register an account with valid details

| | | | | |
|---|--|--|---|---|
| <div>PASSED</div> <div>DURATION - 8.772 s</div> | |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 2:52:01.673 PM // 2:52:10.445 PM / | | | | |
| Registratio Tests | | | | |
| @register | | | | |

| # | Step / Hook Details | Status | Duration | | | | | | | | | | |
|-----------|--|--------|----------|-----------|------|----------|---------|-------|--------------------------|-------|----------|----------|------------------|
| 1 | Given User navigates to Registration page | PASSED | 2.206 s | | | | | | | | | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s | | | | | | | | | | |
| | screenshot | | | | | | | | | | | | |
| | <div></div> | | | | | | | | | | | | |
| 2 | When User provies the following details into the input fields | PASSED | 0.614 s | | | | | | | | | | |
| | <table><tr><td>firstName</td><td>arun</td></tr><tr><td>lastName</td><td>motoori</td></tr><tr><td>email</td><td>arun.motoori@yahoo.co.in</td></tr><tr><td>phone</td><td>12345678</td></tr><tr><td>password</td><td>SeleniumTester\$</td></tr></table> | | | firstName | arun | lastName | motoori | email | arun.motoori@yahoo.co.in | phone | 12345678 | password | SeleniumTester\$ |
| firstName | arun | | | | | | | | | | | | |
| lastName | motoori | | | | | | | | | | | | |
| email | arun.motoori@yahoo.co.in | | | | | | | | | | | | |
| phone | 12345678 | | | | | | | | | | | | |
| password | SeleniumTester\$ | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.181 s | | | | | | | | | | |
| | screenshot | | | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | And Selects the privacy policy option | PASSED | 0.091 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.199 s |
| | screenshot | | |
| |  | | |
| 4 | And Clicks on Continue button | PASSED | 0.517 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.163 s |
| | screenshot | | |
| |  | | |
| 5 | Then User should get successfully registered | PASSED | 0.006 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.147 s |
| | screenshot | | |
| |  | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Login with valid credentials

(F) Application Login

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Register an account with valid details

(F) Registratio Tests

Header: \$ Currency, 123456789, My Account, Wish List (0), Shopping Cart, Checkout

Navigation: Desktops, Laptops & Notebooks, Components, Tablets, Software, Phones & PDAs, Cameras, MP3 Players

Breadcrumb: Home > Account > Register

Register Account

If you already have an account with us, please login at the [login page](#).

Your Personal Details

* First Name:

* Last Name:

* E-Mail:

* Telephone:

Your Password

* Password:

* Password Confirm:

Newsletter

Subscribe ☐ Yes ☒ No

I have read and agree to the [Privacy Policy](#) ☐ [Continue](#)

Right Sidebar Links: Login, Register, Forgotten Password, My Account, Address Book, Wish List, Order History, Downloads, Recurring payments, Reward Points, Returns, Transactions, Newsletter

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Register an account with valid details

(F) Registratio Tests

123456789 My Account Wish List (0) Shopping Cart Checkout

Search 0 item(s) - \$0.00

Desktops Laptops & Notebooks Components Tablets Software Phones & PDAs Cameras MP3 Players

Account Register

Register Account

If you already have an account with us, please login at the [login page](#).

Your Personal Details

* First Name

* Last Name

* E-Mail

* Telephone

Your Password

* Password

* Password Confirm

Newsletter

Subscribe ☐ Yes ☒ No

I have read and agree to the [Privacy Policy](#) ☐

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Register an account with valid details

(F) Registratio Tests

123456789 My Account Wish List (0) Shopping Cart Checkout

Search 0 item(s) - \$0.00

Desktops Laptops & Notebooks Components Tablets Software Phones & PDAs Cameras MP3 Players

Account Register

Register Account

If you already have an account with us, please login at the [login page](#).

Your Personal Details

* First Name

* Last Name

* E-Mail

* Telephone

Your Password

* Password

* Password Confirm

Newsletter

Subscribe ☐ Yes ☒ No

I have read and agree to the [Privacy Policy](#) ☒

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Register an account with valid details

(F) Registratio Tests

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Register an account with valid details

(F) Registratio Tests