Cucumber Report

Start : Feb 08, 9:30:53.785 PM

End : Feb 08, 9:35:14.626 PM

Duration : 4 m 20.841 s

| Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 12
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 8

1

1

21

Pass %

0 %

Pass %

0 %

Pass %

57 %

#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	4 m 20.841 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Bill(invoice) Booking	21	12	1	8	4 m 20.834 s

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 4 m 20.841 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 9:30:53.785 PM // 9:35:14.626 PM /		Pass - 0	1	Pass - 12	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- Bill(invoice) Booking

FAILED	DURATION - 4 m 20.834 s		Steps	
/ 9:30:53.792 PM // 9:35:14.626 PM /			Total - 21	
ACCOUNTS PAYABLE			Pass - 12	21
@KUBS_INV_MGMT_UAT_001_005			Fail - 1	
			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	1 m 12.887 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.875 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	0.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of invoice booking	PASSED	0.689 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
4	And click on add button for invoice booking	PASSED	0.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.665 s
	screenshot		
5	And Fill the required fields for invoice booking	PASSED	25.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
6	Then Save and submit the invoice billing	PASSED	6.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	1 m 9.502 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
8	Then Click on notification button in reviewer	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
9	And approve the record by the reviewer user	PASSED	4.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
10	Given User should go to the kubs url and login as a checker user	PASSED	1 m 6.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Click on security management in checker	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot 		
12	Then Click on open pool in checker	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot 		
13	And Click on claim button in checker	FAILED	0.022 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text()),'347')]/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell[2]/div/ion-buttons/ion-button"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e26503a3921d291aa5379b070aac9eff, findElement {using=xpath, value=//span[contains(text(),'347')]/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell[2]/div/ion-buttons/ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62349}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62349/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e26503a3921d291aa5379b070aac9eff
	    at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.java:326) at ?.Click on claim button in checker(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ACCOUNTSPAYABLE_InvoiceBooking.feature:20) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.146 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the invoice billing	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to accounts payable menu	SKIPPED	0.000 s
19	When click on eye button of invoice booking	SKIPPED	0.000 s
20	Then click on first eye button to get the system invoice number	SKIPPED	0.001 s
21	And maker should logout	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta)

03-Oct-2022   English   Azentio Software

Record is available in CHECKER's Open Pool with status PENDING

No Module Mapped

← Inventory Item Master

Field	Value
* Branch Code	
Item Code	STAPLERS
* Item Description	STAPLERS
* Item Short Description	STAPLERS
* Instrument Code	INV005-Stationary
Instrument Description	Stationary
* Currency Code	INR
* Reorder Level	1
* Excess Level	1000
* Reorder Qty	100
* Current Balance Quantity	459
QC Required	☑
Fill Indicator	☑
Status	ACTIVE

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

Kastle Universal Banking (Beta)

03-Oct-2022   English   Azentio Software   (AZENTMAIN)   CHECKER

Configuration

Security management

Welcome, Checker

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Bill(invoice) Booking	
(F) ACCOUNTS PAYABLE	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) ACCOUNTS PAYABLE

| ☰ | ⊕ Kastle Universal Banking (Beta) | | 03-Oct-2022 English ▾ | Azentio Software ▾ (AZENTMAIN) 🔔 ▣ | 🔵 CHECKER |

Configuration ▾
🛠   ⛙   ▢
⊘ Security management
▶ **Open pool**   ✎ 👁

← Open Pool

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc
No data to display							

0 total

22 Appro... ✕   11 Messa... ✕