


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	1 m 26.483 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Bill(invoice) Booking	21	15	1	5	1 m 26.476 s

DETAILED SECTION -- 4 -

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 1 m 26.483 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 12:40:14.844 A	AM // 12:41:41.327 AM /	Pass - 0	1	Pass - 15	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Bill(invoice) Booking



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	12.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.975 s
	screenshot		
	The state and the state of the		
2	And user should navigate to accounts payable menu	PASSED	0.605 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		

3 When click on eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot + 1.185 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 1.185 s	
Screenshot	
10 10 10 10 10 10 10 10	
The state of the	
4 And click on add button for invoice booking 0.293 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot O.623 s	
5 And Fill the required fields for invoice booking PASSED 14.850 s	 S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.414 s	
6 Then Save and submit the invoice billing PASSED 6.801 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s	

7 And User should go to the kubs url and login as a reviewer user PASSED	10.391 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.093 s
screenshot	
The state of the s	
8 Then Click on notification button in reviewer PASSED	0.178 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.404 s
screenshot	
7651 7653	
9 And approve the record by the reviewer user PASSED	3.938 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.164 s
screenshot	
State Stat	
10 Given User should go to the kubs url and login as a checker user PASSED	7.774 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.109 s

#	Step / Hook Details	Status	Duration
	O to the state of the stat		
11	And Click on security management in checker	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
	© factorization of the contract of the contrac		
	© honoragement The force © ©		
12	Then Click on open pool in checker	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
	E © AND SERVICE STATE OF THE CONTROL		
	The state of the s		
	No. 5 ma 5		
13	And Click on claim button in checker	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot	1	
	■ © Authorization C prints C	1	
	© O CONTROLLEGO SANDE CONTROLLEGO SANDE O SERVICE O SER		
1.4	And conture claimed status	PASSED	0.236 s
14	And capture claimed status AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 S 0.159 S
	screenshot	ASSED	0.1093
	- Controller		

#	Step / Hook Details	Status	Duration
	# \$ 100.00 fags 100.00 fags		
15	Then click on notification in checker	PASSED	0.261 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		
	10 10 10 10 10 10 10 10		
16	Then checker should approved the invoice billing	FAILED	6.442 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG60X8KU', ip: '10.1.47.121', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [33ca4aa15addc63f4729010bbb3daeb7, actions (actions=[cpt.openqa.selenium.interactions.Sequence@7c88d04f]]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:UsersiUNINDC=11AppDtataL), goog:chromeOptions: (debuggerAddress: localhost:51852), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51852/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFielnetreactability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 33ca4aa15addc63f4729010bbb3daeb7 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.lambda\$new\$2(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOp\$GlFef.accept(ForEachOps.java:179) at java.base/java.util.stream.ForEachOps*ForEachOp\$GlFef.accept(ForEachOps.java:1845) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:199) at java.base/java.util.stream.AbstractPipeline.opyInto(AbstractPipeline.java:190) at java.base/java.util.stream.AbstractPipeline.opyInto(AbstractPipeline.java:190) at java.base/java.uti		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:573)		
	at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)		
	at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking.		
	checker_should_approved_the_invoice_billing(ACCOUNTSPAYABLE_InvoiceBooking.java:614)		
	at ?.checker should approved the invoice billing(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/		
	ACCOUNTSPAYABLE_InvoiceBooking.feature:23)		
	Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version:		
	'17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.		
	openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.		
	encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.		
	encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.		
	java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.		
	openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.		
	RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.		
	java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefiniti		
	Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefiniti ons.ACCOUNTSPAYABLE_InvoiceBooking.checker_should_approved_the_invoice_billing(ACCOUNTSPAYABLE_InvoiceBooking.java:614)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.		
	NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.		
	invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.		
	Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.		
	invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.		
	cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.		
	runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.		
	cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:104) at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.		
	lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.		
	runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.		
	runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.		

#	Step / Hook Details	Status	Duration
	runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal. TestInvoker.invokeMethod(TestInvoker.java:173) at org. testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker.java:146) at org.testng.internal.TestInvoker.java:146) at org.testng.internal. TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:371) at org.testng.SuiteRunner.runTest(SuiteRunner.java:332) at org.testng. SuiteRunner.run(SuiteRunner.java:373) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng. SuiteRunner.run(SuiteRunner.java:375) at org.testng. SuiteRunner.Worker.java:596) at org.testng.SuiteRunner.Worker.java:1212) at org.testng. SuiteRunner.Worker.java:1212) at org.testng. TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng. TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng. TestNG.run(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1134) at org.testng.TestNG.run(SuiteRunner). At org.testng.TestNG.run(TestNG.java:1155) at org.testng.TestNG.run(TestNG.java:1165) at org.testng.TestNG.run(TestNG.java:1165) at org.testng.TestNG.run(TestNG.java:1165) at org.testng.TestNG.run(TestNG.java:1165) at org.testng.TestNG.run(TestNG.java:1165)		
	initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.		
	InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openga.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:573)		
	at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)		
	at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking.		
	checker_should_approved_the_invoice_billing(ACCOUNTSPAYABLE_InvoiceBooking.java:614)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		


DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body/div/div/div/div/div/div/div/div/div/div		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		


DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:201) at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:152) at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	PASSED 0.138 s
	screenshot		
	Stormerson Stormers S		
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to accounts payable menu	SKIPPED	0.001 s
19	When click on eye button of invoice booking	SKIPPED	0.000 s
20	Then click on first eye button to get the system invoice number	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.000 s


EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --





EXPANDED SECTION -- 16 --






EXPANDED SECTION -- 18 --





EXPANDED SECTION -- 20 --



EXPANDED SECTION -- 21 --

