

Cucumber Report

Sep 8, 2022, 12:48:37 AM

Start : Sep 08, 12:47:44.600 AM

End : Sep 08, 12:48:36.337 AM

Duration : 51.737 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 14
FAILED - 1
SKIPPED - 9







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>Check the Functionality of Inventory</u> | 1 | 0 | 1 | 0 | 51.737 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|----|----|---|---|----------|
| 1 | <u>Check the Functionality of Inventory</u> | <u>Create a purchase order with Unique purchase order number</u> | 24 | 14 | 1 | 9 | 51.732 s |




(F)- Check the Functionality of Inventory





| | | | | | |
|--|----------------------------|-----------|---|------------|---|
| FAILED | DURATION - 51.737 s | Scenarios |  | Steps |  |
| / 12:47:44.600 AM // 12:48:36.337 AM / | | Total - 1 | | Total - 24 | |
| | | Pass - 0 | | Pass - 14 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 9 | |



(S)- Create a purchase order with Unique purchase order number


| | | | | |
|--|----------------------------|--|-------|---|
| FAILED | DURATION - 51.732 s |  | Steps |  |
| / 12:47:44.605 AM // 12:48:36.337 AM / | | | | |
| Check the Functionality of Inventory | | | | |
| @KUBS_INV_MGMT_UAT_001_003 @MultiAuth | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 12.598 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.266 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to inventory management | PASSED | 2.823 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.204 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | When click on eye button of purchase requisition confirmation | PASSED | 0.206 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.187 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on first eye button to get the indent reference number | PASSED | 2.354 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.104 s |
| | screenshot | | |
| |  | | |
| 5 | Then Click on Account Payable | PASSED | 0.127 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.176 s |
| | screenshot | | |
| |  | | |
| 6 | Then Click on purchase order Eye Icon | PASSED | 0.159 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.196 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 7 | Then Click on purchase order Add button | PASSED | 0.790 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.287 s |
| | screenshot | | |
| |  | | |
| 8 | Then Fill purchase order for inventory Mandatory fields | PASSED | 5.218 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.155 s |
| | screenshot | | |
| |  | | |
| 9 | Then Click on Account Payable Save button | PASSED | 2.226 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.147 s |
| | screenshot | | |
| |  | | |
| 10 | Then Click on Item Details Record | PASSED | 0.734 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.171 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 11 | Then Edit the item details fields po | PASSED | 1.105 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.211 s |
| | screenshot | | |
| |  | | |
| 12 | Then Click on the item details save button po | PASSED | 0.120 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.236 s |
| | screenshot | | |
| |  | | |
| 13 | Then Click on Beneficiary details tab | PASSED | 0.207 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.254 s |
| | screenshot | | |
| |  | | |
| 14 | Then fill Beneficiary Details | PASSED | 0.920 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.160 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 15 | <p>Then Click on Beneficiary Save button</p> <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //body/div/div/div[1]/button' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:92) at stepdefinitions.AccountPayable_VendorPurchaseOrder.click_on_beneficiary_save_button(AccountPayable_VendorPurchaseOrder.java:567) at ?.Click on Beneficiary Save button(file:///C:/Users/inindc00091/git/AzentioAutomationFramework_15072022/AzentioAutomationFramework/src/test/java/features/InventoryManagement_Testing.feature:100) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body/div/div/div[1]/button"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2390f7f2ece5f92e53ebaded9aaa7962, findElement {using=xpath, value=//body/div/div/div[1]/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55956}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55956/devtools..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2390f7f2ece5f92e53ebaded9aaa7962 at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) </pre> | FAILED | 10.473 s |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.AccountPayable_VendorPurchaseOrder.click_on_beneficiary_save_button(AccountPayable_VendorPurchaseOrder.java:567) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.158 s |
| 16 | Then Click on Account Payable Notification | SKIPPED | 0.000 s |
| 17 | Then Select the record from Notification | SKIPPED | 0.000 s |
| 18 | And Submit the Selected record | SKIPPED | 0.000 s |
| 19 | Then log in to the reviewer account | SKIPPED | 0.001 s |
| 20 | Then click on the Notification select the record and Approve | SKIPPED | 0.000 s |
| 21 | Then log in to the Checker Account | SKIPPED | 0.000 s |
| 22 | And then checker claim the record | SKIPPED | 0.000 s |
| 23 | Then click on the checker Notification | SKIPPED | 0.000 s |
| 24 | And select the record and Approve by checker | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta)

01-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Mess...

Purchase Requisition Confirmation

* Item Code

Purchase Requisition Qty

Available Qty

MARKER01-White Marker

1

101982

Minimum Qty for order

Indent Reference No

1

TRN_PR_42_20220908003318

Branch Code

Request number

Request Type

CCY

Requested Qty

AZENTMAIN

TRN_IR_69_20220908003201

Normal

INR

1

Home

Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta)

01-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Mess...

Actions

0 total

Home

Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 01-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

PO creation

PO Details

* Entity Branch Azentio Main Branch x

* BP Name

Reference Type

* PO Type

22 Appro... 11 Mess...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 01-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

PO creation

PO Details

* Entity Branch Azentio Main Branch x

* BP Name Bonton Agency x

Reference Type Purchase Requisition x

* Purchase Requisition TRN_PR_42_20220908003318 x

* PO Type Purchases Contract x

* PO Sub Type PO for Inventory x

Transaction Date 01-Sep-2023

PO Number

PO Date 01-Sep-2023

* PO Delivery Date 25-Dec-2023

PO Amount 0.00 INR x

* Cost Center FINANCE x

Upload PO Choose File No file chosen

DOWNLOAD

* PO Status Active

Transaction Status

22 Appro... 11 Mess...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 01-Sep-2023 English Azentio Software

Finance

PO Creation Item Details Beneficiary Details

PO Item Data

| Actions | HSN Code | Description | Qty | Total Amount | Currency |
|-------------------------------------|--------------|--------------------|-----|--------------|----------|
| <input checked="" type="checkbox"/> | 8471- Laptop | AUTOMATIC DATA PRO | 1 | 0 | INR |
| 1 total | | | | | |

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 01-Sep-2023 English Azentio Software

Finance

PO Creation Item Details Beneficiary Details

Item Details

HSN Code 8471- Laptop * Expense Code EXP-MARKER01 * Quantity

* Unit NA * Rate Per Unit * Total Value 0.00 INR

* Shipped From (Location) * Delivery Location Azentio Main Branch * Auto Generate Bill NO

Status ACTIVE

Description BLACKMARKER

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 01-Sep-2023 English Azentio Software

Workflow initiated submit record from inbox.

Finance

PO Creation Item Details Beneficiary Details

Item Details

| | | |
|--------------|----------------|------------|
| HSN Code | * Expense Code | * Quantity |
| 6471- Laptop | EXP-MARKER01 | 1 |

| | | | |
|--------|-----------------|---------------|-----|
| * Unit | * Rate Per Unit | * Total Value | * |
| NA | 2 | 2.00 | INR |

| | | |
|---------------------------|---------------------|----------------------|
| * Shipped From (Location) | * Delivery Location | * Auto Generate Bill |
| INDIA - Punjab | Azentio Main Branch | NO |

Status
ACTIVE

Description
BLACKMARKER

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 01-Sep-2023 English Azentio Software

Workflow initiated submit record from inbox.

Finance

PO Creation Item Details Beneficiary Details

Item Details

| | | |
|--------------|----------------|------------|
| HSN Code | * Expense Code | * Quantity |
| 6471- Laptop | EXP-MARKER01 | 1 |

| | | | |
|--------|-----------------|---------------|-----|
| * Unit | * Rate Per Unit | * Total Value | * |
| NA | 2 | 2.00 | INR |

| | | |
|---------------------------|---------------------|----------------------|
| * Shipped From (Location) | * Delivery Location | * Auto Generate Bill |
| INDIA - Punjab | Azentio Main Branch | NO |

Status
ACTIVE

Description
BLACKMARKER

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 01-Sep-2023, language English, and the software name Azentio Software. A green notification banner at the top right states "Workflow initiated submit record from inbox." The left sidebar contains a menu with options like General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main content area displays the "PO Item Data" table with columns: Actions, HSN Code, Description, Qty, Total Amount, and Currency. The table contains one row with HSN Code 8471- Laptop, Description AUTOMATIC DATA PRO 1, Qty 2, and Currency INR. A green notification banner at the bottom center states "Item Details updated successfully."

| Actions | HSN Code | Description | Qty | Total Amount | Currency |
|---------|--------------|----------------------|-----|--------------|----------|
| | 8471- Laptop | AUTOMATIC DATA PRO 1 | 2 | | INR |
| 1 total | | | | | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 01-Sep-2023, language English, and the software name Azentio Software (AZENTMAIN). The left sidebar is the same as in the previous screenshot. The main content area displays the "Beneficiary Details" form. The form includes fields for Mode of Payment (Cheque), Bill Financing Arrangement (NO), Beneficiary Name (Bonton Agency), Beneficiary Bank Account Details (ICI87643830922), Auto Payout (NO), and Credit Period (in Days) (3). A green notification banner at the bottom center states "Item Details updated successfully."

| * Mode of Payment | * Bill Financing Arrangement | * Beneficiary Name |
|-------------------|------------------------------|--------------------|
| Cheque | NO | Bonton Agency |

| Beneficiary Bank Account Details | * Auto Payout |
|----------------------------------|---------------|
| ICI87643830922 | NO |

* Credit Period(in Days) 3

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a purchase order with Unique
purchase order number

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 01-Sep-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

PO Creation Item Details **Beneficiary Details**

ViewSummary Submit Cancel

* Mode of Payment * Bill Financing Arrangement * Beneficiary Name

Cheque x NO Bonton Agency x

Beneficiary Bank Account Details

ICI87643830922 x NO x

* Credit Period(in Days)

22 Appro... 11 Mess...