


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	24.309 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Cancellation of Debit NOTE	15	14	1	0	24.303 s
	<u>Module</u>						

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 24.309 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 2:13:34.967 pm	n // 2:13:59.276 pm /	Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## **(S)- Cancellation of Debit NOTE**



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
	With the control of t		
2	Then Choose the second Tab Segment	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		

3 And Click On Main module Accounts Receivable PASSED 0.135 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Accounts Receivable Debit Note Eye Icon  PASSED 0.397 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.215 s
Screenshot
# Q Constructions
4 Then Click on Accounts Receivable Debit Note Eye Icon PASSED 0.397 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s
screenshot
## \$\frac{1}{2} \frac{1}{2} \f
5 And Click On Search Icon PASSED 0.144 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.270 s
screenshot
S
6 Then Enter Cancelled Value In Debit Not Status 0.289 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s
screenshot

The Click on Table Row First Edit Icon	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  8 And Store The Business partner and Invoice Number  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.384 s  0.42 s  0.42 s  0.260 s  0.260 s  0.37 s  0.47 s		© 1 more dependence of the control		
screenshot  8 And Store The Business partner and Invoice Number  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.152 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.320 s	7	Then Click on Table Row First Edit Icon	PASSED	0.116 s
8 And Store The Business partner and Invoice Number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot  9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot  10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED 0.152 s 0.320 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
8 And Store The Business partner and Invoice Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.152 s PASSED 0.320 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.260 s  0.260 s  0.260 s		Company   Comp		
Screenshot  9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.152 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.320 s	8	And Store The Business partner and Invoice Number	PASSED	0.142 s
9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.152 s  0.320 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.152 s  PASSED  0.320 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s  0.178 s  PASSED  0.152 s  PASSED  0.320 s		Water   Wate		
Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.152 s  0.320 s	9	And Click On Main module Accounts payable	PASSED	0.097 s
10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.152 s  0.320 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.320 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.320 s				
	10	Then Click sub module Payment settlement Eye Icon	PASSED	0.152 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
		screenshot		


#	Step / Hook Details	Status	Duration
11	And Click Add icon button	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
	*** O Company		
12	Then Enter payment option	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot    Parameter   Para		
13		PASSED	0.178 s
13	And Enter Business partner  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 S
	screenshot	PASSED	0.100 \$
14	Then Choose value date as System current date	PASSED	1.914 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  ("method":"yapth","Selector":"(//ii/@class='datatable-icon-right")[2]?] (Session info: chrome=98.0.4758.102) For documentation on this error, please visit: https://isclenium.devexceptions/#no.such_element Build info: version: 'd.0.0-f.c-t']. revision: 'bc5511cbda' System info: host:  'INMUVADP014547', ip: '10.147.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java-version: '17.0.1' Driver info: org.openqa.  selenium.chrome.ChromeDriver Command: [123363627d2b5dcf866539b5654364ef, findElement (using=yapth, value=//ii/@class='datatable-icon-right')[2]]} Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome:  (chromedriverVersion: 98.0.4758.80 (77648869ba008, userDataDir: C:USersININIDC=1/AppDataL), goog:chromeOptions:  (debuggerAddress: localhost.53049), javascripitEnabled: true, networkConnectionEnabled: sp. agel coadStrategy: normal, platform:  WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost.53049/devtoo, se.cdp/version: 98.0.4758.102, setWindowRect:  true, strictFlieInteractability: false, timeouts: (implicit: 0, pagel-oad: 30000), script: 30000), unhandledPromptBehavior: dismiss and notify,  webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID:  1233c6327d2b5dcf86539b65e54364ef  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:45)  at java.base/jdk.internal.reflect.Ostructor.acvessorImpl.newInstance0(NativeConstructorAccessorImpl.java:45)  at java.base/jdk.internal.reflect.Ostructor.newInstanceWithCaller(Constructor java:499)  at java.base/jdk.internal.reflect.Ostructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java	#	Step / Hook Details	Status	Duration
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:  ("method":"xpath","selector":"(//ii/@class='datatable-icon-right")[2]?") (Session info: chrome=98.0.4758.102) For documentation on this error, please visix https://selenium.devexceptions/#no.such_element Build info: version: 'd.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'iNMUVADPO14547', ip: '10.147.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', ja.waversion: '17.0.1' Driver info: org.openqa. selenium.chrome. ChromeDriver Command: [1233c6327d2b5dc186539b65e34364f, IndElement (using=xpath, value=(/ii/@class='datatable-icon-right'))[2]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.102, drivage-icon-right'))[2]]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.102, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.102, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.102, browserName: chrome, browserVersion: 98.0.4758.102, setWindowRect: true, strictleilenteractability, false, timeouts: (implicit: 0, pagelo-ad-300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:credBlob: true. Webauthn:extension:credBlob: true. Webauthn:extension:largeBlob: true. Webauthn:extension:credBlob: true. Webauthn:extension:credBlob: true. Webauthn:extension:largeBlob: true. Webauthn:extension:credBlob: true. Session ID: 1233c6327d2b5dc186539b65e54364ef  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflec				
("method:"xpath":"selector":"//ii@class=datatable-ioon-right")[2]") (Session info: chrome=98.0.478.8.102) For documentation on this error, please visit: https://selenium.dev/exceptions//mo_such_element Build info: version: '4.0.0-re-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: Windows 10', os.arch: amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome. ChromeDriver Command: [123365237d2b5dcf86539b65e54364ef, findElement (using=xpath, value=//ii@class='datatable-ioon-right")[2]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverVersion: 98.0.4758.00 (?nd488e8bad08, userDatabir: C:UsersININDC-11AppDatatl), goog:chromeOptions: (debuggerAddress: localhost55049), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53049/devtoo se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhanddedPromptBehavior: dismiss and notify, webauthn:extension:coredBiob: true, webauthn:extension:datable: at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:49) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:49) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java	15	And find the invoice reference number for cancelled DebitNote is availabe at the billing queue	FAILED	1.048 s
at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath":"selector":"(//ii@class='datatable-icon-right")[2]") (Session info: chrome=98.0.4758.102) For documentation on this error, please visit https://selenium.dev/exceptions/#no such element Build info: version: '4.0.0-re-1'; revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java-version: '17.0.1' Driver info: org.openqa. selenium.chrome. ChromeDriver Command: [1233c6327d2b6cfd68569585645], findElement (using=xpath, value=g/fi@class='datatable-icon-right')][2]]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: '98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.102, chromedriverVersion: 98.0.4758.102, chromedr		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)		
	at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)		
	at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)		
	at stepdefinitions.ARAP_CancellationOfGRN.		
	find_the_invoice_reference_number_for_cancelled_debitnote_is_availabe_at_the_billing_queue(ARAP_CancellationOfGRN.java:557)		
	at ?.find the invoice reference number for cancelled DebitNote is availabe at the billing queue(file:///C:/Users/inindc00075/git/repository/		
	Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:80)		
-	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
	With the second control of the second contro		


EXPANDED SECTION -- 10 --




**EXPANDED SECTION** 




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

