Cucumber Report

| Start : Feb 09, 11:04:39.112 am	End : Feb 09, 11:06:03.812 am	Duration : 1 m 24.700 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 15

Features: 1

Scenarios: 1

Steps: 24

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 33 %

#	Feature Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	1	0	1	0	1 m 24.700 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	Check inventory stock confirmation	24	8	1	15	1 m 24.694 s

## (F)- Check unwanted inventory stock can be return to the Branch

FAILED	DURATION - 1 m 24.700 s	Scenarios		Steps	
/ 11:04:39.112 am // 11:06:03.812 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 24 Pass - 8 Fail - 1 Skip - 15	24

(S)- Check inventory stock confirmation

FAILED	DURATION - 1 m 24.694 s		Steps	
/ 11:04:39.118 am // 11:06:03.812 am /			Total - 24	
Check unwanted inventory stock can be return to the Branch			Pass - 8 Fail - 1 Skip - 15	24
@KUBS_INV_MGMT_UAT_004_StockConfirm				

#	Step / Hook Details	Status	Duration
1	Given Launch the Azentio maker url	PASSED	1 m 12.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
2	Then Inventory Second direction icon	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Inventory Management Module	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
4	Then Click on Inventory stock confirmation eye icon	PASSED	0.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot		
5	And Sub module Inventory stock confirmation click Add icon	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
6	Then Enter Request Referance Number	PASSED	0.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Enter Item code Number	PASSED	0.468 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot 		
8	Then Accept the status in checkbox	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot 		
9	And goto maker Notification icon	FAILED	1.184 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-bdb-c276="" routerlink="/inbox" tabindex="0" ng-reflect-router-link="/inbox" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (1254, 28). Other element would receive the click: <div class="ng-tns-c135-0 toast-title ng-star-inserted" aria-label="Inventory Stock Confimation" style="">...</div> (Session info: chrome=98.0.4758.81) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9ea94f8e2b179feade73ab34796401e3, clickElement {id=a2fc34da-fde9-43b7-8f99-08d4d1e2ab8b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.81, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52887}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52887/devtoo..., se:cdpVersion: 98.0.4758.81, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (9ea94f8e2b179feade73ab34796401e3)] -> xpath: //ion-button[@ng-reflect-router-link='/inbox']] Session ID: 9ea94f8e2b179feade73ab34796401e3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.INVENTORY_StockReturnBranch.goto_maker_notification_icon(INVENTORY_StockReturnBranch.java:447) at ?.goto maker Notification icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:44) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot 		
10	Then Click Submit button to Inventory Record	SKIPPED	0.001 s
11	And Give Remark and submit to reviewer	SKIPPED	0.001 s
12	Given Login As Reviewer	SKIPPED	0.001 s
13	And Goto Reviewer Notification	SKIPPED	0.000 s
14	Then open the submitted Record from maker	SKIPPED	0.001 s
15	And Approve the Record in Reviewer	SKIPPED	0.000 s
16	Then Enter The Remark and submit in Reviewer	SKIPPED	0.001 s
17	Given Login As Checker	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	Then Click Security management module	SKIPPED	0.000 s
19	And Click Sub module open Pool Edit icon	SKIPPED	0.000 s
20	And Claim the submitted Record	SKIPPED	0.000 s
21	Then Goto Checker Notification	SKIPPED	0.001 s
22	And Open the Record Approve from Reviewer	SKIPPED	0.000 s
23	And Approve the Record in Checker End	SKIPPED	0.000 s
24	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

	Kastle Universal Banking (Beta)		03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Business partner setup
General ledger configuration
Accounting setup
Expense/AR & AP configurati...
Budget configuration
Fixed assets configuration
Inventory maintenance
Bank recon
Petty cash configuration

Welcome, anant

22 Appro... | 11 Messa...

Home | Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

	Kastle Universal Banking (Beta)		03-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable
Adjustments (AR and AP)
Accounts receivable
Fixed assets
Inventory management
Petty cash
Bank recon

Welcome, anant

22 Appro... | 11 Messa...

Home | Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can
be return to the Branch

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check unwanted inventory stock can be return to the Branch