Cucumber Report

|		
Start : Feb 17, 12:00:38.122 PM	**End : Feb 17, 12:34:30.847 PM**	**Duration : 33 m 52.725 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 9

1

1

22

Pass %

0 %

Pass %

0 %

Pass %

54 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	1	0	1	0	33 m 52.725 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	Creation of the registered asset with full details	22	12	1	9	33 m 52.721 s

(F)- Checking the Fixed Asset functionality

FAILED	DURATION - 33 m 52.725 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 22 Pass - 12 Fail - 1 Skip - 9	22
/ 12:00:38.122 PM // 12:34:30.847 PM /					

(S)- Creation of the registered asset with full details

FAILED	DURATION - 33 m 52.721 s		Steps Total - 22 Pass - 12 Fail - 1 Skip - 9	22
/ 12:00:38.126 PM // 12:34:30.847 PM /				
Checking the Fixed Asset functionality				
@MutiAuth @KUBS_FAT_UAT_002_007				

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
2	Then Click on the Direction	PASSED	0.324 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Fixed Asset	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
4	Then Click on Asset Creation Eye button	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
5	Then Click on the add button to add new record	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
6	Then Fill Form	PASSED	4.043 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Save the filled form	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
8	Then Click on Fixed Asset Notification	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
9	Then Select the record which we saved	PASSED	0.813 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		
10	Then Click on Fixed Asset items	PASSED	2.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on the add button of asset items	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot 		
12	Then fill the asset item details	PASSED	9.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot 		
13	Then Click on save button of item details	FAILED	33 m 20.305 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //page-fixed-asset-creation-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]' (tried for 2000 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
	    at helper.WaitHelper.waitForElement(WaitHelper.java:79)
	    at stepdefinitions.FixedAsset_AssetCreation.click_on_save_button_of_item_details(FixedAsset_AssetCreation.java:194)
	    at ?.Click on save button of item details(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetCreation.feature:21)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//page-fixed-asset-creation-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [180096768a17a85a801c392cce7c579b, findElement {using=xpath, value=//page-fixed-asset-creation-update[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45		

| #	Step / Hook Details	Status	Duration

	(76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61467}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61467/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 180096768a17a85a801c392cce7c579b
	   at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)
	   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	   at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	   at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	   at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	   at helper.WaitHelper.waitForElement(WaitHelper.java:79)
	   at stepdefinitions.FixedAsset_AssetCreation.click_on_save_button_of_item_details(FixedAsset_AssetCreation.java:194)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)
	   at io.cucumber.java.Invoker.invoke(Invoker.java:24)
	   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)
	   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)
	   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)
	   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.427 s
	screenshot		

#	Step / Hook Details	Status	Duration
14	Then Click on Fixed Asset Notification	SKIPPED	0.000 s
15	Then Select the record which we saved	SKIPPED	0.000 s
16	Then Submit record	SKIPPED	0.000 s
17	Then log in to the reviewer account	SKIPPED	0.000 s
18	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
19	Then log in to the Checker Account	SKIPPED	0.000 s
20	And then checker claim the record	SKIPPED	0.001 s
21	Then click on the checker Notification	SKIPPED	0.000 s
22	And select the record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of the registered asset with full details	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of the registered asset with full details	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of the registered asset with full details

(F) Checking the Fixed Asset functionality