


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	36.690 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	16	12	1	3	36.677 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

## (F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 36.690 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 1:06:39.878 F	PM // 1:07:16.568 PM /	Pass - 0	1	Pass - 12	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## (S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED DURATION - 36.677 s	15	-		-  -		-	-¦-		-;-		- ;			-		-	Steps			
/ 1:06:39.891 PM // 1:07:16.568 PM /	10		- +														Total - 16			N
testing the fuctionalities of bank reconciliation	5						- -	- + -	-  -		-						Pass - 12		16	
module									_								Fail - 1			,
@text	0	-  ===	1 2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 3	`		

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	15.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.724 s
	screenshot		
	Fig. 10 Annual Property Control Space Annual Annual Control Space Annual		
2	And user click bank recon module	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		


After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)   After_step - step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user click add icon in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.386 s  0.386 s  0.370 s  0.319 s  0.319 s  0.322 s  0.322 s  0.323 s  0.323 s  0.323 s  0.324 s  0.324 s  0.325 s  0.325 s  0.326 s  0.327 s  0.327 s  0.328 s  0.327 s  0.328 s		10		
screenshot  4 And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 And user select bank name in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 And user select bank name in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  D. Java - Ja	3	And user click eye icon in bank recon module	PASSED	0.482 s
And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user select bank name in bank recon Module  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksCla		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
4 And user click add icon in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user select bank name in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AND User select bank account Number in bank recon Module  AND User select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.280 s  PASSED  O.280 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And user select bank name in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.370 s  0.370 s				
screenshot  And user select bank name in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user select bank account Number in bank recon Module  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s  PASSED  0.175 s	4	And user click add icon in bank recon	PASSED	0.454 s
And user select bank name in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s  0.175 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
5 And user select bank name in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.352 s  0.352 s  0.352 s  0.352 s		# Company of the Comp		
Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s  0.175 s	5	And user select bank name in bank recon Module	PASSED	0.319 s
6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.280 s  0.175 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.280 s  0.175 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.175 s		0   1   1   1   1   1   1   1   1   1		
	6	And user select bank account Number in bank recon Module	PASSED	0.280 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
		screenshot		

#	Step / Hook Details	Status	Duration
	The state of the s		
7	And user click bank recon from date and select the date	PASSED	2.643 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
	## OF THE PROPERTY AND		
8	And user click bank recon to date and select the date	PASSED	1.843 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.274 s
9	And user click choose file and upload the bank statement	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    The description of the state appear to be stated and statement of the state appear to be stated as a statement of the statement of	PASSED	0.219 s
10	And user click save button in bank recon	PASSED	0.135 s
10	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		


#	Step / Hook Details	Status	Duration
	# OF THE PROPERTY OF THE PROPE		
11	And user click process button in bank recon	PASSED	3.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.211 s
	** Of Street Str		
12	And user click the unmatched data in bank recon process	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot   **********************************		
13	And user match the records in unmached tab	FAILED	0.119 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row/div[2]/datatable-body-cel[6]/div"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a1ef1477d1943f79b6c9f161f2bf7c2f, findElement {using=xpath, value=//ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row/div[2]/datatable-body-cell[6]/div]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:52562}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52562/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a1ef1477d1943f79b6c9f161f2bf7c2f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.Bank_ReconModule.user_match_the_records_in_unmached_tab(Bank_ReconModule.java:325) at ?.user match the records in unmached tab(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:37) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
	# 10 10 10 10 10 10 10 10 10 10 10 10 10		
14	And user click matched data tab	SKIPPED	0.000 s
15	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.000 s
16	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.001 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

