

# Cucumber Report

Feb 21, 2022, 2:18:47 AM

Start : Feb 21, 2:16:48.604 AM

End : Feb 21, 2:18:33.026 AM

Duration : 1 m 44.422 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	1 m 44.422 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Create a contract	6	0	0	6	1 m 44.373 s

**(F)- ACCOUNTS PAYABLE**

<b>FAILED</b>	<b>DURATION - 1 m 44.422 s</b>	Scenarios		Steps	
/ 2:16:48.604 AM // 2:18:33.026 AM /		Total - 1		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 6	

**(S)- Create a contract**

<div>FAILED</div> <div>DURATION - 1 m 44.373 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 6</div>	
/ 2:16:48.653 AM // 2:18:33.026 AM /				
ACCOUNTS PAYABLE				
@KUBS_INV_MGMT_UAT_001_002				

#	Step / Hook Details	Status	Duration
	<b>BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)</b> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}, desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]           at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)           at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)           at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)           at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)           at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)           at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)           at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)           at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)           at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)           at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)           at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)           at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)           at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)	<b>FAILED</b>	1 m 44.265 s

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
2	And user should navigate to accounts payable menu	SKIPPED	0.000 s
3	When click on eye button of vendor contract	SKIPPED	0.000 s
4	And click on add button to create contract	SKIPPED	0.000 s
5	And Fill the required fields to create contract	SKIPPED	0.001 s
6	Then Save and submit the creation contract record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.022 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		