


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	59.140 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type	7	6	1	0	59.133 s
		Purchases					

(F)- AR/AP Module

FAILED	DURATION - 59.140 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 5:10:45.692 pm	n // 5:11:44.832 pm /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Create a contract for an active vendor with expense type Purchases

FAILED DURATION - 59.133 s	20 Steps	
/ 5:10:45.699 pm // 5:11:44.832 pm /	15 - Total - 7	
AR/AP Module	10	7
@AR/AP @KUBS_AR/AP_UAT_001_001_TC_001_01	5	
@KOBS_AK/AF_OA1_001_001_1C_001_01	1 2 3 4 5 6 7	


#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	18.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.606 s
	screenshot		
	ASSETTO 10 Sign 11 Transit 12 Sign 12 Sign 13 Sign 14 Sign 15 Sign 16 Sign 16 Sign 16 Sign 17 Sign 17 Sign 18 Sign		
2	And user should navigate to accounts payable menu	PASSED	2.520 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
	ACCIONO RIGO L. Autom Settoro CONTONO C C C CONTONO RIGO C CONTONO CONTONO RIGO RIGO		
3	When click on eye button of vendor contract	PASSED	0.245 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.821 s
	screenshot		
	According to the control of the cont		
4	And click on add button to create contract	PASSED	1.390 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
	Control Custor Cont		
5	And Updating Testdata Id for Vendor contract	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	SCREENShot Supplementaries Supplementaries		
6	And Fill the required fields to create contract	PASSED	21.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
	The control of the co		
7	Then Save and submit the creation contract record	FAILED	1.158 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-buttonngcontent-jlx-c278="" class="md button button-clear in-toolbar in-toolbar-color button-has-icon-only ion-activatable ion-focusable hydrated" ng-reflect-router-link="/inbox" routerlink="/inbox" tabindex="0"> is not clickable at point (838, 28). Other element would receive the click: <divngcontent-jlx-c177="" class="ngx-overlay foreground-closing" style="background-color: rgba(40, 40, 40, 0.8); border-radius: 0px;"> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:</divngcontent-jlx-c177=""></ion-buttonngcontent-jlx-c278="">		


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	[7a59b10306f0c9fcc842e47dc8db7d8a, clickElement {id=5298a1a0-5ff9-4a15-81eb-ca8f6ed3f9b4}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:Users\NINIDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:62183}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:62183/devtoo, se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFleinteractability; false, timeouts: {implicit: 0, pageLoad: 30000, script: 30000, unandledPromptBehavior: dismiss and notify, webauthn-extension:credBlob: true, webauthn-wirtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (7a59b10306f0c9fcc842e47dc8db7d8a] > xpath: //ion-button[@ng-reflect-router-link=/inbox*]] Session ID: 7a59b10306f0c9fcc842e47dc8db7d8a] > xpath: //ion-button[@ng-reflect-router-link=/inbox*]] Session ID: 7a59b10306f0c9fcc842e47dc8db7d8a] > xpath: //ion-button[@ng-reflect-router-link=/inbox*]] Session ID: 7a59b10306f0c9fcc842e47dc8db7d8a]		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot	1.7.0025	0.107.0
	ALEXANDER DE LA COMPANIONE DEL COMPANIONE DE LA COMPANIONE DE LA COMPANIONE DEL COMPANIONE		


EXPANDED SECTION -- 7



EXPANDED SECTION --- 8 -



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

