


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	28.805 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify cancelling Debit Note is not allowed if the same has	43	15	1	27	28.801 s
	Module	been adjusted at payment settlement					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 28.805 s	Scenarios		Steps	
		Total - 1		Total - 43	
/ 3:40:57.364 p	om // 3:41:26.169 pm /	Pass - 0	1	Pass - 15	43
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 27	

(S)- Verify cancelling Debit Note is not allowed if the same has been adjusted at payment settlement

FAILED DURATION - 28.801 s						-			-					-	-	Steps	
/ 3:40:57.368 pm // 3:41:26.169 pm /	10	#		-	! -		- -	- 1 -	-		-	-		-	 	Total - 43	
	5	- -										4			 	Pass - 15	43
Check the Functionality of AR/AP Module									Ė							Fail - 1	
@KUBS_AR_AP_UAT_003_006_TC_05	0	-	1 1	<u> </u>		+	-	-		+	10	-	12	10	 15	Skip - 27	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
	10 10 10 10 10 10 10 10		
2	Then Choose the second Tab Segment	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		

3 And Click On Main module Accounts Receivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		
Screenshot * *** *** **** **** **** **** ****	ts Receivable PASSED 0.141	0.141 s
# © Validation () The state of	oksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199	0.199 s
□ ■ State of the		
1		
4 Then Click on Accounts Receivable Debit Note Eye Icon PASSED 0.370 s	Debit Note Eye Icon PASSED 0.370	0.370 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.267 s	oksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.267	0.267 s
Screenshot # \$ *** *** *** *** *** *** *** *** ***		
5 And Click On Search Icon PASSED 0.145 s	PASSED 0.145	0.145 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.245 s	oksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.245	0.245 s
screenshot		
# Q		
6 Then Enter Active Value In Debit Not Status PASSED 0.287 s	ot Status PASSED 0.287	0.287 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169 s	oksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.169	0.169 s
screenshot		

7 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.152 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.101 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s Then Click on Main module Accounts payable AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click sub module Payment settlement Eye Icon PASSED 0.461 s 0.461 s		© Name 2		
screenshot 8 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click sub module Payment settlement Eye Icon PASSED 0.194 s	7	Then Click on Table Row First Eye Icon	PASSED	0.120 s
8 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click sub module Payment settlement Eye Icon PASSED 0.194 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
8 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.110 s PASSED O.098 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Click sub module Payment settlement Eye Icon PASSED O.194 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click sub module Payment settlement Eye Icon PASSED 0.110 s 0.110 s		9 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click sub module Payment settlement Eye Icon PASSED 0.098 s 0.169 s	8	And Get The Bp Name and Debit Number Store It	PASSED	2.152 s
9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click sub module Payment settlement Eye Icon PASSED 0.098 s 0.169 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click sub module Payment settlement Eye Icon PASSED 0.169 s 0.169 s		# © Manifestations	_	
Screenshot Then Click sub module Payment settlement Eye Icon PASSED 0.194 s	9	And Click On Main module Accounts payable	PASSED	0.098 s
10 Then Click sub module Payment settlement Eye Icon PASSED 0.194 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
10 Then Click sub module Payment settlement Eye Icon PASSED 0.194 s		screenshot		
AETED STED, stondofinitions Hooks Class add Scroonshot (in queumber inva Sconario)	10	Then Click sub module Payment settlement Eye Icon	PASSED	0.194 s
AFTER_STEF - Stepheninitions. Hooks Class. add Screenishot (io. cucumber. java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
11	And Click Add icon button	PASSED	0.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
	### OF MANAGEMENT STATE OF THE		
12	Then Enter payment option	PASSED	0.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	Screenshot **********************************		
13	And Give stored Business partner Name	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.184 s
14	Then Choose value date as System current date	PASSED	2.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		


#	Step / Hook Details	Status	Duration
	1		
15	And find the Debit reference number for Active Debit is availabe at the billing queue	PASSED	2.693 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
	10 10 10 10 10 10 10 10		
16	Then Click the Checkbox As Tick	FAILED	0.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'null')]//ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell[3]//ion-checkbox"} (Session info: chrome=99.0.4844.51) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a6df23867a0a2bd14abc7e4bfb0fdae5, findElement {using=xpath, value=//div[contains(text(),'null')]//ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell[3]//ion-checkbox}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64313}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64313/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a6df23867a0a2bd14abc7e4bfb0fdae5		
	at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.click_the_checkbox_as_tick(ARAP_AccountsReceivable_AccountsPayable.java:1701) at ?.Click the Checkbox As Tick(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:428) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
	© 100 1 100 100 100 100 100 100 100 100		
17	When Enter the Description value	SKIPPED	0.000 s
18	And Save The Payment settlement Record	SKIPPED	0.001 s
19	Then Click the Alert message as Yes	SKIPPED	0.000 s
20	Then Goto The Notification Icon	SKIPPED	0.000 s
21	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
22	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
23	Given Navigate as a Reviewer	SKIPPED	0.000 s
24	Then click on Notify icon	SKIPPED	0.000 s
25	And Click First record Action icon	SKIPPED	0.000 s
26	Then Approve the record in Reviewer	SKIPPED	0.000 s
27	And Give Remark and Submit	SKIPPED	0.001 s
28	Given Navigate as a Checker	SKIPPED	0.000 s
29	Then Click module security management	SKIPPED	0.000 s
30	And Claim the Record in Checker	SKIPPED	0.001 s
31	Then Goto the Checker notification Icon	SKIPPED	0.000 s
32	And Click the First Action Icon	SKIPPED	0.000 s
33	Then Approve the Record in checker stage	SKIPPED	0.000 s
34	And Give the Remark and Submit it	SKIPPED	0.000 s
35	Given Navigate The Azentio Url	SKIPPED	0.000 s
36	Then Choose the second Tab Segment	SKIPPED	0.001 s
37	Then Open the Adjustment ARAP module	SKIPPED	0.000 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
38	And Click on Adjustment ARAP Eye Icon	SKIPPED	0.000 s
39	And Click Add icon button	SKIPPED	0.000 s
40	Then Give The Business Partner	SKIPPED	0.000 s
41	And Give The Adjustment Type	SKIPPED	0.000 s
42	Then Give the Adjustment Item Type	SKIPPED	0.000 s
43	And Give the Adjustment Ref No and Validate	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION




EXPANDED SECTION --- 13 --




EXPANDED SECTION --- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

