Cucumber Report

Start : Mar 08, 11:32:45.702 AM	*End : Mar 08, 11:34:29.356 AM*	*Duration : 1 m 43.654 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 7 FAILED - 0 SKIPPED - 0

1

1

7

40 50 60
30 Pass % 70
20   80
10   90
0   100
100 %

40 50 60
30 Pass % 70
20   80
10   90
0   100
100 %

40 50 60
30 Pass % 70
20   80
10   90
0   100
100 %

#	Feature Name	T	P	F	S	Duration
1	General Ledger2 Transaction	1	1	0	0	1 m 43.654 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	General Ledger2 Transaction	Check the transactions as per dates feeded	7	7	0	0	1 m 43.647 s

(F)- General Ledger2 Transaction

PASSED	DURATION - 1 m 43.654 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 11:32:45.702 AM // 11:34:29.356 AM /		Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check the transactions as per dates feeded

PASSED	DURATION - 1 m 43.647 s		Steps	
/ 11:32:45.709 AM // 11:34:29.356 AM /			Total - 7	
General Ledger2 Transaction			Pass - 7	7
			Fail - 0	
@KUBS_GL2_UAT_006_003 @Report			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	40.869 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.897 s
	screenshot		
2	And user should navigate to general ledger transaction menu	PASSED	0.806 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.521 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on report icon	PASSED	0.565 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.725 s
	screenshot 		
4	Then click on enquiry menu	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot 		
5	Then click on temp grid button of financial transaction	PASSED	0.478 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.711 s
	screenshot 		
6	And fill the date field of financial transaction	PASSED	3.712 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.611 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then click on view button to view the report as per reference number	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.332 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Check the transactions as per dates
feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the transactions as per dates
feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) Check the transactions as per dates feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) Check the transactions as per dates feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the transactions as per dates feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the transactions as per dates feeded

(F) General Ledger2 Transaction

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the transactions as per dates
feeded

(F) General Ledger2 Transaction