Cucumber Report

| Start : Dec 13, 12:44:55.633 pm	End : Dec 13, 12:45:57.965 pm	Duration : 1 m 2.332 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 16 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	1 m 2.332 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify accounting entries post payment settlement approval.	17	16	1	0	1 m 2.327 s

(F)- AR_AP Module

FAILED	DURATION - 1 m 2.332 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 12:44:55.633 pm // 12:45:57.965 pm /		Pass - 0	1	Pass - 16	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify accounting entries post payment settlement approval.

FAILED	DURATION - 1 m 2.327 s		Steps	
/ 12:44:55.638 pm // 12:45:57.965 pm /			Total - 17	
AR_AP Module			Pass - 16	17
@KUBS_AR_AP_UAT_005_003_TC_02 @AR_AP			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	17.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.527 s
	screenshot		
	+		
2	And click on accounts Payable module	PASSED	2.395 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	And Go to payment settlement module	PASSED	1.262 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
	screenshot 		
4	Then click on search	PASSED	0.376 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot 		
5	And user update the Excelsheet testdata for payment settlement accounting Entries	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot 		
6	And search for approved record in view area	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot 		
7	And get the approved record from list view	PASSED	0.058 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then click on report segment button	PASSED	2.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
9	And click on equiry menu	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
10	Then click on edit icon near by fiancial transaction menu	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
11	And choose branch code	PASSED	0.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And click on transaction from date calender icon	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
13	Then choose the from date	PASSED	0.909 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
14	And click on the transaction to date calender icon	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
15	Then choose the to date	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		

#	Step / Hook Details	Status	Duration
16	And click on view button	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		
17	Then verify approved settlement reference number is available in the GI report	FAILED	18.840 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <i class="datatable-icon-right"></i> is not clickable at point (1794, 514). Other element would receive the click: <datatable-body-cell tabindex="-1" ng-reflect-row="[object Object]" ng-reflect-expanded="false" ng-reflect-is-selected="false" ng-reflect-row-index="392" ng-reflect-column="[object Object]" ng-reflect-row-height="50" class="datatable-body-cell sort-active ng-star-inserted" style="width: 150px; height: 50px;">...</datatable-body-cell> (Session info: chrome=108.0.5359.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1ac7d6ec3b2cafd80cf8f736e3b354be, clickElement {id=8a9d303d-f5fd-44bd-88f9-c9bc878e03c4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.99, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62256}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62256/devtoo..., se:cdpVersion: 108.0.5359.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1ac7d6ec3b2cafd80cf8f736e3b354be)] -> xpath: (//i[@class='datatable-icon-right'])[2]] Session ID: 1ac7d6ec3b2cafd80cf8f736e3b354be
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.AR_AP_Module.verify_approved_settlement_reference_number_is_available_in_the_gl_report(AR_AP_Module.java:2000) at ?.verify approved settlement reference number is available in the Gl report(file:///C:/Users/inindc00075/git/Updated_Kubs_Arshath/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:468) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.193 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post
payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post payment settlement approval.

(F) AR_AP Module

AZENTIO
ONEBanking

15-Dec-2022 English ⌄   Azentio Software ⌄   (AZENTMAIN) ✉ ⬚ 👤 ANANT

Finance

Reports
Financial reporting
Enquiry
  Financial transaction
Petty cash
Master reports
Transaction reports

22 Appro... ✖   11 Mess... ✖

Financial Transaction   VIEW

| * Branch Code | GI Code | Transaction From Date |
| AZENTMAIN-Azentio Main Branch × ⌄ | ⌄ | 01-Apr-2022 📅 |

| Transaction To Date | Transaction Ref No | Account Number |
| 13-Dec-2022 📅 | ⌄ | ⌄ |

Financial Transaction Report   🔍

Voucher No	Transaction date	Value Date	GL Code	GL Description	Transaction Type	Amount	Currency	Account No	Account Name	CIF Numb
ULS_28/11/2022/AZEN	12-Apr-2022	12-Apr-2022	IFRS-1000058-AS		Credit	2856889	INR			
ULS_28/11/2022/AZEN	11-Apr-2022	11-Apr-2022	IFRS-1000058-AS		Credit	4255019	INR			
ULS_28/11/2022/AZEN	11-Apr-2022	11-Apr-2022	IFRS-1000058-AS		Credit	2000000	INR			
ULS_28/11/2022/AZEN	12-Apr-2022	12-Apr-2022	IFRS-1000058-AS		Credit	3003508	INR			

394 total |◀ ◀ 62 63 64 65 **66** ▶ ▶|