
**Duration: 28.160 s** Start: Feb 07, 1:22:44.083 pm End: Feb 07, 1:23:12.243 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 15 SKIPPED - 0 SKIPPED - 0 SKIPPED - 13 29 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 51 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionally	1	0	1	0	28.160 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget	Check the rejected budget can be used	29	<b>15</b>	1	13	28.154 s
	Request and Allocation functionaliy						

DETAILED SECTION -- 4 --

## (F)- Check The Azentio UAT Budget Request and Allocation functionally

FAILED	DURATION - 28.160 s	Scenarios		Steps	
		Total - 1		Total - 29	
/ 1:22:44.083 p	om // 1:23:12.243 pm /	Pass - 0	1	Pass - 15	29
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

## (S)- Check the rejected budget can be used



#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	11.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	The Contraction of the Contracti		
2	Then click the Two Direction Icon	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Current Budget Code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.243 s PASSED 0.269 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.184 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.243 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.269 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.362 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.184 s		On the properties of the prope		
screenshot  4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.236 s  4 TER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.269 s  6 Then Current Budget Code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.362 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.362 s	3	And click to the Budget	PASSED	1.176 s
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) Screenshot  5 And click on the Add icon in Request and Allocation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  6 Then Current Budget Code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.362 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.362 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.342 s  0.243 s  0.269 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Current Budget Code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  D. 362 s  PASSED  D. 362 s  PASSED  D. 362 s  D. 362 s  D. 363 s		* 100		
screenshot  5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Current Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.362 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.184 s	4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.342 s
5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Current Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  0.269 s  PASSED  0.362 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.362 s  0.184 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
5 And click on the Add icon in Request and Allocation  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Current Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  0.269 s  PASSED  0.362 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.362 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Current Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.269 s  PASSED  0.362 s  PASSED  0.362 s  O.362 s  O.362 s		O manuscript		
Screenshot  6 Then Current Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.362 s  0.184 s	5	And click on the Add icon in Request and Allocation	PASSED	0.243 s
6 Then Current Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.362 s  0.184 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
6 Then Current Budget Code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.362 s  0.184 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s		© the the second of the second		
	6	Then Current Budget Code	PASSED	0.362 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
- Solice Health Control of the Contr		screenshot		

<u> </u>	tus Duration
# © contractions    P	
7 And select the Budget Year PASSE	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSE	D 0.240 s
screenshot	
# O continued to the continue of the continue	
8 Then click on the Branch PASSE	D 0.113 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSE	D 0.284 s
screenshot	
## (1)	
9 And Select Branch checkbox PASSE	D 0.081 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	D 0.138 s
screenshot	
10 Then click on the Branch ok button PASSE	D 0.242 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSE	D 0.278 s
screenshot	


#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
12	And Budget Amount for Budget Type Show in Budget type field	PASSED	0.451 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	Screenshot       Output      O		
13	And click on the save button	PASSED	2.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Vivial Company of the Company of	PASSED	0.113 s
14	Then click on the Maker icon button	PASSED	0.980 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		

#	Step / Hook Details	Status	Duration
	## © Manufacture   ##   Manufac		
15	And click on the Record Reject	PASSED	2.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot	]	
	BOTH DESIGNATION AND ADDRESS A		
16	And Logout the Maker	FAILED	1.191 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion_icon_ngcontent-jul-c276="" aria-label="person circle" class="md hydrated" name="person-circle" ng-reflect-name="person-circle" role="img" slot="istart"><incor_icole" aria-label="person circle" class="md hydrated" ng-reflect-name="person-circle" role="img"><incor_icole"><incor_icole*< in="" incor_icole*<=""> Interception of the click: <incor_icole*< in=""> Interception of the click intercepted (incor_icole*) in the click: <incor_icole*< li=""> Interception of the click intercepted (incor_icole*) interception* interce</incor_icole*<></incor_icole*<></incor_icole*<></incor_icole"></incor_icole"></ion_icon_ngcontent-jul-c276="">		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT.logout_the_maker(Budget_BudgetRequestandAllocation_UAT.java:862) at ?.Logout the Maker(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ BUDGET_BudgetRequestandAllocation_UAT.feature:153) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
	### 1997   1997		
17	Then Again Login the Maker	SKIPPED	0.001 s
18	Then click the Two Direction Icon	SKIPPED	0.000 s
19	And click to the Budget	SKIPPED	0.000 s
20	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	SKIPPED	0.001 s
21	And click on the Add icon in Request and Allocation	SKIPPED	0.001 s
22	Then Current Budget Code	SKIPPED	0.000 s
23	And select the Budget Year	SKIPPED	0.000 s
24	Then click on the Branch	SKIPPED	0.000 s
25	And Select Branch checkbox	SKIPPED	0.000 s
25	And Select Branch checkbox		0.000 3
26	Then click on the Branch ok button	SKIPPED	0.000 s
_			
26	Then click on the Branch ok button	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

