


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	FIXED ASSETS	1	0	1	0	2 m 58.877 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	FIXED ASSETS	Asset Creation	16	15	1	0	2 m 58.863 s

DETAILED SECTION -- 4 --

(F)- FIXED ASSETS

FAILED	DURATION - 2 m 58.877 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 6:21:17.509 A	M // 6:24:16.386 AM /	Pass - 0	1	Pass - 15	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Asset Creation



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	33.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.638 s
	screenshot		
	# Once of the contract of the		
2	And user should navigate to fixed asset menu	PASSED	0.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		

When click on eye button of asset creation	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click on add button to create asset record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.442 s 1.442 s 1.442 s				
screenshot And click on add button to create asset record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 14.446 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s	3	When click on eye button of asset creation	PASSED	0.573 s
4 And click on add button to create asset record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 14.446 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.280 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.442 s
4 And click on add button to create asset record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 14.446 s PASSED 0.280 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 14.446 s PASSED 0.597 s 0.597 s		0		
screenshot 5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 14.446 s PASSED 0.280 s	4	And click on add button to create asset record	PASSED	0.450 s
5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 14.446 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.597 s
5 And Fill the required fields to create asset AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 14.446 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 14.446 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s		0		
Screenshot 6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s	5	And Fill the required fields to create asset	PASSED	2.113 s
6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
6 Then Save and submit the asset creation record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.280 s		9 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	6	Then Save and submit the asset creation record	PASSED	14.446 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
		screenshot		

7 And User should go to the kubs url and login as a reviewer user PAS	SSED 11.307 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	SSED 0.116 s
screenshot	
8 Then Click on notification button in reviewer PAS	SSED 0.218 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	SSED 0.462 s
screenshot	
## Q	
9 And approve the record by reviewer user PAS	SSED 4.488 s
	SSED 0.395 s
screenshot	
Total tale value of the control of t	
10 Given User should go to the kubs url and login as a checker user PAS	SSED 15.544 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PAS	SSED 0.233 s

#	Step / Hook Details	Status	Duration
	■ © Anti-machines Share to the control of B 0 interest Share to the control of B 0 interest		
	in the second se		
11	And Click on security management in checker	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
	PRICE LIGHT CONTROL AND CONTRO		
	Start 2 Start 2		
12	Then Click on open pool in checker	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.555 s
	screenshot		
	Prince State		
	30.7 30.7		
13	And Click on claim button in checker	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
	# O Serving Control Co		
1.4	And anything alring all states	DACCED	0.240 -
14	And capture claimed status AFTER STER, standafinitions HooksClass addScreenshot(in cucumber inva Scenario)	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# 1000 (1000		
15	Then click on notification in checker	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.424 s
	screenshot		
	The state of the s		
16	Then checker should approved the asset creation record	FAILED	6.628 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: Ib2821c51a93fea4493a8f16fda006333, actions {actions=[org.openqa.selenium.interactions.Sequence@3bcedb06]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: Windework in the webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b2821c51a93fea4493a8f16fda006333 at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362) at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154) at org.openqa.selenium.json.JsonOutput.lambda\$new\$2(JsonOutput.java:169) at java.base/java.util.stream.ForEachOps\$ForEachOps\$OfRef.accept(ForEachOps.java:183) at java.base/java.util.Stream.ForEachOps*ForEachOps*GofRef.accept(ForEachOps.java:1845) at java.base/java.util.Stream.AbstractPipeline.expan.109 at java.base/java.util.stream.AbstractPipeline.wapAndCopyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wapAndCopyInto(AbstractPipeline.java:190) at java.base/java.util.stream.ForEachOps*ForEachOps*GofRef.evaluateSequential(ForEachOps.java:173) at java.base/java.util.stream.ForEachOps*ForEachOps*GofRef.evaluateSequential(ForEachO		

at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182) at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.remot.sonOutput.write(JsonOutput.java:278) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:172) at org.openqa.selenium.remote.thttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.exeroice.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:547) at org.openqa.selenium.internactions.ActionssBuild.com.perform(RemoteWebDriver.java:615) at org.openqa.selenium.internactions.Actions.perform(RemoteWebDriver.java:617) at org.openqa.selenium.internactions.Actions.perform(Actions.java:617) at org.openqa.selenium.internactions.operform(Actions.java:617) at org.openqa.selenium.internactions.operform(Actions.java:617) at org.openqa.selenium.internactions.operform(Actions.java:617) at org.openqa.selenium.internactions.operform(Actions.java:617) at org.openqa.selenium.internactions.operform(Actions.java:617) at org.openqa.selenium.internactions.operform(Actions.java:617) at o	ŧ	Step / Hook Details	Status	Duration
at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:1253) at org.openqa.selenium.remote.odec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.Service.DriverCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.ivokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:547) at org.openqa.selenium.interactions.ActionssBuiltAction.perform(Actions.java:615) at org.openqa.selenium.interactions.ActionssBuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.ActionssBuiltAction.perform(Actions.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.Checker.should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at ?.checker should approved the asset creation record(file:///C://Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8fV', 'pp: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' 'Driver info: driver version: 'RemoteWebDriver, at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.pava:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.pava:139) at org.openqa.selenium.remote.service.Dr	at org.o	ppenqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) at org.openqa.selenium.json.Json.otolson(Json,java:42) at org.openqa.selenium.json.Json.otolson(Json,java:42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.encodec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actionssperform(Actions.java:617) at org.openqa.selenium.interactions.Actionsperform(Actions.java:617) at org.openqa.selenium.interactions.Actionsperform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at ?.checker should approved the asset creation record(file:///C://Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', jp: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openqa.selenium.json.Json.otolson(Json.java:40) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(Abstr	at com.	.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66)		
at org.openqa.selenium.json.Json.toJson(Json,java.42) at org.openqa.selenium.json.Json.toJson(Json,java.42) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.lttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.ivokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.ActionssBulltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.ActionssPulltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at ?.checker should approved the asset creation record(file:///C./Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'am644', os.version: '10.0', java.version: '17.0.1' Driver info: driver version: RemoteWebDriver at org.openqa.selenium.remote.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.Sevice.DriverCommandExecutor.java:139) at org.openqa.selenium.remote.Sevice.DriverCommandExecutor.java:139) at org.openqa.selenium.mineractions.ActionsSBulliAction.perform(Actions, java:139) at org.openqa.s	at org.o	ppenqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.interactions.ActionsSbuiltAction.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.ActionsSbuiltAction.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation. java:200) at ?.checker should approved the asset creation record(file:///C/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.json.jsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc.1', revision: '15.0511cbd' System info: host: 'P600X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.Json.Output.java:303) at org.openqa.selenium.json.Json.Oson.Oson.Json.Json.Oson.Json.Json.Json.Dson.Json.Json.Json.Json.Json.Json.Json.Dson.Json.Json.Json.Json.Json.Json.Json.J	at org.o	ppenqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
at org.openga.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) at org.openga.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:164) at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openga.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openga.selenium.interactions.ActionssBuiltAction.perform(Actions.java:617) at org.openga.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at ?.checker should approved the asset creation record(file:///C://Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openga.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openga.selenium.json.JsonOutput.close(JsonOutput.java:303) at org.openga.selenium.json.Json.Json(Json.java:40) at org.openga.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHtpCommandCodec.java:253) at org.openga.selenium.remote.codec.AbstractHttpCommandExecutor.java:164) at org.openga.selenium.remote.service.DriverCommandExecutor.java:139 at org.openga.selenium.remote.encodec.AbstractHtpCommandCodec. RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openga.selenium.remote.service.DriverCommandExecutor.java:139 at org.openga.selenium.remote.encodec	at org.o	ppenqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.interactions.Actions.BuiltAction.perform(Actions.java:615) at org.openqa.selenium.interactions.Actions.BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:617) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at ?.checker should approved the asset creation record(file:///C/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc551Lobda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.Json.Output.close(Json.Output.java:303) at org.openqa.selenium.json.Json.Output.close(Json.Output.java:303) at org.openqa.selenium.remote.Codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.interactions.Actions.Put Polonya.Selenium.interactions.Actions.Put Polonya.Selenium.interactions.Actions.Put Polonya.Selenium.interactions.Actions.Put Polonya.Selenium.interactions.Actions.Put Polonya.Selenium.interaction.Selenium.interactions.Actions.Put Polonya.Selenium.interaction.Selenium.interactions.Actions.Put Polonya.Selenium.interaction.Selenium.put Polonya.Selenium.interaction.Selenium.interaction.Selenium.	at org.o	ppenqa.selenium.json.Json.toJson(Json.java:42)		
at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at ?.checker should approved the asset creation record(file:///C./Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.java:303) at org. openqa.selenium.json.JsonOutput.java:303) at org. openqa.selenium.json.JsonOutput.java:303) at org. openqa.selenium.json.JsonOutput.java:303) at org. openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.ecutor.execute(HttpCommandExecutor.java:164) at org. openqa.selenium.remote.service.DriverCommandExecutor.ava:139) at org.openqa.selenium.interactions.Actions.Pseptorm(Actions.java:157) at org.openqa.selenium.interac	at org.o	ppenqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation. java:200) at ?.checker should approved the asset creation record(file:///C./Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/ features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:30) at org. openqa.selenium.ison.JsonOutput.close(JsonOutput.java:30) at org. openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.java:164) at org.openqa.selenium.remote.RemoteWebDriver.priver.java:164) at org.openqa.selenium.remote.RemoteWebDriver.priver.java:164) at org.openqa.selenium.remote.RemoteWebDriver.priver.java:164) at org.openqa.selenium.remote.RemoteWebDriver.priver.java:164) at org.openqa.selenium.interactions.Actions.perform(Actions,java:677) at helper.ClicksAndActionsHelper.moveToElement(C	at org.o	ppenqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.nemote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.ActionssBuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.ActionssBuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation. java:200) at ?.checker should approved the asset creation record(file:///C./Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.HttpCommandExecutor.java:139) at org.openqa.selenium.remote.HttpCommandExecutor.java:139) at org.openqa.selenium.remote.Perform(Actions.java:154) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:157) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interaction	at org.o	ppenqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation. java:200) at ?.checker should approved the asset creation record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/ features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.PriverCommandExecutor.java:139) at org.openqa.selenium.interactions.ActionsSBuiltAction.perform(Actions.java:361) at org.openqa.selenium.interactions.ActionsSBuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.ActionsSBuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.ActionsSBuiltAction.perform(Actions.java:617) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.invoke(NativeMethodA				
at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.Actions.perform(Actions.java:617) at thelper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation. java:200) at ?.checker should approved the asset creation record(file:///C://Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/ features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandExecutor. java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org. openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org. openqa.selenium.remote.service.DriverCommandExecutor.newceute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.memote.RemoteWebDriver.java:36) at org.openqa.selenium.interactions.ActionsSellaltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXED	at org.o	ppenqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:573) at tog.openqa.selenium.interactions.Actions.perform(Actions.java:573) at thelper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation. java:200) at 7.checker should approved the asset creation record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/ features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'P600X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json,java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.httpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_osset_creation_record(FIXEDASSETS_AssetCreation.java:200) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.	at org.o	ppenqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation. java:200) at ?.checker should approved the asset creation record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.codec.AbstractHttpCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote. RemoteWebDriver.genora.selenium.interactions. Actions.perform(Actions.java:547) at org.openqa.selenium.interactions.ActionsSBuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_jecord(FIXEDASSETS_AssetCreation.java:200) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.	_			
at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at ?.checker should approved the asset creation record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:139) at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at java.base/jdk.internal.reflect. NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.				
at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at ?.checker should approved the asset creation record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote. RemoteWebDriver. para:1615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.				
java:200) at ?.checker should approved the asset creation record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Diver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.Codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org. openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote. RemoteWebDriver.perform(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.				
at ?.checker should approved the asset creation record(file:///C://Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json,java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.gava:139) at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.		definitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.		
features/FIXEDASSETS_AssetCreation.feature:23) Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org. openqa.selenium.remote.service.DriverCommandExecutor.invokeExecutor.java:139) at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.memote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.	1.5			
Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. openqa.selenium.json.Json.toJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org. openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions. Actions.perform(Actions.java:573) at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(Native Method) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.				
Invoker.dolnvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep.java:92) at io.cucumber.core.runner.TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.core.runtime.CucumberExecutionContext.	'bc5511cb '17.0.1' Dr openqa.se encode(Al encode(Al java:172) openqa.se RemoteW java:615) Actions.pe stepdefinit at java.ba: NativeMet invoke(De Invoker.do invokeMet cucumber runStep(P cucumber at io.cucui	oda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: river info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303) at org. delenium.json.Json.doJson(Json.java:40) at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. bstractHttpCommandCodec.java:253) at org.openqa.selenium.remote.Codec.AbstractHttpCommandCodec. bstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor. at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote. VebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver. at org.openqa.selenium.interactions.StuiltAction.perform(Actions.java:617) at org.openqa.selenium.interactions.erform(Actions.java:573) at helper.ClicksAndActionsHelper.move*ToElement(ClicksAndActionsHelper.java:36) at tions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.java:200) ise/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.thodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.olnvoke(Invoker.java:66) at io.cucumber.java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.olnvoke(Invoker.java:66) at io.cucumber.java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.olnvoke(Invoker.java:66) at io.cucumber.java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.olnvoke(Invoker.java:66) at io.cucumber.java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.olnvoke(Method.java:66) at io.cucumber.java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.olnvoker.java.java.java.java.java.java.		

#	Step / Hook Details	Status	Duration
	runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal. TestInvoker.invokeMethod(TestInvoker.java:173) at org. testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker.java:146) at org.testng.internal.TestInvoker.java:146) at org.testng.internal. TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:371) at org.testng.SuiteRunner.runTest(SuiteRunner.java:332) at org.testng. SuiteRunner.run(SuiteRunner.java:373) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng. SuiteRunner.run(SuiteRunner.java:375) at org.testng. SuiteRunner.Worker.java:596) at org.testng.SuiteRunner.Worker.java:1212) at org.testng. SuiteRunner.Worker.java:1212) at org.testng. TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng. TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng. TestNG.run(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1134) at org.testng.TestNG.run(SuiteRunner). At org.testng.TestNG.run(TestNG.java:1155) at org.testng.TestNG.run(TestNG.java:1165) at org.testng.TestNG.run(TestNG.java:1165) at org.testng.TestNG.run(TestNG.java:1165) at org.testng.TestNG.run(TestNG.java:1165) at org.testng.TestNG.run(TestNG.java:1165)		
	initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect.		
	InvocationTargetException at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:154)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:169)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:169)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openga.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:182)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66)		
	at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:177)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278)		
	at org.openqa.selenium.json.Json.toJson(Json.java:42)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615)		
	at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:617)		
	at org.openqa.selenium.interactions.Actions.perform(Actions.java:573)		
	at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)		
	at stepdefinitions.FIXEDASSETS_AssetCreation.checker_should_approved_the_asset_creation_record(FIXEDASSETS_AssetCreation.		
	java:200)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		


DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body/div/div/div/div/div/div/div/div/div/div		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		


DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:201)		
	at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:152)		
	at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73)		
	at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
	Plant part from Control of The Contr		


EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --







EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --



EXPANDED SECTION -- 21 --

